

1.0 Product and Company Identification

Identification of the preparation HP Color LaserJet Magenta Print

Cartridge Q3963A

Company Identification Hewlett-Packard Company

11311 Chinden Boulevard Boise, Idaho 83714

Boise, Idano 837

United States

Emergency telephone number Hewlett-Packard Health Effects Line 1-800-457-4209 (USA and Canada) Intl: +1-503-494-7199 (all other areas)

Singapore: +001-800-332-13321

General information telephone number

1-208-323-2551 (USA and Canada) Intl: +1-208-323-2551 (all other areas)

Local Contact Information

Ireland

Liffey Park Technology Park Barnhall Road Leixlip, Co.

Kildare, Ireland Phone: 01 6150000 **United Kingdom**

Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

Phone: 1344 36-0000

Hazard Rating	US NFPA/HMIS		
Health	1		
Flammability	1		
Instability/Reactivity	0		
Special	N/A		

2.0 Composition/Information on Ingredients

This product is a magenta toner preparation that is used in Hewlett-Packard Color LaserJet 2550 series printers. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.

Component/Substance	CAS Number	EU Number	% by Weight	Risk
				Phrases
Styrene Acrylate	-	-	75 - 85	-
Copolymer				
Wax	-	-	5 - 10	-
Pigment	-	-	1 - 7	-
Amorphous Silica	7631-86-9	231-545-4	1-2	-



3.0 Hazard Identification

Routes of Exposure Inhalation, Ingestion, skin and eyes.

Acute Health Hazards

Inhalation: Respiratory tract irritation may occur with exposure to large

amounts of dust.

Ingestion: Low acute toxicity. Ingestion is a minor route of entry for

intended use of this product.

Skin: Unlikely to cause skin irritation. **Eyes:** May cause transient slight irritation.

Chronic Health Hazards Prolonged inhalation of excessive amounts of any dust

may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Carcinogenicity Refer to section 11.

4.0 First Aid Measures

Inhalation: Move person to fresh air immediately. If symptoms

occur, consult a physician.

Ingestion: Rinse mouth out with water. Drink one to two

glasses of water. If symptoms occur, consult a

physician immediately.

Skin: Wash affected areas with soap and water. If irritation

persists, consult a physician.

Eyes: Do not rub eyes. Immediately flush with large

amounts of clean, lukewarm water (low pressure) for at least 5 minutes or until particles are removed. If

irritation persists, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media CO₂, water, dry chemical

Unsuitable Extinguishing

Media None

Special Firefighting

Procedures None

Unusual fire and explosion Like most organic material in powder form, toner can

hazards form explosive dust-air mixtures when finely

dispersed in air.

Auto-ignition temperature Not available

Flashpoint (method) Not applicable

Hazardous Combustion

Products CO₂, CO



6.0 Accidental release measures

Spill or leak procedures Avoid breathing dust. Minimize the release of

> particles. Slowly sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of waste toner in accordance with local

requirements.

Do not discharge into drains (See also Section 13, **Environmental precautions**

Disposal Considerations).

7.0 Handling and Storage

Advice on safe handling and Keep material out of reach of children. Avoid

protection against fire inhalation of dust and contact with eyes. Use with

adequate ventilation. Keep away from excessive

heat, sparks, and open flames.

rooms and advise on storage compatibility

Requirements for storage Keep out of the reach of children. Keep container closed and store at room temperature. Keep away

from strong oxidizers.

8.0 Exposure control/ personal protection

Exposure Limit Values

15 mg/m³ (Total Dust) USA OSHA (TWA/PEL):

5 mg/m³ (Respirable Fraction) 10 mg/m³ (Inhalable Particulate)

ACGIH (TWA/TLV):

3 mg/m³ (Respirable Particulate)

4 mg/m³ (Einatembare Partikel) DFG MAK:

1.5 mg/m³ (Alveolengängige Fraktion)

Amorphous silica: USA OSHA PEL – 20 mppcf, 80 (mg/m³)/% SiO₂

ACGIH TLV - 10 mg/m³ (TWA)

DFG MAK – 4 mg/m³ (Inhalable fraction)

Exposure Controls

Respiratory protection Not required under intended use.

Ventilation Good general ventilation should be sufficient under

intended use.

Protective gloves Not required under intended use.

Eye protection Not required under intended use.

Other protective equipment Not required under intended use.

9.0 Physical and chemical properties

pH Not applicable

Boiling point Not applicable Flash point Not applicable



Melting point 100 – 150°C (Softening Point)

Flammability Non-flammable solid (according to test methods of

EU Directive 92/69/EEC and as amended, A10

Flammability (Solids)).

Explosive properties Toner material, like most organic material in powder

form, is capable of creating a dust explosion.

Oxidizing properties No data available

Vapor Pressure Not applicable

Specific gravity (H₂O=1) 1.0 - 1.2 Solubility in water Negligible

Solubility in organic

solvents Partially soluble in toluene and xylene.

Partition coefficient Not applicable

Viscosity Not applicable
Vapor density Not applicable
Evaporation rate Physical state

Viscosity Not applicable
Not applicable
Fine powder

Color Magenta

Odor Slight plastic odor

Other Decomposition Temperature: >200 ° C

10.0 Stability and reactivity

Stability Stable under normal storage conditions

Incompatibilities Strong oxidizers

Hazardous decomposition

products CO₂, CO

Hazardous polymerization Will not occur

11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Inhalation: LC₅₀:inh-rat>5mg/L/4 hrs., not harmful. **Ingestion:** LD₅₀:orl-rat>2000 mg/kg, not harmful.

Eye Contact: Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive

67/548/EEC and as amended.

Skin Contact: Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive

67/548/EEC and as amended.

Chronic Toxicity: No data available.

Sensitization: Not classified as a sensitizer according to EU

Directive 67/548/EEC and as amended, and OSHA

HCS (US).

Mutagenicity: Negative, does not indicate mutagenic potential

(Ames Test: Salmonella typhimurium)



Carcinogenicity: Not a known or suspected carcinogen according to

any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive Toxicity: Not classified as toxic according to EU Directive

67/548/EEC and as amended, California Prop. 65,

or DFG (Germany).

12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems.

13.0 Disposal considerations

Do not put toner or toner cartridge into fire; heated toner may cause severe burns. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulation.

14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number None

Class None

Proper Shipping Name None

Packing Group None

Special Precautions None

15.0 Regulatory information

US EPA TSCA All chemical substances in this product comply with

all rules or orders under TSCA.

US EPA TSCA 12(b) None

US California Proposition 65 None

EU Notification All components in this product are compliant with

EU Chemical Inventory regulations.

EU Hazard Label This product does not require a label under

(1999/45/EC): 1999/45/EC and as amended.

Special Precautions under None

1999/45/EC, Annex V

USA Labeling

Symbol Not required

Hazard Warning Not required

Safety Advice Not required

Hazardous Component(s) None



16.0 Other information

Date Prepared: June 1, 2004

HP-DMS Document Control 09000de780056fcf-eng

Number:

Revision Information: None

EU & US Information This MSDS was prepared in compliance with EU

Directive 91/155/EEC as amended by 2001/58/EC and

USA OSHA Hazard Communications regulations

(29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or their suitability for a particular application.