

1. Chemical Product and Company Identification

Material name C6656A

Use of the preparation Inkjet printing

Version # 05

Revision date 26-Mar-2008
CAS # Mixture

Product use Inkjet printing

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 **(Direct)** 1-503-494-7199

General information telephone number

 HP Customer Care Line
 1-800-474-6836

 (Toll-free)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Date prepared
 Mar 26, 2008

 MSDS number
 146845

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Isopropyl Alcohol

Contact with skin and eyes may result in irritation. Inhalation may cause drowsiness or

dizziness.

Acute health effectsAny potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Isopropyl Alcohol

Contact with eyes may result in severe irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Isopropyl Alcohol

Inhalation may cause drowsiness or dizziness.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Material nameC6656AMSDS USCreation dateApr 30, 2003Version number51 / 7



Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Isopropyl Alcohol

Potential routes of exposure under normal use conditions are skin, eye contact and inhalation.

Chronic health effects Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung

> tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of

fine dust particles is not expected to occur during normal conditions of use of this ink.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly Carcinogenicity

carcinogenic to humans).

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

Other information

Isopropyl Alcohol

This product is classified for health and physicochemical effects according to EU Directive

1999/45/EC with R11, R36 and R67.

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
2-pyrrolidone	616-45-5	< 15
Carbon black	1333-86-4	< 5
Isopropyl Alcohol	67-63-0	< 5
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).	

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure)

> for at least 15 minutes or until particles are removed. If irritation persists get medical attention. Do not rub eyes, Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed, If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention. Wash affected areas thoroughly with mild soap and water and Get medical attention

if irritation develops or persists.

Inhalation Move to fresh air. If symptoms persist, get medical attention. Move to fresh air, If symptoms

persist, get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention. If ingestion of a large

amount does occur, seek medical attention.

5. Fire Fighting Measures

Flash point and method 131 - 136 °F (55 - 57.8 °C); Pensky-Martens Closed Cup; No ignition, sustained combustion or

flashing detected using the Sustained Combustibility Test (method in US 49CFR173, Appendix

H).

MSDS US Material name C6656A Creation date Apr 30, 2003 2 / 7



Hazardous combustion

products

Refer to section 10. Carbon monoxide and carbon dioxide.

Flammable propertiesNone known. Flammable Liquid and Will burn if involved in a fire and Vaporizes easily at

normal temperatures and Vapors may travel to a source of ignition and flash back.

Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known. None known.

Unusual fire and explosion

hazard

None known. Flammable Liquid and Will burn if involved in a fire and Vaporizes easily at normal temperatures and Vapors may travel to a source of ignition and flash back.

Protection of firefighters

Specific hazards arising from the chemical

None known...

Special firefighting

procedures

None established.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment. Wear appropriate personal protective

equipment and Ensure adequate ventilation and Remove all sources of ignition.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Do

not let product enter drains and Do not flush into surface water or sanitary sewer system.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or

other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations. Soak up with inert absorbent material, Clean remainder with a damp cloth or vacuum cleaner, Dispose of in compliance with federal, state,

Not established

Not established

and local regulations, See also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition and

Avoid contact with skin and eyes Use this product with adequate ventilation.

Storage Keep out of the reach of children. Keep away from excessive heat or cold. Keep away from

excessive heat, sparks, and open flames.

400 ppm

67-63-0

8. Exposure Controls/Personal Protection

Exposure limits

Isopropyl Alcohol

ACGIH

Components	CAS #	TWA	STEL	Ceiling
Carbon black	1333-86-4	3.5 mg/m3	Not established	Not established
Isopropyl Alcohol	67-63-0	200 ppm	400 ppm	Not established
OSHA				
Components	CAS #	TWA	STEL	Ceiling
Carbon black	1333-86-4	3.5 mg/m3	Not established	Not established

Material nameC6656AMSDS USCreation dateApr 30, 2003Version number 53 / 7



Exposure guidelines Exposure limits have not been established for this product.

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA)
Isopropyl Alcohol 67-63-0 200 ppm TWA

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA)
Carbon black 1333-86-4 3.5 mg/m3 TWA

U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Carbon black 1333-86-4 3.5 mg/m3 TWA

U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Isopropyl Alcohol 67-63-0 400 ppm TWA; 980 mg/m3 TWA

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye. Use personal

protective equipment to minimize exposure to skin and eye.

Eye / face protection Not required under intended use.

Skin protection Protected gloves not required under intended use.

Respiratory protection For use other than intended use (such as in the event of a large spill), goggles and respirators

may be required.

General hygeine Handle in accordance with good industrial hygiene and safety practice. Handle in accordance

considerations with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color Black

Odor threshold no appreciable odor

Physical stateLiquid.pH7.8 - 8.4Melting pointNot availableFreezing pointNot available

Boiling point $> 200 \, ^{\circ}\text{F} \, (> 93.3 \, ^{\circ}\text{C})$

Flash point 131 - 136 °F (55 - 57.8 °C); Pensky-Martens Closed Cup; No ignition, sustained combustion or

flashing detected using the Sustained Combustibility Test (method in US 49CFR173, Appendix

H).

Flammability Not available.
Flammability limits in air, upper, % by volume

Not available
Not available

Flammability limits in air,

lower, % by volume

Not available

Vapor pressureNot determinedVapor density> 1 (air = 1.0)Specific gravity1 - 1.2 g/mLRelative densityNot availableSolubility in waterSoluble in waterPartition coefficientNot determined

(n-octanol/water)

Auto-ignition temperature Not available



Decomposition temperature Not available

VOC < 3 % **Viscosity** > 2 cp

Bulk density 1 - 1.2 gm/ml

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions. Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents. Incompatible with strong acids and

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Carbon monoxide and carbon

dioxide.

Possibility of hazardous

reactions

Will not occur. Will not occur.

11. Toxicological Information

Carcinogenicity

U.S. - OSHA - Hazard Communication Carcinogens

Carbon black 1333-86-4 Present

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

Isopropyl Alcohol 67-63-0 eyes, skin, respiratory system

NIOSH - Pocket Guide - Target Organs

Carbon black 1333-86-4 respiratory system, eyes (lymphatic cancer in presence of PAHs)

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows =>750 mg/L LC50/96h/Fathead minnows =9460 mg/L.

EC50/48h/daphnia =13299 mg/L. EC50/72h/algae =/> 1000 mg/L.

Not available Persistence and degradability

Partition coefficient Not determined

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

> HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle. Dispose of in

compliance with federal, state, and local regulations.

14. Transportation Information

Department of Transportation (DOT) Requirements

Not regulated as hazardous goods.

MSDS US Material name C6656A Creation date Apr 30, 2003 5 / 7

IATA

Proper shipping name Not applicable
Hazard class Not applicable

UN numberNonePacking groupN/APackaging exceptionsNone

15. Regulatory Information

US TSCA 12(b): Contains tetrahydrofuran (CASRN 109-99-9), subject to export notification

requirements.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Isopropyl Alcohol 67-63-0 1.0 % de minimis concentration (only if manufactured by the strong

acid process, no supplier notification)

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

chemical

No

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

State regulations

U.S. - California - Proposition 65 - Carcinogens List

Carbon black 1333-86-4 carcinogen, initial date 2/21/03 (airborne, unbound particles of

respirable size)

U.S. - Pennsylvania - RTK (Right to Know) List

Isopropyl Alcohol 67-63-0 Environmental hazard

U.S. - Pennsylvania - RTK (Right to Know) List

Carbon black 1333-86-4 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Carbon black 1333-86-4 sn 0342

U.S. - New Jersey - Right to Know Hazardous Substance List

Isopropyl Alcohol 67-63-0 sn 1076; sn 2381 (strong-acid process manufacture)

16. Other Information

HMIS® ratings Health: 1

Flammability: 2 Physical hazard: 0

Material nameC6656AMSDS USCreation dateApr 30, 2003Version number56 / 7



NFPA ratings Health: 1

> Flammability: 2 Instability: 0

Issue date Mar 26 2008 1:02PM

Revision

Replaces sheet dated Dec 15 2007 4:19PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

MSDS sections updated 3. Hazards Identification: Chronic health effects

3. Hazards Identification: Carcinogenicity

8. Exposure Controls/Personal Protection: Respiratory 15. Regulatory Information: Canadian regulations

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

MSDS US Material name C6656A Creation date Apr 30, 2003 7 / 7



1. Product and Company Identification

Material nameC6657 SeriesUse of the preparationInkjet printing

Version # 09

Revision date 03-26-2009 CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomerinquiries@hp.com

Date preparedMar 26, 2009MSDS number266210

2. Hazards Identification

Emergency overview

Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Amino alkyldiol

Contact with skin may result in irritation.

Ammonium nitrate

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.



Eye contact 1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Amino alkyldiol

Contact with eyes may result in irritation.

Ammonium nitrate

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Amino alkyldiol

Inhalation may result in respiratory irritation.

Ammonium nitrate

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Ammonium nitrate

Contains nitrate salts, may cause methemoglobinemia.

Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Substituted phthalocyanine salt # 2

Harmful if swallowed.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects Cyan ink

Substituted phthalocyanine salt: Prolonged ingestion exposure may cause serious damage to

health.

CarcinogenicityNone of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.



Component/Substance	CAS Number	% By Weight	
Cyan ink			
Water	7732-18-5	< 80	
1,5-pentanediol	111-29-5	< 10	
2-pyrrolidone	616-45-5	< 10	
Ethyl alkyldiol	Proprietary	< 10	
Metal nitrate # 2	Proprietary	< 10	
Alkyldiol ethoxylate	Proprietary	< 2.5	
Ammonium nitrate	6484-52-2	< 2.5	
Substituted phthalocyanine salt #		< 2.5	
Magenta ink			
Water	7732-18-5	< 80	
1,5-pentanediol	111-29-5	< 10	
2-pyrrolidone	616-45-5	< 10	
Ethyl alkyldiol	Proprietary	< 10	
Metal nitrate # 2	Proprietary	< 10	
Alkyldiol ethoxylate	Proprietary	< 2.5	
Amino alkyldiol	Proprietary	< 2.5	
Ammonium nitrate	6484-52-2	< 2.5	
Yellow ink	0.00.02		
Water	7732-18-5	< 80	
1,5-pentanediol	111-29-5	< 10	
2-pyrrolidone	616-45-5	< 10	
Ethyl alkyldiol	Proprietary	< 10	
Metal nitrate # 2	Proprietary	< 10	
	Proprietary	< 2.5	
Alkyldiol ethoxylate Ammonium nitrate	6484-52-2	< 2.5 < 2.5	
	* . * . * = =		
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria spectrum (Communication Standard).		
irst Aid Measures			
First aid procedures			
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure at least 15 minutes or until particles are removed. If irritation persists get medical attention		
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.		
Inhalation	Move to fresh air. If symptoms persist, get medical attention.		
Ingestion	If ingestion of a large amount does occur, seek medical attention.		
ire Fighting Measures			
Flash point and method	> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup		
Hazardous combustion products	Refer to section 10.		
Flammable properties	None known.		
Extinguishing media			
Suitable extinguishing media	CO2, water, dry chemical, or foam		
Unsuitable extinguishing media	None known.		
Unusual fire and explosion hazard	None known.		

Material name C6657 SERIES

Creation date Jul 02, 2003

Version number 11

MSDS US

3/7



Special firefighting procedures None established.

6. Accidental Release Measures

Personal precautionsWear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or

other sealed container. Dispose of in compliance with federal, state, and local regulations.

See also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Exposure guidelines Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

General hygeine Handle in accordance with good industrial hygiene and safety practice.

considerations

9. Physical & Chemical Properties

Appearance Not available.

Color Cyan, magenta, yellow

Odor Not available.
Odor threshold Not available.

Physical state Liquid.

Form Not available.

pH 6.5 - 8.75

Melting point Not available.

Freezing point Not available.

Boiling point Not determined

Flash point > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Evaporation rateNot determinedFlammabilityNot available.Flammability limits in air,Not available.

upper, % by volume Flammability limits in air,

lower, % by volume

Not determined

Vapor pressure Not determined Vapor density > 1 (air = 1.0)

Specific gravity 1 - 1.2

Relative density

Solubility (water)

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

VOC < 3 % Viscosity > 2 cp

Material nameC6657 SERIESMSDS USCreation dateJul 02, 2003Version number114 / 7



10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Toxicological information Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Persistence and degradability No

Not available.

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

IATA

Proper shipping name Not applicable Hazard class Not applicable

UN number None
Packing group N/A
Packaging exceptions None
Packaging non bulk None
Labels required None

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

15. Regulatory Information

US federal regulationsUS TSCA 12(b): Does not contain listed chemicals.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Metal nitrate # 2 (Proprietary) N511 Listed.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

chemical

No

Material nameC6657 SERIESMSDS USCreation dateJul 02, 2003Version number115 / 7



International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

State regulations

US - New Jersey Community RTK (EHS Survey): Listed substance

Ammonium nitrate (6484-52-2)

Metal nitrate # 2 (Proprietary)

Substance no. 3722

US - New Jersey Community RTK (EHS Survey): Reportable threshold

Ammonium nitrate (6484-52-2) 500 LBS
Metal nitrate # 2 (Proprietary) 500 LBS
US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (616-45-5) Listed.
Ammonium nitrate (6484-52-2) Listed.
Metal nitrate # 2 (Proprietary) Listed.

16. Other Information

HMIS® ratings Health: 1 Flammability: 1

Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Issue date Mar 26 2009 4:46PM

Revision 9

Replaces sheet dated Feb 5 2009 10:12AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.



Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209