

SAFETY DATA SHEET

Section 1. Identification

| GHS product identifier | : Dell Black Toner 3330 |
|------------------------|-------------------------|
| Product type | : Solid. |

| Description : | Part number : |
|------------------------|----------------------------|
| 3330dn Toner Cartridge | C233R, P976R, W895P, W896P |

| Application | : Laser Printer 3330dn |
|-------------------------------|--|
| Supplier's details | : Dell Inc. One Dell Way Round Rock, TX, USA 78682 |
| Emergency telephone number | : Information: 1-800-WWW-DELL Emergency: 1-866-473-5030 24/7 |
| Prepared by | : Product Environmental Programs |

Section 2. Hazards identification

| OSHA/HCSstatus | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). | | | |
|--|---|--|--|--|
| Classification of the substance or mixture | : COMBUSTIBLE DUSTS | | | |
| | Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 83% | | | |
| GHS label elements | | | | |
| Signal word | : Warning | | | |
| Hazard statements | : May form combustible dust concentrations in air. | | | |
| Precautionary statements | | | | |
| General | : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. | | | |
| Prevention | : Not applicable. | | | |
| Response | : Not applicable. | | | |
| Storage | : Not applicable. | | | |
| Disposal | : Not applicable. | | | |

1/11

Section 2. Hazards identification

Supplemental label elements

: Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.

- Hazards not otherwise classified
- : None known.

: Mixture

Section 3. Composition/information on ingredients

| Ingredient name | % | CAS number |
|-----------------|---|-------------------------|
| | | 1333-86-4 13463-67-7 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. **Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

| Most important symptoms | <u>/effects. acute and</u> | delayed | | | |
|--------------------------------|----------------------------|------------------------------|--------------------------|-------------|------|
| Potential acute health effe | ects | | | | |
| Eye contact | : No known si | gnificant effects or critica | al hazards. | | |
| Inhalation | : No known si | gnificant effects or critica | al hazards. | | |
| Skin contact | : No known si | gnificant effects or critica | al hazards. | | |
| Ingestion | : No known si | gnificant effects or critica | al hazards. | | |
| <u>Over-exposure signs/syn</u> | <u>nptoms</u> | | | | |
| Eye contact | : No specific of | data. | | | |
| Inhalation | : No specific of | data. | | | |
| Date of issue/Date of revision | : 8/13/2015. | Date of previous issue | : No previous validation | Version : 1 | 2/11 |

| Section 4. First aid measures | | | | |
|-------------------------------|--|--|--|--|
| Skin contact | : No specific data. | | | |
| Ingestion | : No specific data. | | | |
| Indication of immediate med | dical attention and special treatment needed. if necessary | | | |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. | | | |
| Specific treatments | : No specific treatment. | | | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. | | | |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|--|
| Suitableextinguishing media | : Use dry chemical powder. |
| Unsuitable extinguishing media | : Do not use water jet. |
| Specific hazards arising from the chemical | : Fine dust clouds may form explosive mixtures with air. |
| Hazardousthermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

| Fornon-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|-------------------------------|--|
| For emergency responders | : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods and materials for containment and cleaning up

| Date of issue/Date of revision : | 8/13/2015. | Date of previous issue | : No previous validation | Version | :1 | 3/11 |
|----------------------------------|------------|------------------------|--------------------------|---------|----|------|
|----------------------------------|------------|------------------------|--------------------------|---------|----|------|

Section 6. Accidental release measures

| Small spill | Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
|-------------|---|
| Large spill | : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

| Precautions for safe handling | | |
|--|---|--|
| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general occupational hygiene | • | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | | | Exposurelimits | | |
|--|--------------|------------------------|--|--|--|
| TWA: 3 mg/m ³ 8 hours. Form fraction NIOSH REL (United States, TWA: 3.5 mg/m ³ 10 hours. TWA: 0.1 mg of PAHs/cm ³ 1 OSHA PEL (United States, 2 TWA: 3.5 mg/m ³ 8 hours. OSHA PEL 1989 (United States) TWA: 3.5 mg/m ³ 8 hours. | | | NIOSH REL (United States, 10/2013). TWA: 3.5 mg/m ³ 10 hours. TWA: 0.1 mg of PAHs/cm ³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 3.5 mg/m ³ 8 hours. OSHA PEL 1989 (United States, 3/1989). | | |
| titanium dioxide | | | ACGIH TLV (United States, 4/2014). TWA: 10 mg/m ³ 8 hours. OSHA PEL 1989 (United States, 3/1989). | | |
| Date of issue/Date of revision | : 8/13/2015. | Date of previous issue | :No previous validation Version :1 4/11 | | |

Dell Black Toner 3330

Section 8. Exposure controls/personal protection

TWA: 10 mg/m³ 8 hours. Form: Total dust **OSHA PEL (United States, 2/2013).** TWA: 15 mg/m³ 8 hours. Form: Total dust

| Appropriate engineering controls | : The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. | | | |
|----------------------------------|--|--|--|--|
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. | | | |
| Individual protection measure | 2 <u>5</u> | | | |
| Hygienemeasures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. | | | |
| Eye/faceprotection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. | | | |
| Skin protection | | | | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. | | | |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | | | |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | | | |
| Respiratory protection | : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. | | | |

Section 9. Physical and chemical properties

| Date of issue/Date of revision | : 8/13/2015. Date of previous issue : No previous validation Version : 1 | 5/11 |
|--------------------------------|--|------|
| Burning time | : Not available. | |
| Flash point | : Not available. | |
| Boiling point | : Not available. | |
| Melting point | : Not determined. | |
| рН | : Not available. | |
| Odor threshold | : Not available. | |
| Odor | : Faint odor (Plastic.) | |
| Color | : Black. | |
| Physical state | : Solid (Finely divided solid.) | |
| Appearance | | |

Section 9. Physical and chemical properties

| Burning rate | : Not available. |
|--|-------------------|
| Evaporation rate | : Not applicable. |
| Flammability (solid, gas) | : Not available. |
| Lower and upper explosive (flammable) limits | : Not available. |
| Vapor pressure | : Not available. |
| Vapor density | : Not applicable. |
| Relative density | : Not determined. |
| Solubility | : Not available. |
| Solubility in water | : Not available. |
| Partition coefficient: n- octanol/water | : Not available. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| SADT | : Not available. |
| Viscosity | : Not available. |
| | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation. |
| Incompatiblematerials | : Reactive or incompatible with the following materials: oxidizing materials |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Product/ingredientname | Result | Species | Dose | Exposure |
|------------------------|-----------------------|---------|--------------|----------|
| carbon black | LD50 Oral | Rat | >15400 mg/kg | - |
| Dell Black Toner 3330 | LC50 Inhalation Vapor | Rat | >5000 mg/l | 4 hours |
| | LD50 Oral | Rat | >5000 mg/kg | - |

Irritation/Corrosion

Section 11. Toxicological information

| | 0 | | | | |
|-------------------------|----------------------|---------|-------|--|-------------|
| Product/ingredient name | Result | Species | Score | Exposure | Observation |
| titanium dioxide | Skin - Mild irritant | Human | - | 72 hours 300 Micrograms Intermittent | - |

| Sensitization |
|---------------|
|---------------|

Not available.

Mutagenicity

Not available.

Conclusion/Summary : Not mutagenic in Ames test.

Carcinogenicity

Not available.

Conclusion/Summary

: Low acute inhalation toxicity. As with exposure to high concentrations of any dust, minimal irritation of the respiratory tract may occur. Pure carbon black and titanium dioxide, minor components of this product, has been listed by IARC as a group 2B (possible carcinogen). This classification is based on rat "lung particulate overload" studies performed with airborne particulate. Toner is not listed by IARC, NTP, or OSHA.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|----------------------------------|------|----------|-----|
| carbon black titanium dioxide | - | 2B 2B | - |

Reproductivetoxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

| Name | | Route of exposure | Target organs |
|--------------|------------|-------------------|---------------|
| carbon black | Category 1 | Notdetermined | lungs |

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

| • | | |
|--------------------------------|---|------------|
| Potential acute health effects | | |
| Evecontact | 1 | No known s |

| Eye contact | : No known significant effects or critical hazards. |
|--------------|---|
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |

: No known significant effects or critical hazards.

| Eyecontact | : No specific data. |
|------------|---------------------|
|------------|---------------------|

Section 11. Toxicological information

| Inhalation | : No specific data. |
|--------------------------------|---|
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |
| Delayed and immediate effect | ts and also chronic effects from short and long term exposure |
| Short term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health effe | ects |
| Not available. | |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. Toner is negative (nonmutagenic) in the Ames assay. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmentaleffects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---|--|----------------------------------|
| carbon black | Acute EC50 37.563 mg/l Fresh water | Daphnia - Daphnia magna - Neonate | 48 hours |
| titanium dioxide | Acute LC50 3 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 6.5 mg/l Fresh water | Daphnia - Daphnia pulex - Neonate | 48 hours |
| Dell Black Toner 3330 | Acute LC50 >1000000 µg/l Marine water Acute EC50 >1000 mg/l Acute EC50 >1000 mg/l | Fish - Fundulus heteroclitus Daphnia Daphnia | 96 hours 24 hours 48 hours |

Persistence and degradability

Not available.

Bioaccumulative potential

Section 12. Ecological information

| Product/ingredientname | | BCF | Potential |
|------------------------|---|-----|-----------|
| titanium dioxide | - | 352 | low |

| : Not available. |
|------------------|
| |

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ADR/RID | IMDG | ΙΑΤΑ |
|-------------------------------|-----------------------|-----------------------|--------------------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - | - | - |
| Transport hazard class(es) | - | - | - | - | - | - |
| Packing group | - | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. | No. |
| Additional information | - | - | - | - | - | - |

Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Date of issue/Date of revision

Section 15. Regulatory information

| United States | |
|---------------------------------|---|
| TSCA(USA) | : All ingredients are listed on the Toxic Substances Control Act (TSCA) inventory, have been registered, or are exempt. |
| SARA/EPCRA(USA) | : None of the ingredients in this product has a final reportable quantity (RQ) under Emergency Planning and Community Right-to Know Act (EPCRA)- Section 302: Extremely Hazardous Substances (EHS) or notification requirements for EHS under Section 304. |
| California Prop. 65 | This product contains no known materials at levels which the State of California has found to cause cancer, birth defects or other reproductive harm - California Proposition 65. |
| International regulations list | S |
| EINECS (Europe) | : All ingredients are listed on the European Inventory of Existing Commercial Substances (EINECS) list, have been registered on the European List of New Chemical Substances (ELINCS), or are exempt. |
| REACH Status | EU (REACH): All components of the toner formulation are registered, pre-registered or exempt under REACH. Pre-registered chemicals will be registered between 2011 and 2018. |
| ENCS (Japan) | All ingredients are listed on the Japanese Existing and New Chemical Substances (ENCS) list, have been registered, or are exempt. |
| AICS(Australia) | : All ingredients are listed in Australian Inventory of Chemical Substances (AICS), have been registered, or are exempt. |
| Philippinesinventory (PICCS) | : All ingredients are listed on the Philippines Inventory (PICCS) or are exempt. |
| Korea inventory (KECI) | All ingredients are listed on the Korean Existing Chemicals List (ECL), have been registered, or are exempt. |
| China inventory (IECSC) | : All ingredients are listed on the Chinese inventory (IECSC) or are exempt. |
| Canada | |
| WHMIS (Canada) | : Not controlled under WHMIS (Canada). |
| DSL/NDSL | All ingredients are listed on the Canadian Domestic Substances List (DSL), have been registered on the Non-Domestic Substances List (NDSL), or are exempt. |
| MexicoClassification | : Health: 1 Flammability: 1 Reactivity: 0 |
| | |

Section 16. Other information

| <u>History</u> | |
|--------------------------------|---|
| Date of issue/Date of revision | : 8/13/2015. |
| Date of previous issue | : No previous validation |
| Version | : 1 |
| Key to abbreviations | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations |
| References | : HCS (U.S.A.)- Hazard Communication Standard International transport regulations IATA Dangerous Goods Regulation (DGR) 55th Edition 2014 |
| Indicates information th | at has changed from previously issued version. |
| Date of issue/Date of revision | : 8/13/2015. Date of previous issue : No previous validation Version : 1 10/11 |

Section 16. Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.