

MSDS #:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name:	Canon Ink Tank PGI-7BK
Product Code:	2444B
Company Name:	Canon Europa N.V.
Address:	Bovenkerkerweg 59-61, 1185XB, The Netherlands
Use of the Product:	Ink for Ink Jet Printer

SECTION 2 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

No adverse effects are expected under intended use of this product.

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified



MATERIAL SAFETY DATA SHEET

Page 2 of 8

Product Code:

MSDS #: _____ IC1802-0101 2444B

Ingredient(s) > Chemical Name /	CAS # /	Weight	EU Symbol/	USA	ACGIH TLV	EU ILV	DFG MAK
Generic Name	EC #	%	R-Phrase	OSHA PEL			
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not establishe
Ethylene glycol	107-21-1 / 203-473-3	1 - 5	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m^3 STEL = 40 ppm, 104 mg/m^3	10 ppm, 26 mg/m ³
Carbon black	1333-86-4 / 215-609-9	1 - 5	None / None	$TWA = 3.5$ mg/m^3	$TWA = 3.5$ mg/m^3	Not established	Not establishe
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not establishe
Carcinogen > temical Name	CAS#	R	eference				
arbon black	1333-86	T	ARC · Group ?	B NTP OSHA	; Annex I to 67	/548/EEC · Not	listed
	1555-00	-7 L	ance. oroup 2	, USHP	1, 1 mer 1 to 07	5-10/LLC . 1101	noteu.

< PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC)1907/2006.



SECTION 4 FIRST AID MEASURES First Aid Measures: Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. **Ingestion:** Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Eye: Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately. Skin: Wash with water and soap or mild detergent. If irritation persists, obtain medical advice. Note to Physicians: None **SECTION 5** FIRE FIGHTING MEASURES **Fire Fighting Measures: Extinguishing Media:** CO₂, water, foam or dry chemicals **Unsuitable Extinguishing Media:** None **Special Fire Fighting Procedures:** None **Unusual Fire and Explosion Hazards:** None Fire and Explosive Properties (See also SECTION 9): **Hazardous Combustion Products:** CO, CO₂, NOx and SOx **Other Properties:** None **SECTION 6** ACCIDENTAL RELEASE MEASURES **Personal Precautions:** Avoid contact with skin, eyes and clothing. **Environmental Precautions:** Do not release to sewer, surface water or ground water. Method for Cleaning Up: Wipe off with wet cloth or paper. **SECTION 7** HANDLING AND STORAGE Handling: Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately. Storage: Keep in a cool and dry place. Protect from sunlight.

Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

				Page 4 of 8
Canon	МАТ		MSDS #:	IC1802-0101
	MAI	ERIAL SAFETY DATA SHEET	Product Code:	2444B
SECTION 8 EXPOSU	JRE CONTR	OLS / PERSONAL PROTECTION		
Exposure Guidelines:	Not establish	ed for this ink. (See also SECTION 3)		
Engineering Controls:	Use adequate	ventilation.		
Personal Protection Equip Respiratory Protection:		Not Dogwingd		
I V				
Eye/Face Protection: Skin Protection:				
	1	Not Required EMICAL PROPERTIES		
	AL AND CH			
Appearance:		Black liquid		
Odor:		Slight odor		
pH:		8 - 9		
Boiling Point/Range(°C):		Not available		
Melting Point/Range(°C):		Not available		
Decomposition Temperatu	re(°C):	Not available		
Flash Point(°C):		None (Estimate)		
Flammable (Explosive) Lir		Not available		
Autoignition Temperature(°C):		Not available		
Flammability:		Neither flammable nor combustible.		
Explosive Properties:		None (Estimate)		
Oxidizing Properties:		None (Estimate)		
Vapor Pressure :		Not available		
Vapor Density :		Not available		
Density / Specific Gravity:		1.0 - 1.1		
Water Solubility :		Miscible		
Fat Solubility :		Not available		
Partition Coefficient (n-Oc	tanol/Water):	Not available		
Percent Volatile (%):		60 - 80		
Evaporation Rate:		Not available		
Viscosity (mPa s):		1 - 5		
SECTION 10 STABIL	ITY AND RE	ACTIVITY		
Stability:		🛛 Stable 🛛 Unstable		
Conditions to Avoid:		None		
Materials to Avoid:		Acids, bases, oxidizing materials and reduc	ing agents	
Hazardous Decomposition	Products:	CO, CO_2 , NOx and SOx		
Hazardous Polymerization	:	May Occur Will Not Occur		
Conditions to Avoid:		None		

SECTION 11	TOXICOLOGICAL INFORMATION
Acute Toxicity:	
Inhalation:	
Not availab	le
Ingestion:	
Not availab	le
Eye:	
Minimal irr	itant (rabbit)
OECD C	Guidelines No. 405 (2002), 2004/73/EC Method B5
Skin:	
Non-irritant	t (rabbit)
OECD C	Guidelines No. 404 (2002), 2004/73/EC Method B4
Sensitization:	
Non-sensiti	zer (mouse)
OECD C	Guidelines No. 429 (2002), 2004/73/EC Method B42
Mutagenicity:	
U I	Negative (S. typhimurium & E. Coli)
Reproductive Tox	icity:
Not availab	le
Carcinogenicity:	
The IARC e	evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence,
but sufficient	nt animal evidence. The latter is based upon the development of lung tumors in rats receiving
chronic inha	alation exposure to powdered carbon black at levels that induce particle overload of the lung.
However, th	ne amount of inhalation exposure to powdered carbon black is negligible under intended use of
this product	а
Others:	
Not availab	le

			Page 6 of 8		
Canon		MSDS #:	IC1802-0101		
Canon	MATERIAL SAFETY DATA SHEET	Product Code:	2444B		
SECTION 12 EC	COLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effec	ets: <u>Not available</u>				
Method of Disposal:	SPOSAL CONSIDERATIONS be subject to federal, state and local laws.				
SECTION 14 T	RANSPORT INFORMATION				
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes Chemical name (wt%): ⊠ No				
Special Precautions:	None				
SECTION 15 R < EU Information > Information on the I	EGULATORY INFORMATION Label:				
Symbol & Indica	ation: Not required				
R-Phrase:					
Not required S-Phrase:					
Not required					
Dangerous Com Not required	ponent(s):				
Special Precauti	ons under 1999/45/EC Annex V:				
Not required					
Specific Provisions i	n Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:	Not regulated				
(EC)304/2003:	Not regulated				
Others:	None				

< USA Information	1>		
Information on the	Labelunder FH	ISA:	
Signal Word:	Not required		
Hazard warning Not required	3:		
Safety Advice: Not required			
Hazardous Com Not required	nponent(s):		
SARA Title III §31 <u>Chemical Na</u>			Weight %
"Ethylene gly	col" (107-21-1)		1 - 5
California Proposit <u>Chemical Na</u>			Weight %
None			
< Canada Informa WHMIS Contro		Not applicable (Manufactured article)	
< Australia Inform Statement of Ha		Not classified as hazardous according to criteria	of NOHSC.
SECTION 16	OTHER INFOR	MATION	
<r list="" phrase=""> R22: Harmful i</r>	f swallowed.		
·Temes englaget			

<Term explanation> Estimate: Estimate based on data of similar ink or the ingredient(s).

Canon

Page 8 of 8 MSDS #: IC1802-0101 Product Code: 2444B

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

- EU: European Union.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- STEL: Short Term Exposure Limit.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission.
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.