

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

HP Color LaserJet Q6472A Yellow Print Cartridge

**Use of the preparation** This product is a yellow toner preparation that is used in HP Color LaserJet 3600

series printers.

**Company identification** Hewlett-Packard, Ltd.

Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

**Emergency telephone number** 

**Poison Information Center** 0207771 5307

**Hewlett-Packard health effects line** 

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

**General information telephone number** 

1 344 36-0000

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

**Date prepared** 03-May-2007

**SDS number** 194485

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	EU number	EU classification
Styrene acrylate copolymer	Trade secret	75 - 85		
Wax	Trade secret	5 - 15		
pigment	Trade secret	1 - 5		
Amorphous silica	7631-86-9	1 - 2	418-260-2	Xn, R21

### 3. HAZARDS IDENTIFICATION

**Classification** This product is not classified according to EU Directive 1999/45/EC.

**Acute health effects** 

**Skin contact**Unlikely to cause skin irritation. **Eye contact**May cause transient slight irritation.

Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust.Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

**Potential health effects** 

**Routes of exposure** Potential routes of exposure under normal use conditions are skin and eye contact; and

inhalation

Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions.

**Chronic health effects** Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this

product as intended does not result in inhalation of excessive amounts of dust.

**Carcinogenicity** None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP,

OSHA or ACGIH.

Material nameQ6472ASDS UKCreation date20-Oct-2005Version number31 / 5



**Other information** This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive

1999/45/EC, and as amended.

4. FIRST AID MEASURES

First aid procedures

**Eye** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure)

for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Skin** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Ingestion** Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

**5. FIRE-FIGHTING MEASURES** 

Flash point and method Not applicable

Auto ignition temperature Not applicable

**Lower explosion limit** Not flammable

**Hazardous combustion** 

products

Carbon monoxide and carbon dioxide.

**Extinguishing media** CO2, water, or dry chemical

**Unsuitable extinguishing** 

media

None known.

**Unusual fire and explosion** 

hazard

Like most organic material in powder form, toner can form explosive dust-air mixtures when

finely dispersed in air.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

**Special firefighting** 

procedures

None established.

# **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** Minimize dust generation and accumulation.

**Environmental precautions** Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Procedures if material is

released or spilled.

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance

with federal, state, and local regulations.

7. HANDLING AND STORAGE

**Handling** Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

**Storage** Keep out of the reach of children. Store at room temperature in the original container. Keep

the container tightly closed and dry. Store away from strong oxidizers.

Material nameQ6472ASDS UKCreation date20-Oct-2005Version number32 / 5

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure limit values** USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV):

10 mg/m3

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

United Kingdom - Workplace Exposure Limits (WELs) - STELs

Amorphous silica 7631-86-9 18 mg/m3 STEL (inhalable dust); 7.2 mg/m3 STEL (respirable dust)

United Kingdom - Workplace Exposure Limits (WELs) - TWAs

Amorphous silica 7631-86-9 6 mg/m3 TWA (inhalable dust); 2.4 mg/m3 TWA (respirable dust)

**Personal protective equipment** 

**General** No personal respiratory protective equipment required under normal conditions of use.

**Exposure guidelines** Use in a well ventilated area.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

pH Not applicableVapour pressure Not applicableBoiling point Not applicable

**Softening point** 100 - 150 °C (212 - 302 °F)

**Solubility** Negligible in water. Partially soluble in toluene and xylene.

Specific gravity1 - 1.2 (H2O = 1)Flash pointNot applicableViscosityNot applicableVapour densityNot applicableEvaporation rateNot applicableFlammabilityNot flammableAppearanceFine powder

Form solid

**Odour** Slight plastic odor

**Oxidising properties** No information available.

**Other information** Decomposition temperature: > 200 ° C

**Colour** Yellow

# 10. STABILITY AND REACTIVITY

**Stability** Stable under normal storage conditions.

**Conditions to avoid** Imaging Drum: Exposure to light

**Hazardous polymerisation** Will not occur.

**Hazardous decomposition** 

products

Carbon monoxide and carbon dioxide.

**Incompatibility** Strong oxidizers

Material nameQ6472ASDS UKCreation date20-Oct-2005Version number3

## 11. TOXICOLOGICAL INFORMATION

Complete toxicity data are not available for this specific formulation.

Refer to Section 3 for potential health effects and Section 4 for first aide measures.

**Dermal irritation**Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

**Eye irritation** Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

**Sensitisation** Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and

OSHA HCS (US).

**Chronic toxicity** No information available.

**Oral toxicity** LD50/oral/rat >2000mg/kg, (OECD 401), Not harmful.

Not classified for acute oral toxicity according to EU Directive 67/548/EEC and 1999/45/EC.

**Inhalation toxicity** No information available.

Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and

1999/45/EC.

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA

Regulations (USA), EU Directive, or Proposition 65 (California).

Mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

**Reproductive toxicity** Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop.

65, and DFG (Germany).

### 12. ECOLOGICAL INFORMATION

**Other information** This product has not been tested for ecological effects.

### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

# 14. TRANSPORT INFORMATION

**General** Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

## 15. REGULATORY INFORMATION

**International regulations** All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

## 16. OTHER INFORMATION

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA

Ingredient risk phrase

definition(s)

R21 Harmful in contact with skin.

Material name Q6472A SDS UK
Creation date 20-Oct-2005 Version number 3 4 / 5

**Other information** This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by

2001/58/EC.

**Issue date** May 3 2007 10:43AM

Revision 3

Replaces sheet dated Nov 5 2006 7:29PM

Preparation and revision

information

8. Exposure controls/personal protection: Exposure limit values Physical & Chemical Properties: Physical & Chemical Properties

9. Physical and chemical properties: Other information 13. Disposal considerations: Disposal instructions

Transportation Information: Material Transportation Information

15. Regulatory information: State regulations

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

**Explanation of abbreviations** 

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

**PEL** Permissible exposure limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material nameQ6472ASDS UKCreation date20-Oct-2005Version number35 / 5