

MATERIAL SAFETY DATA SHEET

	Page 1 of 8
MSDS #:	IC1461-0101
Product Code:	0628B

	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
Product Name:	Canon Ink Tank PGI-5BK
Product Code:	0628B
Company Name:	Canon Europa N.V.
Address:	Bovenkerkerweg 59-61, 1185XB, Amstelveen, The Netherlands
Use of the Product:	Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

			UNINGREDIE			
CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not established
111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m ³
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
	CAS # / EC # 56-81-5 / 200-289-5 1111-46-6 / 203-872-2 Confidential	CAS # / EC # Weight % 56-81-5 / 200-289-5 5 - 10 111-46-6 / 203-872-2 2 - 6 Confidential 5 - 10 7732-18-5 / 60 - 80	CAS # / EC # Weight % EU Symbol/ R-Phrase 56-81-5 / 200-289-5 5 - 10 None / None 111-46-6 / 203-872-2 2 - 6 Xn / R22 Confidential 5 - 10 None / None 7732-18-5 / 60 - 80 None / None	CAS # / EC #Weight %EU Symbol/ R-PhraseUSA OSHA PEL56-81-5 / 200-289-55 - 10None / None(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³111-46-6 / 203-872-22 - 6Xn / R22Not establishedConfidential5 - 10None / NoneNot established7732-18-5 /60 - 80None / NoneNot established	CAS # / EC #Weight %EU Symbol/ R-PhraseUSA OSHA PELACGIH TLV56-81-5 / 200-289-55 - 10None / None(as mist) Total dust TWA = 15 mg/m3(as mist) TWA = 10 mg/m3111-46-6 / 203-872-22 - 6Xn / R22Not establishedNot establishedConfidential5 - 10None / NoneNot establishedNot established7732-18-5 /60 - 80None / NoneNot establishedNot established	CAS # / EC #Weight %EU Symbol/ R-PhraseUSA OSHA PELACGIH TLVEU ILV56-81-5 / 200-289-55 - 10None / None(as mist) Total dust TWA = 15 mg/m3(as mist) TWA = 10 mg/m3Not established111-46-6 / 203-872-22 - 6Xn / R22Not establishedNot establishedNot establishedConfidential5 - 10None / NoneNot establishedNot establishedNot established7732-18-5 /60 - 80None / NoneNot establishedNot establishedNot established



< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

No irritation is expected. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



FIRE FIGHTING MEASURES

SECTION 5

Fire Fighting Measures:

Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight. Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Not established for this ink. (See also SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

X Not Required
-
Eye/Face Protection: Required
🔀 Not Required
Skin Protection: Required
🛛 Not Required



MATERIAL SAFETY DATA SHEET

	Page 4 of 8
MSDS #:	IC1461-0101
Product Code:	0628B

-0101 628B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black liquid		
Odor:	Slight odor		
pH:	7 - 8		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature(°C):	Not available		
Flash Point(°C):	Estimate: None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature(°C):	Not available		
Flammability:	Neither flammable nor combustible.		
Explosive Properties:	None		
Oxidizing Properties:	None		
Vapor Pressure :	Not available		
Vapor Density :	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility :	Miscible		
Fat Solubility :	Not available		
Partition Coefficient (n-Octanol/Water):	Not available		
Percent Volatile (%):	60 - 80		
Evaporation Rate:	Not available		
Viscosity (mPa s):	1-3		
SECTION 10 STABILITY AND REACTIVITY			
Stability:	Stable Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
Hazardous Decomposition Products:	$CO, CO_2, NOx, SOx and Ammonia$		
Hazardous Polymerization:	☐ May Occur ⊠ Will Not Occur		
Conditions to Avoid:	None		



SECTION 11 TOXICOLOGICAL INFORMATION		
Acute Toxicity:		
Inhalation:		
Not available		
Ingestion:		
Not available		
Eye:		
Non-irritant (rabbit)		
OECD Guidelines No.405 (2002)		
2004/73/EC Method B5		
Skin:		
Mild irritant (rabbit)		
OECD Guidelines No.404 (2002)		
2004/73/EC Method B4		
Sensitization:		
Non-sensitizer (mouse)		
OECD Guidelines No.429 (2002)		
2004/73/EC Method B42		
Mutagenicity:		
Ames test: Negative (S. typhimurium & E. Coli)		
Reproductive Toxicity:		
Not available		
Carcinogenicity:		
Not available		
Others:		
Not available		



MATERIAL SAFETY DATA SHEET

Page 6 of 8 MSDS #: Product Code:

IC1461-0101 0628B

SECTION 12	ECOLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effe	ts: Not available
Method of Disposal:	DISPOSAL CONSIDERATION be subject to federal, state and local laws.
SECTION 14	FRANSPORT INFORMATION
UN #:	None
UN Shipping Name:	None
UN Classification:	None
UN Packing Group:	None
Marine Pollutant:	☐ Yes Chemical name (wt%):☑ No
Special Precautions	None
SECTION 15	REGULATORY INFORMATION
< EU Information >	
Information on the I	abel:
Symbol & Indica	tion: Not required
R-Phrase: Not required	
S-Phrase:	
Not required	
Dangerous Com None	ponent(s):
Special Precauti Not required	ons under 1999/45/EC Annex V:
Specific Provisions in	n Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000:	Not regulated
(EC)304/2003:	Not regulated
Others:	None

< USA Information > Information on the Label under FH	ISA:	
Signal Word: Not required		
Hazard warning: Not required		
Safety Advice: Not required		
Hazardous Component(s): None		
SARA Title III §313: Chemical Name		Weight %
None		
California Proposition 65: Chemical Name None		Weight %
< Canada Information > WHMIS Controlled Product:	Not applicable (Manufactured article)	
< Australia Information > Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.		
SECTION 16 OTHER INFORM <r list="" phrase=""></r>	IATION	

R22: Harmful if swallowed.



Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.