

# **Material Safety Data Sheet**

345K Toner

#### 1. Identification of the material and supplier

<u>Names</u>			
Product name	:	345K Toner	
Description of the product t	type	e : Part number :	
Toner ASM 345K SS Toner ASM 345K DR		15S345K 15S346K	
For actual printer/cartridge c	om	patibility please reference www.lexmark.com	
Application	:	Laser Printer C540, C543, C544, C546, X543, X544, X546, X548, CS544, XS544, XS548	
ADG	:	Not regulated as Dangerous Goods according to the ADG Code	
Supplier/Manufacturer	:	Lexmark International (Australia) Pty Limited Level 7, The Park, 15 Talavera Rd Macquarie Park NSW 2113 Information: 1300 362 192 (Customer Care center - regular business hours)	
e-mail address of person responsible for this SDS	:	rcassidy@lexmark.com	
Emergency telephone number (24/7)	:	Australian Poisons Information Centre 24 hour Phone Number: 13 11 26	
		New Zealand National Poisons Centre: Otago medical School, Dunedin 24 hour Poisons Advice 0800 POISON / 0800 764 7656	
2. Hazards identif	ica	ation	
Classification	:	Not regulated.	
Risk phrases	:	Not classified.	
Statement of hazardous/ dangerous nature	:	NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.	

Other hazards Other hazards which do not result in classification

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). COMBUSTIBLE DUSTS

#### **3.** Composition/information on ingredients

Mixture : Yes.		
Ingredient name	CAS number	Concentration
carbon black, non respirable	1333-86-4	<10

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First-aid measures

First-aid measures	
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
Advice to doctor	: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5. Fire-fighting measures

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
	No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

## 6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<u>Methods for cleaning up</u>		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

1

### 7. Handling and storage

Handling	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.
Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

Ingredient name			Exposure limits
carbon black, non respirable			Safe Work Australia (Australia, 1/2014). TWA: 3 mg/m <sup>3</sup> 8 hours.
Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.	
Exposure controls			
Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eyes	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	
Hands	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	
Respiratory	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.	
Skin	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	

1

### 9. Physical and chemical properties

10 Stability and reactivity		
Relative density	: Not determined.	
Melting point	: Not determined.	
Odour	: Faint odour. (Plastic.)	
Colour	: Black.	
Physical state	: Solid. (Finely divided solid.)	
	-	

#### 10. Stability and reactivity

Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Materials to avoid	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### 11. Toxicological information

#### Potential acute health effects

Dreduct/ingredient neme	Deput	Species	Deee
Acute toxicity			
Eye contact	: No known significant effects or	critical hazards.	
Skin contact	: No known significant effects or critical hazards.		
Ingestion	: No known significant effects or critical hazards.		
Inhalation	: No known significant effects or	critical hazards.	

Product/ingredient name	Result	Species	Dose	Exposure
carbon black, non respirable 345K Toner	LD50 Oral LC50 Inhalation Vapour LD50 Oral	Rat	>15400 mg/kg >5000 mg/l >5000 mg/kg	- 4 hours -

Conclusion/Summary	: Not available.
--------------------	------------------

Version : 1		Page: 4/6
Reproductive toxicity		
Conclusion/Summary	:	Not available.
<b>Teratogenicity</b>		
Conclusion/Summary	:	Not mutagenic in Ames test.
Mutagenicity		
Conclusion/Summary	:	Low acute inhalation toxicity. As with exposure to high concentrations of any dust, minimal irritation of the respiratory tract may occur. Pure carbon black and titanium dioxide, minor components of this product, has been listed by IARC as a group 2B (possible carcinogen). This classification is based on rat "lung particulate overload" studies performed with airborne particulate. Toner is not listed by IARC, NTP, or OSHA. Long term exposure to excessive concentrations of iron oxide-containing dusts has resulted in a condition identified as siderosis, a relatively benign pneumoconiosis, caused by deposition of iron oxide particles in the lung.
<b>Carcinogenicity</b>		
Conclusion/Summary	;	Not available.
<u>Sensitiser</u>		
<b>Conclusion/Summary</b>	:	Not available.
Irritation/Corrosion		
Conclusion/Summary	:	Not available.
Chronic toxicity		
Potential chronic health effec	<u>ts</u>	
Conclusion/Summary	а.	Not available.

#### 11. Toxicological information

Ŭ	
Conclusion/Summary	: Not available.
Chronic effects	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>toms</u>
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin	: No specific data.
Eyes	: No specific data.

#### 12. Ecological information

: No known significant effects or critical hazards.

#### Aquatic ecotoxicity

**Ecotoxicity** 

carbon black, non respirableAcute EC50 37.563 mg/l Fresh waterDaphnia - Daphnia magna - Neonate48 Neonate345K TonerAcute EC50 >1000 mg/lDaphnia24				
345K Toner       Acute EC50 >1000 mg/l Acute EC50 >1000 mg/l       Daphnia       24 l Daphnia         Conclusion/Summary       : Not available.         Other ecological information         Persistence/degradability         Conclusion/Summary         : Not available.	Exposure			
Acute EC50 >1000 mg/l       Daphnia       48 l         Conclusion/Summary       : Not available.         Other ecological information       Persistence/degradability         Conclusion/Summary       : Not available.	48 hours			
Other ecological information         Persistence/degradability         Conclusion/Summary       : Not available.	24 hours 48 hours			
Persistence/degradability         Conclusion/Summary       : Not available.				
Conclusion/Summary : Not available.				
•				
Other adverse effects : No known significant effects or critical hazards.				
	iects : No known significant effects or critical hazards.			

#### 13. Disposal considerations

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and
	contact with soil, waterways, drains and sewers.

## 14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG	Not regulated.	-	-	-		-
ADR	Not regulated.	-	-	-		-
IMDG	Not regulated.	-	-	-		-
Version :	1					Page: {

345K Toner							
14. Transport information							
ΙΑΤΑ	Not regulated.	-	-		-		-
PG* : Packing gro	PG* : Packing group						
15. Regula	tory info	<b>)</b> r	mation				
Standard Uniform	n Schedule o	of I	ledicine and Poisons				
Not regulated.							
Model Work Hea	Ith and Safety	y F	Regulations - Scheduled Subst	<u>ances</u>			
Australia invento	ory (AICS)	:	All ingredients are listed in Aust have been registered, or are ex		/entor	y of Chem	ical Substances (AICS),
EU Classification	า	:	Not classified. (Article containin	g prepara	ation)		
International reg	ulations lists						
China inventory	(IECSC)	:	All ingredients are listed on the	Chinese	inven	ory (IECS	C) or are exempt.
Canada inventor NDSL)	y (DSL/	:	All ingredients are listed on the been registered on the Non-Dor				
Europe inventor	y	:	All ingredients are listed on the European Inventory of Existing Commercial Substances (EINECS) list, have been registered on the European List of New Chemical Substances (ELINCS), or are exempt.				
<b>REACH Status</b>		:	Not available.				
Japan inventory	(ENCS)	:	All ingredients are listed on the (ENCS) list, have been registered				lew Chemical Substances
Korea inventory	(KECI)	:	All ingredients are listed on the registered, or are exempt.	Korean E	Existin	g Chemica	als List (ECL), have been
Philippines inver (PICCS)	ntory	:	All ingredients are listed on the	Philippin	es Inv	entory (Pl	CCS) or are exempt.
United States inv (TSCA 8b)	ventory	:	All ingredients are listed on the have been registered, or are ex		bstan	ces Contro	bl Act (TSCA) inventory,

#### 16. Other information

References	: National Code of Practice for the preparation of Material Safety Data Sheets (MSDS) by National Occupational Health and Safety Commission (NOHSC)".
	Occupational exposure limits
	International transport regulations
	IATA revision. IATA Dangerous Goods Regulation (DGR) 55th Edition 2014
Validation date	: Validated on 4/29/2015.
Date of previous issue	: No previous validation.

✓ Indicates information that has changed from previously issued version.

**Disclaimer** 

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

1