Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 1/10



# 1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK Ink Combo Pack / 10B + 10C, Cyan Ink

Product code: 3949948 - Cyan Ink

Synonyms: None.

Relevant identified uses of the substance or mixture and uses advised against: Identified uses: ink or inkjet chemical

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

# 2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard category	Route of exposure
Category 2A	
Category 2	
Category 2	
Category 3	
	Category 2A Category 2 Category 2

# **GHS-Labelling**

#### **Contains:**

Glycerol (56-81-5), 2-Methoxy-1-propanol (1589-47-5), Ethoxylated tetramethyldecynediol (9014-85-1), Ethylene glycol (107-21-1), Isothiazolin derivative (proprietary)

#### Symbol(s):



Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 2/10

#### Signal word: Warning

#### Hazard statements:

Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. (Kidney) Harmful to aquatic life.

#### **Precautionary statements:**

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust or mist. Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF exposed or concerned: Get medical advice/ attention.

Storage: Store locked up.

**Disposal:** Dispose of contents/container in accordance with local regulation.

HMIS III Hazard Ratings: Health - 2, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 2, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

# 3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
5 - 10	Glycerol (56-81-5)
1 - < 10	Ethylene glycol (107-21-1)
1 - 5	Copper, (29H,31H-phthalocyaninato(2-)- .kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)- (147-14-8)
0.1 - < 1	2-Methoxy-1-propanol (1589-47-5)
0.1 - < 1	Ethoxylated tetramethyldecynediol (9014-85-1)
0.01 - < 0.05	Isothiazolin derivative (proprietary)

# 4. First aid measures

Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 3/10

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

**Eyes:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. If eye irritation persists: Get medical advice/ attention.

Skin: Wash off immediately with soap and plenty of water. Get medical attention if symptoms occur.

**Ingestion:** If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

#### 5. Firefighting measures

Extinguishing Media: Water spray, Carbon dioxide (CO2), Dry chemical, Foam.

Special hazards arising from the substance or mixture Hazardous Combustion Products: Carbon oxides

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: None.

#### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Refer to protective measures listed in sections 7 and 8.

**Methods and materials for containment and cleaning up:** Absorb spill with vermiculite or other inert material. Collect up and put in a suitable container. Damp cleaning methods should be used. Dry or wet electrostatic microfiber cleaning cloths may also be effective. Prevent runoff from entering drains, sewers, or streams.

Environmental precautions: No information available.

# 7. Handling and storage

Precautions for safe handling

Revision Date: 01/15/2015 00000035296/Version: 3.0 Print Date: 12/08/2015 Page: 4/10

> Personal precautions: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: The physical-chemical properties of this material have not been fully investigated. Use only with adequate ventilation. Keep from contact with oxidizing materials.

Conditions for safe storage, including any incompatibilities: Keep out of the reach of children. Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

# 8. Exposure controls/personal protection

**Occupational exposure controls** 

)-

N30,.kappa.N31,.ka ppa.N32)-, (SP-4-1)-

#### Chemical Name Regulatory Value Type List **OSHA** Glycerol time weighted average Glycerol time weighted average

5 mg/m3Form of exposure: mist, respirable fraction 15 mg/m3Form of exposure: mist, total particulate Ethylene glycol ACGIH Ceiling Limit Value 100 mg/m3 Form of exposure: aerosol only Copper, (29H,31Htime weighted average 1 mg/m3phthalocyaninato(2-.kappa.N29,.kappa.

> Expressed as Cu Form of exposure: dust and mist

Value

Appropriate engineering controls: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

#### Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear impervious gloves.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: air-supplied Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 5/10

respirator. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

# 9. Physical and chemical properties

Physical form: liquid		
Colour: blue cyan		
Odour: No data available		
Specific gravity: No data available		
Vapour pressure: No data available		
Vapour density: No data available		
Boiling point/boiling range: > 35 °C (> 95.0 °F) (estimated)		
Water solubility: No data available		
pH: No data available		
Flash point: > 93.3 °C (> 199.9 °F) (estimated)		
Evaporation rate: No data available		
Flammability (Solid; gas): No data available		
Upper explosion limit: No data available		
Lower explosion limit: No data available		
Partition coefficient: n-octanol/water: No data available		
Auto-ignition temperature: No data available		
Decomposition temperature: No data available		
Viscosity: No data available		
Explosive properties: No data available		
Oxidizing properties: No data available		

Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 6/10

# **10. Stability and reactivity**

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: None under normal conditions of use.

#### **11. Toxicological information**

#### Effects of Exposure

#### **General advice:**

Contains: Ethylene glycol. Harmful or fatal if swallowed. Can cause kidney damage and CNS effects following ingestion. May cause adverse reproductive effects following ingestion based on animal data.

Contains: 2-Methoxy-1-propanol. May cause adverse reproductive effects based on animal data.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: Causes serious eye irritation.

Skin: Causes mild skin irritation.

Ingestion: May cause damage to organs through prolonged or repeated exposure if swallowed.

#### Data for Glycerol (CAS 56-81-5):

#### Acute Toxicity Data:

Oral LD50 (Rat): 17,000 - 27,200 mg/kg

- Oral LD50 (Rat): 12,600 mg/kg
- Inhalation LC50 (Rat): > 570 mg/m3 / 1 hr
- Dermal LD50 (Rabbit): > 10 g/kg
- Skin irritation: slight

Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 7/10

• Skin irritation: Mild skin irritation

• Eye irritation: very slight

# Data for Ethylene glycol (CAS 107-21-1):

# Acute Toxicity Data:

Oral LDLo (Humans): 1,600 mg/kg

- Oral LD50 (Rat): 4,000 10,200 mg/kg
- Inhalation LC50 (Rat): 100 mg/l / 2 hr
- Dermal LD50 (Mouse): 3,500 mg/kg
- Dermal LD50 (Rat): 10,600 mg/kg
- Skin Sensitization (human): none
- Eye irritation: No eye irritation

# Data for Copper, (29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)- (CAS 147-14-8):

#### Acute Toxicity Data:

Oral LD50 (Rat): > 3,200 mg/kg

- Dermal LD50 (Guinea pig): >20 cc/kg
- Skin irritation: slight
- Skin Sensitization (Guinea pig): negative

#### Carcinogenicity

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any

Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 8/10

> chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# 12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

#### **Potential Toxicity:**

Persistence and degradability:	Readily biodegradable.
Toxicity to daphnia (LC50):	10 - 100 mg/l estimated
Toxicity to fish (LC50):	10 - 100 mg/l estimated

Bioaccumulative potential

No data available

#### Mobility in soil

No information available.

# 13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied. For information on how to recycle used cartridges, please visit www.kodak.com/go/recycle.

# 14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

# 15. Regulatory information

#### **Notification status**

Regulatory List Notification status

TSCA Not all listed

Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 9/10

DSL	Not all listed
NDSL	Listed
EINECS	Not all listed
ELINCS	None listed
NLP	Listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed
TSCA 12(b)	Listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

# Other regulations

U.S CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Ethylene glycol
U.S CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Ethylene glycol , Copper, (29H,31H- phthalocyaninato(2-)- .kappa.N29,.kappa.N30,.kappa.N3 1,.kappa.N32)-, (SP-4-1)-
U.S California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Ethylene glycol , Copper, (29H,31H- phthalocyaninato(2-)- .kappa.N29,.kappa.N30,.kappa.N3 1,.kappa.N32)-, (SP-4-1)-
U.S California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S California - 8 CCR Section 5203 Carcinogens:	No components found on the California

Revision Date: 01/15/2015 000000035296/Version: 3.0 Print Date: 12/08/2015 Page: 10/10

Section 5203 Carcinogens List.
No components found on the California Section 5209 Carcinogens List.
Glycerol, Ethylene glycol
Glycerol, Ethylene glycol
Glycerol , Ethylene glycol , Copper, (29H,31H-phthalocyaninato(2-)- .kappa.N29,.kappa.N30,.kappa.N3 1,.kappa.N32)-, (SP-4-1)-
Water , Glycerol , Ethylene glycol , Copper, (29H,31H- phthalocyaninato(2-)- .kappa.N29,.kappa.N30,.kappa.N3 1,.kappa.N32)-, (SP-4-1)-

# 16. Other information

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-1, C-0