

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK Ink Combo Pack / 10B + 10C, Magenta Ink

Product code: 3949948 - Magenta Ink

Synonyms: None.

Relevant identified uses of the substance or mixture and uses advised against: Identified uses: ink or inkjet chemical. For industrial use only.

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Not a dangerous substance according to GHS.	Not a dangerous substance according to GHS.	

GHS-Labelling

Contains:

Components either non-hazardous or below regulatory thresholds (proprietary)

Hazard statements: This material is not classified as hazardous according to the Hazard Communication Standard (HCS 2012).

Precautionary statements:

Prevention: Keep container tightly closed. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: Call a POISON CENTER or doctor/ physician if you feel unwell.

Storage: Store in a well-ventilated place. Keep cool.

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 2/10

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS III Hazard Ratings: Health - 1*, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 1, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
5 - 10	Glycerol (56-81-5)
1 - < 10	Ethylene glycol (107-21-1)
0.1 - < 1	1-Methoxy-2-propanol (107-98-2)

The data in this MSDS refer to the small amount (gram quantities) of ink which is absorbed on a felt pad and contained in a plastic cartridge.

Approximately 80% of the ink is water.

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lens, if worn. Get medical attention if symptoms occur.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Ingestion: If swallowed, DO NOT induce vomiting. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 3/10

Treatment: Due to rapid absorption of material, evacuation of the stomach is effective only if performed immediately after ingestion. Whenever possible, stomach evacuation should be accomplished by gastric lavage with appropriate airway control to prevent aspiration.

5. Firefighting measures

Extinguishing Media: Water spray, Carbon dioxide (CO2), Dry chemical, Foam.

Special hazards arising from the substance or mixture Hazardous Combustion Products: Carbon oxides

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material. Collect up and put in a suitable container. Damp cleaning methods should be used. Dry or wet electrostatic microfiber cleaning cloths may also be effective.

Environmental precautions: No information available.

7. Handling and storage

Precautions for safe handling

Personal precautions: Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: The physical-chemical properties of this material have not been fully investigated. Use only with adequate ventilation. Keep from contact with oxidizing materials.

Conditions for safe storage, including any incompatibilities: Keep out of the reach of children. Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 4/10

Chemical Name	Regulatory List	Value Type	Value
Glycerol	OSHA	time weighted average	5 mg/m3
		F	orm of exposure: mist, respirable fraction
Glycerol		time weighted average	15 mg/m3
			Form of exposure: mist, total particulate
Ethylene glycol	ACGIH	Ceiling Limit Value	100 mg/m3
			Form of exposure: aerosol only

Appropriate engineering controls: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Individual protection measures, such as personal protective equipment

Eye protection: None should be needed under normal conditions of use.

Hand protection: None should be needed.

Respiratory protection: None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: air-supplied respirator. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

(estimated)

9. Physical and chemical properties

Physical form: liquid		
Colour: magenta red		
Odour: No data available		
Specific gravity: No data available		
Vapour pressure: No data available		
Vapour density: No data available		
Boiling point/boiling range: > 35 °C (> 95.0 °F)		
Water solubility: No data available		
pH: No data available		

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 5/10

Flash point: > 93.3 °C (> 199.9 °F) (estimated)
Evaporation rate: No data available
Flammability (Solid; gas): No data available
Upper explosion limit: No data available
Lower explosion limit: No data available
Partition coefficient: n-octanol/water: No data available
Auto-ignition temperature: No data available
Decomposition temperature: No data available
Viscosity: No data available
Explosive properties: No data available
Oxidizing properties: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: None under normal conditions of use.

11. Toxicological information

Effects of Exposure

General advice:

Contains: Ethylene glycol. Harmful or fatal if swallowed. Can cause kidney damage and CNS effects following ingestion. May cause adverse reproductive effects following ingestion based

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 6/10

on animal data.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: No specific hazard known. May cause transient irritation.

Skin: Expected to be a low hazard for recommended handling.

Ingestion: Expected to be a low hazard for recommended handling. Harmful if swallowed in large quantities.

Data for Glycerol (CAS 56-81-5):

Acute Toxicity Data:

Oral LD50 (rat): 17,000 - 27,200 mg/kg

- Oral LD50 (rat): 12.600 mg/kg
- Inhalation LC50 (rat): > 570 mg/m3 / 1 hr
- Dermal LD50 (rabbit): > 10 g/kg
- Skin irritation: slight
- Skin irritation: Mild skin irritation
- Eye irritation: very slight
- Eye irritation: Mild eye irritation

Data for Ethylene glycol (CAS 107-21-1):

Acute Toxicity Data:

Oral LD50 (mouse): 14,600 mg/kg

- Oral LD50 (rat): 4,000 mg/kg
- Oral LDLo (Humans): 1,600 mg/kg
- Inhalation (rat): 2.5 mg/l / 6 hr
- Dermal LD50 (rabbit): 10,626 mg/kg
- Dermal LD50 (mouse): 3,500 mg/kg
- Skin irritation: No skin irritation
- Skin Sensitization (human): none
- Eye irritation: No eye irritation

Data for Methyl(oxoalkene)aminoethanesulfonic acid salt:

Acute Toxicity Data:

Oral LD50 (female rat): > 2,000 mg/kg

- Oral LD50 (male rat): > 2,000 mg/kg
- Skin irritation: slight
- Skin Sensitization: negative
- Eye irritation (unwashed eyes): strong
- Eye irritation (washed eyes): strong

Mutagenicity/Genotoxicity Data:

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 7/10

> Salmonella-E.coli/Mammalian-Microsome Reverse Mutation Assay with a Confirmatory Assay (TA98, TA100, TA1535, TA1537, E. coli WP2uvrA (pKM101)): negative (in presence and absence of activation)

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): > 100 mg/l

Toxicity to daphnia (LC50): > 100 mg/l

Persistence and degradability: Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied. For information on how to recycle used cartridges, please visit www.kodak.com/go/recycle.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	Not all listed
DSL	Not all listed

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 8/10

NDSL	Listed
EINECS	Not all listed
ELINCS	None listed
NLP	Listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed
TSCA 12(b)	Listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 9/10

> defects, or any other reproductive harm. U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of Ethylene glycol hazardous substances): U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 No components of this product are Appendices A and B - The List of Extremely Hazardous subject to the SARA Section 302 Substances and Their Threshold Planning Quantities): (40 CFR 355) reporting requirements. U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Ethylene glycol Toxic Chemical Release Reporting): U.S. - California - 8 CCR Section 339 - Director's List of Ethylene glycol Hazardous Substances: U.S. - California - 8 CCR Section 5200-5220 - Specifically No components found on the California **Regulated Carcinogens:** Specifically Regulated Carcinogens List. No components found on the California U.S. - California - 8 CCR Section 5203 Carcinogens: Section 5203 Carcinogens List. U.S. - California - 8 CCR Section 5209 Carcinogens: No components found on the California Section 5209 Carcinogens List. U.S. - Massachusetts - General Law Chapter 111F (MGL c Glycerol, Ethylene glycol 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law): U.S. - Minnesota Employee Right-to-Know (5206.0400, Glycerol, Ethylene glycol Subpart 5. List of Hazardous Substances): U.S. - New Jersey - Worker and Community Right to Know Glycerol, Ethylene glycol Act (N.J.S.A. 34:5A-1): U.S. - Pennsylvania - Part XIII. Worker and Community Water, Glycerol, Ethylene glycol Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):

16. Other information

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of

Safety Data Sheet

Revision Date: 04/03/2014 000000035340/Version: 2.0 Print Date: 12/08/2015 Page: 10/10

the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-1, C-0