

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

edding 366 whiteboard maker (blue)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Ink for use in drawliners

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

edding International GmbH

Bookkoppel 7

D-22926 Ahrensburg

Telephone no. +49 (0) 41 02 / 80 8-0

Information provided by / telephone

+49 (0)4102 - 808-0

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)30 30686 790 (Giftnotruf Berlin)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319

Flam. Liq. 2; H225

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02



GHS07

Signal word

Danger

Hazard statements

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.
 P501 Dispose of contents/container in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Chemical characterization**

Mixture (preparation)

Hazardous ingredients

| No | Substance name | Additional information | |
|----|---|---|---------------------------|
| | CAS / EC / Index / REACH no | Classification (EC) 1272/2008 (CLP) | Concentration |
| | | | % |
| 1 | ethanol | | |
| | 64-17-5 200-578-6 603-002-00-5 - | Flam. Liq. 2; H225 | >= 70.00 - < 90.00 %-b.w. |
| 2 | propan-2-ol | | |
| | 67-63-0 200-661-7 603-117-00-0 - | Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336 | >= 10.00 - < 25.00 %-b.w. |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse mouth thoroughly with water. Call a doctor immediately. Never give anything by mouth to an unconscious person.

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Carbon dioxide; Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away sources of ignition.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

Advice on storage assembly

None known

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

| No | Substance name | CAS no. | EC no. |
|---|----------------|---------|--|
| 1 | ethanol | 64-17-5 | 200-578-6 |
| List of approved workplace exposure limits (WELs) / EH40 | | | |
| Ethanol | | | |
| | TWA | 1920 | mg/m ³ 1000 ml/m ³ |
| 2 | propan-2-ol | 67-63-0 | 200-661-7 |
| List of approved workplace exposure limits (WELs) / EH40 | | | |
| Propan-2-ol | | | |
| | STEL | 1250 | mg/m ³ 500 ml/m ³ |
| | TWA | 999 | mg/m ³ 400 ml/m ³ |

8.2 Exposure controls**Appropriate engineering controls**

No data available.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Form/Colour**

liquid

blue

Odour

characteristic

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

| | |
|--|-------------|
| Odour threshold | |
| No data available | |
| pH value | |
| No data available | |
| Boiling point / boiling range | |
| Value | 78.3 °C |
| Reference substance | CAS 64-17-5 |
| Melting point / melting range | |
| No data available | |
| Decomposition point / decomposition range | |
| No data available | |
| Flash point | |
| Value | 13 °C |
| Reference substance | CAS 64-17-5 |
| Ignition temperature | |
| Value | 390 °C |
| Auto-ignition temperature | |
| No data available | |
| Oxidising properties | |
| No data available | |
| Explosive properties | |
| No data available | |
| Flammability (solid, gas) | |
| No data available | |
| Lower flammability or explosive limits | |
| Value | 2 % vol |
| Upper flammability or explosive limits | |
| Value | 19.0 % vol |
| Vapour pressure | |
| No data available | |
| Vapour density | |
| No data available | |
| Evaporation rate | |
| No data available | |
| Relative density | |
| Value | 0.82 |
| Density | |
| No data available | |
| Solubility in water | |
| Remarks | insoluble |

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. air humidity

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

| Acute oral toxicity | | | |
|----------------------------|----------------|---------|------------------|
| No | Substance name | CAS no. | EC no. |
| 1 | ethanol | 64-17-5 | 200-578-6 |
| LD50 | | 6200 | mg/kg bodyweight |
| Species | rat | | |
| Source | Manufacturer | | |
| 2 | propan-2-ol | 67-63-0 | 200-661-7 |
| LD50 | | 5280 | mg/kg bodyweight |
| Species | rat | | |
| Source | Manufacturer | | |

| Acute dermal toxicity | | | |
|------------------------------|----------------|---------|------------------|
| No | Substance name | CAS no. | EC no. |
| 1 | propan-2-ol | 67-63-0 | 200-661-7 |
| LD50 | | 12800 | mg/kg bodyweight |
| Species | rabbit | | |
| Source | Manufacturer | | |

| Acute inhalational toxicity | | | |
|------------------------------------|----------------|---------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | propan-2-ol | 67-63-0 | 200-661-7 |
| LC50 | | 72.6 | mg/l |
| Duration of exposure | | 4 | h |
| State of aggregation | Vapour | | |
| Species | rat | | |
| Source | Manufacturer | | |

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

| |
|---|
| Skin corrosion/irritation |
| No data available |
| Serious eye damage/irritation |
| No data available |
| Respiratory or skin sensitisation |
| No data available |
| Germ cell mutagenicity |
| No data available |
| Reproduction toxicity |
| No data available |
| Carcinogenicity |
| No data available |
| STOT-single exposure |
| No data available |
| STOT-repeated exposure |
| No data available |
| Aspiration hazard |
| No data available |
| Delayed and immediate effects as well as chronic effects from short and long-term exposure |
| Inhalation of solvent vapours in higher concentration may lead to nausea, headache, drowsiness and dizziness. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation. |

SECTION 12: Ecological information

12.1 Toxicity

| Toxicity to fish (acute) | | | |
|------------------------------------|---------------------|---------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | ethanol | 64-17-5 | 200-578-6 |
| LC50 | | 8150 | mg/l |
| Duration of exposure | | 96 | h |
| Species | Leuciscus idus | | |
| Source | Manufacturer | | |
| 2 | propan-2-ol | 67-63-0 | 200-661-7 |
| LC50 | | 9640 | mg/l |
| Duration of exposure | | 96 | h |
| Species | Pimephales promelas | | |
| Source | Manufacturer | | |
| Toxicity to fish (chronic) | | | |
| No data available | | | |
| Toxicity to Daphnia (acute) | | | |
| No | Substance name | CAS no. | EC no. |
| 1 | ethanol | 64-17-5 | 200-578-6 |
| EC50 | | 9268 | mg/l |
| Duration of exposure | | - 14221 | h |
| Species | Daphnia magna | 48 | |
| Source | Manufacturer | | |
| 2 | propan-2-ol | 67-63-0 | 200-661-7 |
| EC50 | | 13299 | mg/l |
| Duration of exposure | | 48 | h |
| Species | Daphnia magna | | |
| Source | Manufacturer | | |

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

| Toxicity to Daphnia (chronic) | |
|-------------------------------|--|
| No data available | |

| Toxicity to algae (acute) | | | |
|---------------------------|-------------------------|---------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | propan-2-ol | 67-63-0 | 200-661-7 |
| EC50 | > | 1000 | mg/l |
| Duration of exposure | | 72 | h |
| Species | Desmodesmus subspicatus | | |
| Source | Manufacturer | | |

| Toxicity to algae (chronic) | |
|-----------------------------|--|
| No data available | |

| Bacteria toxicity | |
|-------------------|--|
| No data available | |

12.2 Persistence and degradability

| Biodegradability | | | |
|------------------|-----------------------|---------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | ethanol | 64-17-5 | 200-578-6 |
| Value | | | % |
| Source | Manufacturer | | |
| Evaluation | readily biodegradable | | |
| 2 | propan-2-ol | 67-63-0 | 200-661-7 |
| Value | | 95 | % |
| Duration | | 21 | day(s) |
| Method | OECD 301 E | | |
| Source | Manufacturer | | |
| Evaluation | readily biodegradable | | |

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

| Other information |
|--|
| Do not discharge product unmonitored into the environment. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

| | |
|---------------------------|--------|
| Class | 3 |
| Classification code | F1 |
| Packing group | II |
| Hazard identification no. | 33 |
| UN number | UN1263 |
| Technical name | PAINT |
| Special Provision 640 | 640D |
| Tunnel restriction code | D/E |
| Label | 3 |

14.2 Transport IMDG

| | |
|----------------------|---------|
| Class | 3 |
| Packing group | II |
| UN number | UN1263 |
| Proper shipping name | PAINT |
| EmS | F-E+S-E |
| Label | 3 |

14.3 Transport ICAO-TI / IATA

| | |
|----------------------|--------|
| Class | 3 |
| Packing group | II |
| UN number | UN1263 |
| Proper shipping name | Paint |
| Label | 3 |

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

| | |
|---|----------|
| The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII. | No 3, 40 |
|---|----------|

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

| | |
|--|-----|
| This product is subject to Part I of Annex I, risk category: | P5b |
|--|-----|

Trade name: edding 366 whiteboard maker (blue)

Current version : 2.0.0, issued: 12.01.2016

Replaced version: 1.1.0, issued: 14.03.2012

Region: GB

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H336 May cause drowsiness or dizziness.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183 , D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.