

MSDS #: IC2103-0101

Product Code: 454

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank CLI-526GY

Product Code: 4544B
Company Name: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Ink for Ink Jet Printer

## SECTION 2 HAZARDS IDENTIFICATION

## **EU Classification:**

Not classified as dangerous.

## **Emergency Overview:**

Ink tank containing black liquid ink with slight odor.

## **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Revised:

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

## Eye:

May cause minimal irritation. (See SECTION 11)

## Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

## **Chronic Effects:**

Not identified

## Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

Date of Issue: April 14, 2010



MSDS #: IC2103-0101
Product Code: 4544B

| Ingredient(s) ><br>Chemical Name /<br>Generic Name | CAS#/<br>EC#             | Weight<br>% | EU Symbol/<br>R-Phrase | USA<br>OSHA PEL   | ACGIH TLV                              | EU OEL          | DFG MAK                |
|--|--------------------------|-------------|------------------------|---|--|-----------------|------------------------|
| Glycerin   | 56-81-5 /<br>200-289-5   | 5 - 10      | None / None            | (as mist) Total dust TWA = 15 mg/m <sup>3</sup> Respirable fraction TWA = 5 mg/m <sup>3</sup> | (as mist)<br>$TWA = 10 \text{ mg/m}^3$ | Not established | Not established        |
| Ethylene urea                                      | 120-93-4 /<br>204-436-4  | 5 - 10      | Xi / R36               | Not established   | Not established                        | Not established | Not established        |
| Triethylene glycol                                 | 112-27-6 /<br>203-953-2  | 5 - 10      | None / None            | Not established   | Not established                        | Not established | 1000 mg/m <sup>3</sup> |
| Substituted<br>Phthalocyanine salt                 | Confidential             | 1 - 5       | Xi / R41               | Not established   | Not established                        | Not established | Not established        |
| Pyiridine Azo dye                                  | Confidential             | 1 - 5       | N / R51/53             | Not established   | Not established                        | Not established | Not established        |
| Water  | 7732-18-5 /<br>231-791-2 | 60 - 80     | None / None            | Not established   | Not established                        | Not established | Not established        |
|  |                          |             |                        |   |  |                 |                        |
|  |                          |             |                        |   |  |                 |                        |
|  |                          |             |                        |   |  |                 |                        |
|  |                          |             |                        |   |  |                 |                        |

## < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

## < PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC) No 1907/2006.



MSDS #: Product Code:

IC2103-0101

4544B

## SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

## **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

### Note to Physicians:

None

## SECTION 5 FIRE FIGHTING MEASURES

## Fire Fighting Measures:

## **Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

## **Unsuitable Extinguishing Media:**

None

## **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

None

## Fire and Explosive Properties (See also SECTION 9):

### **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx and SOx

## **Other Properties:**

None

## SECTION 6 ACCIDENTAL RELEASE MEASURES

## **Personal Precautions:**

Avoid contact with skin, eyes and clothing.

## **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

## **Method for Cleaning Up:**

Wipe off with wet cloth or paper.

## SECTION 7 HANDLING AND STORAGE

## **Handling:**

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

In case of contact, wash out the contaminated area immediately.

## Storage:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

## **Specific Uses:**

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC2103-0101</u> Product Code: <u>4544B</u>

| SECTION 8 EXPOSUR                          | RE CONTROLS / PERSONAL PROTECTION                     |  |  |  |  |  |
|--|---|--|--|--|--|--|
| <b>Exposure Guidelines:</b> <u>N</u>       | Not established for this ink. (See also SECTION 3)    |  |  |  |  |  |
|  | Use adequate ventilation.                             |  |  |  |  |  |
| Personal Protection Equipm                 | _ ` ` ′   |  |  |  |  |  |
| · · ·                                      | Required Not Required                                 |  |  |  |  |  |
| <b>3</b>                                   | Required Not Required                                 |  |  |  |  |  |
|  | Required Not Required                                 |  |  |  |  |  |
| SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES |   |  |  |  |  |  |
| Appearance:                                | Black liquid  |  |  |  |  |  |
| Odor:                                      | Slight odor   |  |  |  |  |  |
| pH:  | 8 - 9   |  |  |  |  |  |
| Boiling Point/Range( $^{\circ}$ C):        | Not available   |  |  |  |  |  |
| Melting Point/Range(°C):                   | Not available   |  |  |  |  |  |
| <b>Decomposition Temperature</b>           | e(°C): Not available                                  |  |  |  |  |  |
| Flash Point(°C):                           | None (Estimate)                                       |  |  |  |  |  |
| Flammable (Explosive) Limi                 | ts: Not available                                     |  |  |  |  |  |
| <b>Autoignition Temperature</b> (°         | C): Not available                                     |  |  |  |  |  |
| Flammability:                              | Neither flammable nor combustible.                    |  |  |  |  |  |
| <b>Explosive Properties:</b>               | None (Estimate)                                       |  |  |  |  |  |
| Oxidizing Properties:                      | None (Estimate)                                       |  |  |  |  |  |
| Vapor Pressure:                            | Not available   |  |  |  |  |  |
| Vapor Density:                             | Not available   |  |  |  |  |  |
| Density / Specific Gravity:                | 1.0 - 1.1   |  |  |  |  |  |
| Water Solubility:                          | Miscible  |  |  |  |  |  |
| Fat Solubility:                            | Not available   |  |  |  |  |  |
| Partition Coefficient (n-Octa              | nol/Water):Not available                              |  |  |  |  |  |
| Percent Volatile (%):                      | 60 - 80   |  |  |  |  |  |
| <b>Evaporation Rate:</b>                   | Not available   |  |  |  |  |  |
| Viscosity (mPa s):                         | 1-5   |  |  |  |  |  |
| SECTION 10 STABILITY AND REACTIVITY        |   |  |  |  |  |  |
| Stability:                                 | Stable    □ Unstable                                  |  |  |  |  |  |
| Conditions to Avoid:                       | None  |  |  |  |  |  |
| Materials to Avoid:                        | Acids, bases, oxidizing materials and reducing agents |  |  |  |  |  |
| <b>Hazardous Decomposition P</b>           | roducts: CO, CO <sub>2</sub> , NOx and SOx            |  |  |  |  |  |
| Hazardous Polymerization:                  | ☐ May Occur ☑ Will Not Occur                          |  |  |  |  |  |
| Conditions to Avoid:                       | None  |  |  |  |  |  |
|  |   |  |  |  |  |  |



MSDS #: \_\_\_ Product Code:

IC2103-0101

4544B

## SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

Not available

Eye:

Minimal irritant (rabbit)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Skin:

Non-irritant (rabbit)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

**Sensitization:** 

Non-sensitizer (mouse)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Reproductive Toxicity:** 

Not available

Carcinogenicity:

Not available

Others:

Not available

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC2103-0101
Product Code: 4544B

| SECTION 12 E  | COLOGICAL INFORMATION                        |  |  |  |  |  |
|---|--|--|--|--|--|--|
| <b>Mobility:</b>  | Not available                                |  |  |  |  |  |
| Persistence / Degradability:  | Not available                                |  |  |  |  |  |
| <b>Bioaccumulation:</b>   | Not available                                |  |  |  |  |  |
| <b>Ecotoxicity:</b>   | Not available                                |  |  |  |  |  |
| Other Adverse Effe  | ects: Not available                          |  |  |  |  |  |
| SECTION 13 DISPOSAL CONSIDERATIONS  Method of Disposal:  Disposal should be subject to federal, state and local laws. |  |  |  |  |  |  |
| SECTION 14 T  | TRANSPORT INFORMATION                        |  |  |  |  |  |
| UN #:   | None   |  |  |  |  |  |
| <b>UN Shipping Name</b>   | : None                                       |  |  |  |  |  |
| <b>UN Classification:</b>   | None   |  |  |  |  |  |
| <b>UN Packing Group</b>   | : None                                       |  |  |  |  |  |
| Marine Pollutant:   | ☐ Yes Chemical name (wt%):<br>☒ No           |  |  |  |  |  |
| Special Precautions: None   |  |  |  |  |  |  |
| SECTION 15 REGULATORY INFORMATION   |  |  |  |  |  |  |
| < EU Information > Information on the   |  |  |  |  |  |  |
|   |  |  |  |  |  |  |
| Symbol & Indication: Not required  R-Phrase:  |  |  |  |  |  |  |
| Not required  |  |  |  |  |  |  |
| S-Phrase:   |  |  |  |  |  |  |
| Not required  |  |  |  |  |  |  |
| Dangerous Con<br>Not required   | iponent(s):                                  |  |  |  |  |  |
| Special Precautions under 1999/45/EC Annex V:   |  |  |  |  |  |  |
| Not required  |  |  |  |  |  |  |
| Specific Provisions in Relation to Protection of Man or the Environment:  |  |  |  |  |  |  |
| (EC) No 1907/2  | 006 Annex XVII (Restrictions): Not regulated |  |  |  |  |  |
| (EC) No 1005/2  | 09: Not regulated                            |  |  |  |  |  |
| (EC) No 689/20  | 08: Not regulated                            |  |  |  |  |  |
| Others:   | None   |  |  |  |  |  |

Date of Issue: April 14, 2010

Revised:



MSDS #: <u>IC2103-0101</u> Product Code: 4544B

## < USA Information >

## Information on the Label under FHSA:

Signal Word: Not required

**Hazard warning:** 

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical Name Weight %

"Copper Compounds" 1 - 5 (as Cu) (< 0.35)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

**WHMIS Controlled Product:** This product will not be shipped to Canada.

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).

Date of Issue: April 14, 2010

Revised:



MSDS #: <u>IC2103-0101</u> Product Code: 4544B

#### **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 1005/2009, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission. PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.