

MSDS #: ____

Product Code:

IC2099-0101

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank CLI-526BK

Product Code: 4540B
Company Name: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Ink for Ink Jet Printer

SECTION 2 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

Date of Issue: April 14, 2010

Revised:



MSDS #: IC2099-0101
Product Code: 4540B

| SECTION 3 < Ingredient(s) > | COMPOSIT | ION/IN | FORMATIO | N ON INGREI | DIENTS | | |
|--------------------------------|--------------------------|-------------|------------------------|---|---|-----------------|-----------------|
| Chemical Name / Generic Name | CAS#/ EC# | Weight % | EU Symbol/ R-Phrase | USA OSHA PEL | ACGIH TLV | EU OEL | DFG MAK |
| Glycerin | 56-81-5 / 200-289-5 | 5 - 10 | None / None | (as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³ | (as mist) TWA = 10 mg/m ³ | Not established | Not established |
| Glycol | Confidential | 10 -15 | None / None | Not established | Not established | Not established | Not established |
| Glycol | Confidential | 5 - 10 | None / None | Not established | Not established | Not established | Not established |
| Lactam | Confidential | 5 - 10 | None / None | Not established | Not established | Not established | Not established |
| Water | 7732-18-5 / 231-791-2 | 60 - 80 | None / None | Not established | Not established | Not established | Not established |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

< PBT substance and vPvB substance >

| No component | of this ink is a PR | T or vPvB substance | e under Regulation | (EC) No | 1907/2006 |
|----------------|-------------------------|-----------------------|--------------------|----------|-----------|
| 1 10 COMPONENT | . Of this link is a f D | I OI VI VI SUUSIMIICI | c under regulation | (LC) 110 | 1701/2000 |



MSDS #: Product Code:

IC2099-0101

4540F

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

MSDS #: IC2099-0101
Product Code: 4540B

| SECTION 8 EXPOSUR | RE CONTROLS / PERSONAL PROTECTION |
|---|---|
| Exposure Guidelines: | Not established for this ink. (See also SECTION 3) |
| | Use adequate ventilation. |
| Personal Protection Equipm | |
| | Required Not Required |
| 3 | Required Not Required |
| | Required Not Required |
| SECTION 9 PHYSICA | L AND CHEMICAL PROPERTIES |
| Appearance: | Black liquid |
| Odor: | Slight odor |
| pH: | 7 - 8 |
| Boiling Point/Range($^{\circ}$ C): | Not available |
| Melting Point/Range(°C): | Not available |
| Decomposition Temperature | e(°C): Not available |
| Flash Point(°C): | None (Estimate) |
| Flammable (Explosive) Limi | Not available |
| $\textbf{Autoignition Temperature} (^{\circ}$ | C): Not available |
| Flammability: | Neither flammable nor combustible. |
| Explosive Properties: | None (Estimate) |
| Oxidizing Properties: | None (Estimate) |
| Vapor Pressure: | Not available |
| Vapor Density: | Not available |
| Density / Specific Gravity: | 1.0 - 1.1 |
| Water Solubility: | Miscible |
| Fat Solubility: | Not available |
| Partition Coefficient (n-Octa | nol/Water):Not available |
| Percent Volatile (%): | 60 - 80 |
| Evaporation Rate: | Not available |
| Viscosity (mPa s): | 1 - 5 |
| SECTION 10 STABILIT | TY AND REACTIVITY |
| Stability: | Stable □ Unstable |
| Conditions to Avoid: | None |
| Materials to Avoid: | Acids, bases, oxidizing materials and reducing agents |
| Hazardous Decomposition P | roducts: CO, CO ₂ , NOx and SOx |
| Hazardous Polymerization: | ☐ May Occur ☑ Will Not Occur |
| Conditions to Avoid: | None |
| | |

4540B



MATERIAL SAFETY DATA SHEET

MSDS #: ___ Product Code: IC2099-0101

SECTION 11 TOXICOLOGICAL INFORMATION
Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

Minimal irritant (rabbit)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Skin:

Non-irritant (rabbit)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

Sensitization:

Non-sensitizer (mouse)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC2099-0101
Product Code: 4540B

| SECTION 12 | ECOLOG | ICAL INFORMATION | | |
|---------------------------------------|---------------|---|--|--|
| Mobility: | Not ava | nilable | | |
| Persistence / Degradability: | Not available | | | |
| ${\bf Bioaccumulation:}$ | Not available | | | |
| Ecotoxicity: | Not available | | | |
| Other Adverse Eff | ects: N | Not available | | |
| SECTION 13 I | | L CONSIDERATIONS | | |
| _ | | t to federal, state and local laws. | | |
| SECTION 14 | ΓRANSP | ORT INFORMATION | | |
| UN #: | None | | | |
| UN Shipping Nam | e: None | | | |
| UN Classification: | None | | | |
| UN Packing Group | None None | | | |
| Marine Pollutant: | ☐ Yes ☑ No | Chemical name (wt%): | | |
| Special Precaution | s: None | | | |
| | | TORY INFORMATION | | |
| < EU Information | | | | |
| Information on the | Label: | | | |
| Symbol & Indi | cation: N | ot required | | |
| R-Phrase: | | | | |
| Not required | | | | |
| S-Phrase: Not required | | | | |
| Dangerous Con Not required | nponent(s | s): | | |
| | | er 1999/45/EC Annex V: | | |
| Not required | | er 1999, to the runner to | | |
| · · · · · · · · · · · · · · · · · · · | | on to Protection of Man or the Environment: | | |
| • | | ex XVII (Restrictions): Not regulated | | |
| (EC) No 1005/2 | | | | |
| (EC) No 689/20 | | t regulated | | |
| Others: | None | | | |

Date of Issue: April 14, 2010

Revised:



MSDS #: <u>IC2099-0101</u> Product Code: 4540B

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: This product will not be shipped to Canada.

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).

MSDS #: _ Product Code: IC2099-0101

Page 8 of 8

4540I

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 1005/2009, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.