

---

**MATERIAL SAFETY DATA SHEET**

---

**1. PRODUCT & COMPANY IDENTIFICATION****• PRODUCT NAME**

Xstamper PRE-INKED RUBBER STAMPS  
( Black, Red, Purple, Blue )

- NAME OF MANUFACTURER/SUPPLIER Shachihata Inc.
- NAME OF SECTION Research and Development Dept.
- ADDRESS 4-69,Amatuka-chou,Nishi-ku,Nagoya-shi,Aichi-ken,Japan
- TELEPHONE NUMBER 052/521/1466
- FAX NUMBER 052/521/1468

---

**2. COMPOSITION / INFORMATION ON INGREDIENTS (INK)**

- SUBSTANCE / MIXTURE Mixture

**• HAZARDOUS INGREDIENTS**

CHEMICAL OR COMMON NAME(S)	CAS NO.	INGREDIENTS(wt.%)
Ethyl alcohol	64-17-5	5~15

---

**3. HAZARDS IDENTIFICATION (INK)**

- CLASS NAME OF HAZARDS CHEMICALS FOR MSDS IN JAPAN  
Flammable liquids

- PHYSICAL AND CHEMICAL HAZARDS  
Flammable liquids

- ADVERSE HUMAN HEALTH HAZARDS  
Harmful by inhalation, in contact with skin and if swallowed.

---

**4. FIRST-AID MEASURES (INK)**

- EYE CONTACT ... Immediately flush with plenty of water.
- SKIN CONTACT ... Wipe off with dry cloth and wash with mild soap.
- INHALATION ... Move to well ventilated place.

---

**5. FIRE-FIGHTING MEASURES****• SPECIFIC HAZARDS WITH REGARD TO FIRE-FIGHTING MEASURES**

· In case of fire, use foam dry chemicals.

**• EXTINGUISHING MEDIA**

Dry chemical powder, foam or carbon dioxide.

---

**6. ACCIDENTAL RELEASE MEASURES**

Wipe off with dry cloth.

---

**7. HANDLING AND STORAGE****• HANDLING**

- Avoid contact with skin or eyes.
- Avoid inhalation and ingestion.
- Avoid high temp. and fire.

**• STORAGE**

- Store in a cool and dry location.
  - Keep away from heat or sunlight.
- 

**8. EXPOSURE CONTROL / PERSONAL PROTECTION (INK)****• CONTROL PARAMETERS**

[ Ethyl alcohol ]

ACGIH TLV (1990-91) TWA 1000ppm(1880mg/m<sup>3</sup>)

OSHA PEL(1993) 1000ppm(1900mg/m<sup>3</sup>)

**• ENGINEERING MEASURES**

Not required.

**• PERSONAL PROTECTIVE EQUIPMENT**

Not required.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES (INK)**

- |                               |                             |                       |                   |
|-------------------------------|-----------------------------|-----------------------|-------------------|
| • APPEARANCE AND ODOR         | Liquid, minor solvent odor. |                       |                   |
| • DENSITY(g/cm <sup>3</sup> ) | 1.0                         | • BOILING POINT       | No data available |
| • VOLATILE(wt.%)              | 5~10                        | • SOLUBILITY IN WATER | Insoluble         |

---

**10. PHYSICAL HAZARD(STABILITY AND REACTIVITY) (INK)**

---

- FLASH POINT 40 °C(closed cup)
- AUTOIGNITION TEMPERATURE 380 °C
- EXPLOSION LIMIT No data available.

---

**11. TOXICOLOGICAL INFORMATION (INK)**

---

**•ACUTE TOXICITY**

[ Ethyl alcohol ]

Oral	LD <sub>50</sub>	(rat)	7,060 mg/Kg
Inhalation	LC <sub>50</sub>	(rat)	20,000 ppm/10H

---

**12. ECOLOGICAL INFORMATION**

---

No data available.

---

**13. DISPOSAL CONSIDERATION**

---

Disposal as usual industrial waste goods, follow all regulations in your country.

---

**14. TRANSPORT INFORMATION (INK)**

---

Follow all regulations in your country.

UN NUMBER 1210

UN CLASS 3.3(Flammable liquids)

---

**15. REGULATORY INFORMATION**

---

Follow all regulations in your country.

---

**16. OTHER INFORMATION**

---

The information herein is given in good faith, but no warranty, express or implied, is made.