

## SAFETY DATA SHEET

according to Regulation (EC) 1907/2006

Date of Issue: Jan 11,2012

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name** : Artline WHITEBOARD MARKER EK-525T  
 Artline WHITEBOARD MARKER EK-525TT  
 Artline WHITEBOARD MARKER EK-541T

**Color** : (Black)



**Supplier** : Shachihata (Europe) Limited  
 Artline Point, Ashville Way, Sutton Weaver, Runcorn, Cheshire WA7 3EZ. UK  
 Telephone: 0870 600 5 006 Fax: 0871 200 5 006

**Manufacturer** : Shachihata Inc. [Japan]  
 4-69,Amazuka-cho,Nishi-ku,Nagoya City,451-0021,Japan  
 Telephone:+ 81- 52- 521- 3600 Fax: +81- 52- 521- 3899

**e-mail address of person responsible for this SDS** : [www.artline-xstamper.com](http://www.artline-xstamper.com)

**Emergency information** : Telephone: 0870 600 5 006

**Use of the Product** : Permanent marker ink



### SECTION 2 HAZARDS IDENTIFICATION

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Symbols and indications of danger specific



F : Highly flammable



Xn : Harmful  
 Xi : Irritant

Hazard designation

R11 : Highly flammable.

R36 : Irritating to eyes.

R41 : Risk of serious damage to eyes.

R67 : Vapours may cause drowsiness and dizziness.



### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

**Substance/Preparation** : Preparation

**Ingredients** :

Chemical Name / Generic name	Composition weight %	EC Registry No.	CAS Registry No.	EU Symbol/ R-Phrase
Ethanol	20~30	200-578-6	64-17-5	F: R11
Propan-2-ol	30~40	200-661-7	67-63-0	R11-Xi; R36-67
Propan-1-ol	20~30	200-746-9	71-23-8	F; R11 Xi; R41-R67
Carbon black	1~10	215-609-9	1333-86-4	Not required
Synthetic resin	1~10	Confidential	Confidential	Not required
Additive	1~10	Confidential	Confidential	Not required

The wording of the symbol(s) and risk phrase(s) is specified in 15.REGULATORY INFORMATION.

---

**SECTION 4 FIRST AID MEASURES**

- Inhalation** : Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult a doctor if symptoms persist.
- Ingestion** : Immediately consult a doctor.
- Eye** : Wash the eyes immediately with large amounts of running water for over 15 minutes, and consult a doctor for medical advice.
- Skin** : Wipe off with dry cloth and wash with soap and water. If irritation persists, consult a doctor for medical advice.

---

**SECTION 5 FIRE-FIGHTING MEASURES**

- Suitable extinguishing agents** : Dry chemical powder, foam or carbon dioxide.
- For safety reasons unsuitable extinguishing agents** : Water.
- Protective equipment** : Mount respiratory protective device.

---

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

- Personal Precautions** : Avoid contact with skin, eyes and clothing.
- Environmental Precautions** : Do not release to sewer, surface water or ground water.
- Method for Cleaning Up** : Wipe off with wet cloth or paper.

---

**SECTION 7 HANDLING AND STORAGE**

- Handling** : Use with adequate ventilation.  
Avoid contact with skin, eyes and clothing.  
Avoid inhalation and ingestion.  
In case of contact, wash out the contaminated area immediately.
- Storage** : Keep in a cool and dry place. Protect from sunlight.  
Keep away from heat and flame.  
Keep out of the reach of children.
- Specific Uses** : Ink for permanent marker

---

**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

- EXPOSURE LIMIT VALUES** : EH40/2005 Workplace exposure limits  
64-17-5 ethanol  
Long-term exposure limit (8-hour TWA reference period)  
1000 ppm 1920 mg.m<sup>-3</sup>  
67-63-0 Propan-2-ol  
Long-term exposure limit (8-hour TWA reference period)  
400 ppm 999 mg.m<sup>-3</sup>  
Short-term exposure limit (15-minute reference period)  
500 ppm 1250 mg.m<sup>-3</sup>  
71-23-8 Propan-1-ol  
Long-term exposure limit (8-hour TWA reference period)  
200 ppm 500 mg.m<sup>-3</sup>  
Short-term exposure limit (15-minute reference period)  
250 ppm 625 mg.m<sup>-3</sup>
- EXPOSURE CONTROLS** : Use adequate ventilation.
- PERSONAL PROTECTION** : Respiratory Protection  
Use with local exhaust ventilation, when in long use.

- : Hand Protection  
Not required, but wear safety gloves, if necessary.
- : Eye Protection  
Not required, but wear safety glasses, if necessary.
- : Skin Protection  
To prevent ANY contact, wear impervious clothing such as gloves, apron, as appropriate.

## **SECTION 9      PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance** : Black liquid
- Odor** : minor solvent odor
- pH:** : Not applicable
- Boiling point / boiling range** : No data available
- Flash point** : 13 °C (closed cup)
- Explosive properties** : None
- Relative Density (at 25°C)** : 0.9~1.0 ( g/cm<sup>3</sup> )
- Solubility in Water** : Insoluble

## **SECTION 10      STABILITY AND REACTIVITY**

- Stability** : Stable
- Conditions to Avoid** : High temperature, Direct sunlight, Fire
- Materials to avoided** : Strong acid and base
- Hazardous Decomposition Products** : CO, CO<sub>2</sub>

## **SECTION 11      TOXICOLOGICAL INFORMATION**

- Acute toxicity** : LD/LC50 values that are relevant for classification
 

[ethanol]			
Oral-rat	LD50		7,060mg/kg
Inhalation-rat	LC50		20,000ppm/10H
[Propan-2-ol]			
Oral-rat	LD50		2,000-5,000mg/kg
Dermal-rabbit	LD50		>5,000mg/kg
[Propan-1-ol]			
Oral-rat	LD50		1,900mg/kg
Dermal-rabbit	LD50		6,700mg/kg
- Other information** : Product specific toxicological data are not known.

## **SECTION 12      ECOLOGICAL INFORMATION**

- General notes** : Do not allow product to reach ground water, water course or sewage system.
- Ecotoxicity** : No data available
- Bioaccumulation** : No data available
- Other Adverse Effects** : No data available

**SECTION 13 DISPOSAL CONSIDERATIONS**

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

**Do not allow product to reach ground, any water course or sewage system.**

**SECTION 14 TRANSPORT INFORMATION**

UN Number : 1210  
 UN Shipping Name : Printing ink  
 UN Classification : 3  
 UN Packing Group : II

**SECTION 15 REGULATORY INFORMATION**

< EU Information >

**[ethanol]**

Symbol : F : Highly flammable  
 R-Phrase : R11 : Highly flammable.  
 S-Phrase : S2 : Keep out of the reach of children.  
 S7 : Keep container tightly closed.  
 S16 : Keep away from sources of ignition - No smoking.

**[Propan-2-ol]**

Symbol : F : Highly flammable  
 Xi : Irritant  
 R-Phrase : R11 : Highly flammable.  
 R36 : Irritating to eyes.  
 R67 : Vapours may cause drowsiness and dizziness.  
 S-Phrase : S2 : Keep out of the reach of children.  
 S7 : Keep container tightly closed.  
 S16 : Keep away from sources of ignition - No smoking.  
 S24/25 : Avoid contact with skin and eyes.  
 S26 : In case of contact with eyes, rinse immediately with plenty of water  
 and seek medical advice.

**[Propan-1-ol]**

Symbol : F : Highly flammable  
 Xi : Irritant  
 R-Phrase : R11 : Highly flammable.  
 R41 : Risk of serious damage to eyes.  
 R67 : Vapours may cause drowsiness and dizziness.  
 S-Phrase : S2 : Keep out of the reach of children.  
 S7 : Keep container tightly closed.  
 S16 : Keep away from sources of ignition - No smoking.  
 S24 : Avoid contact with skin.  
 S26 : In case of contact with eyes, rinse immediately with plenty of water  
 and seek medical advice.  
 S39 : Wear eye/face protection.

Refer to any other federal , state , EU , national and local regulations.

**SECTION 16 OTHER INFORMATION**

EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC)  
 This product not contain lead,mercury, cadmium, hexavalent chromium,  
 polybromiated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This information is furnished in good faith as our present best knowledge of Shachihata Inc. No warranty, either expressed or implied, is hereby made. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.