



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BCI-24C

DESCRIPTION: Ink Tank

USED WITH MACHINE(S): S-200, S-300, S200x, S330,

MANUFACTURER: Canon Inc.
30-2, Shimomaruko 3-Chome, Ohta-Ku
Tokyo 146, Japan
Phone: 03-3758-2111

DISTRIBUTOR: Canon UK Limited
Woodhatch
Reigate
Surrey
Phone: 01737 220000

DATE PREPARED: 18/06/01

DATE REVISED: 09/04/03

UK MSDS REF: **MSDS3184**



MATERIAL SAFETY DATA SHEET

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Canon Ink Tank BCI-24Color / Canon Ink Tank BCI-24Color Twin Pack
Product Code: 6882A
Company Name: Canon Inc.
Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan
Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >

Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol (Contained in cyan and magenta ink)	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m ³
Copper, [29H,31H-phthalocyaninato(2-) -N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts (Contained only in cyan ink)	90295-11-7 / 291-001-7	2 - 6	Xi / R36	Not established	Not established	Not established	Copper and its compounds Inhalable fraction 1.0 mg/m ³
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m ³
Quinoline derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Triazine derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36 R52/53	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-79-12	60 - 80	None / None	Not established	Not established	Not established	Not established



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BCI-24BC

DESCRIPTION: Ink Tank

USED WITH MACHINE(S): S-200, S-300, S200x, S330,

MANUFACTURER: Canon Inc.
30-2, Shimomaruko 3-Chome, Ohta-Ku
Tokyo 146, Japan
Phone: 03-3758-2111

DISTRIBUTOR: Canon UK Limited
Woodhatch
Reigate
Surrey
Phone: 01737 220000

DATE PREPARED: 18/06/01

DATE REVISED: 09/04/03

UK MSDS REF: **MSDS3184**

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION**EU Classification:**

Not classified as dangerous.

Emergency Overview:

A set of three colors ink tanks. (Cyan, Magenta and Yellow)

All the ink is liquid mixture with slight odor.

Potential Health Effects and Symptoms:**Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES**First Aid Measures:****Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:**Extinguishing Media:**CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:None

Special Fire Fighting Procedures:None

Unusual Fire and Explosion Hazards:None

Fire and Explosive Properties (See also Section 9):**Hazardous Combustion Products:**CO, CO₂ and NO_x

Other Properties:None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:Avoid contact with skin, eyes and clothing.

Environmental Precautions:Do not release to sewer, surface water or ground water.

Method for Cleaning Up:Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Use with adequate ventilation.

In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Keep away from heat and flame.

Protect from sunlight.

Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:Not established for this ink. (See also SECTION 2)

Engineering Controls:Use adequate ventilation.

Personal Protection Equipment(s):**Respiratory Protection:** ☐ Required
☒ Not Required**Eye/Face Protection:** ☐ Required
☒ Not Required**Skin Protection:** ☐ Required
☒ Not Required



MATERIAL SAFETY DATA SHEET

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Cyan, magenta and yellow liquid
Odor:	Slight odor
pH:	8.0 - 10.4
Boiling Point/Range(°C):	Not available
Melting Point/Range(°C):	Not available
Decomposition Temperature(°C):	Not available
Flash Point(°C):	Estimate : 55 - 57 (Tag.Closed Cup. Combustion is not sustainable.)
Flammable (Explosive) Limits:	Not available
Autoignition Temperature(°C):	Not available
Flammability:	Classified as "Combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.
Explosive Properties:	None
Oxidizing Properties:	None
Vapor Pressure :	Not available
Vapor Density :	Not available
Density / Specific Gravity:	1.04 - 1.10
Water Solubility :	Miscible
Fat Solubility :	Not available
Partition Coefficient (n-Octanol/Water):	Not available
Percent Volatile (%):	60 - 80
Evaporation Rate:	Not available
Viscosity (mPa s):	1.9 - 2.6

SECTION 10 STABILITY AND REACTIVITY

Stability:	<input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products:	CO, CO ₂ , NO _x and Ammonia
Hazardous Polymerization:	<input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur
Conditions to Avoid:	None

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:**Inhalation:**Not available

Ingestion:Cyan : Estimated LD₅₀ > 2500 mg/kg, 0/6 mortalities at 2000 mg/kg (rat)Magenta : [Data of similar composition ink] Estimated LD₅₀ > 2500 mg/kg (rat)

OECD Guidelines No.423 (1996)

96/54/EC Method B1 tris

Yellow : Not available

Eye:

Cyan : Minimal irritant, Maximum Group Mean Score = 6.0, Class 3 (rabbit)

Yellow : Minimal irritant, Maximum Group Mean Score = 4.7, Class 3 (rabbit)

Magenta : [Data of similar composition ink] Minimal irritant (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Skin:

Cyan : Mild irritant, Primary Irritation Index = 1.8 (rabbit)

Yellow : Mild irritant, Primary Irritation Index = 0.2 (rabbit)

Magenta : [Data of similar composition ink] Mild irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Sensitization:

Cyan and Yellow : Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig)

Magenta : [Data of similar composition ink] Non sensitizer (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

Mutagenicity:

Ames test :

All colors : Negative (test strains: *S.typhimurium* & *E.Coli*)

Chromosome aberration test :

Magenta : Negative (test strains: *Human peripheral blood lymphocytes*)Cyan and Yellow : Not available

Reproductive Toxicity:Not available

Carcinogenicity:Not available

Others:Not available

SECTION 12 ECOLOGICAL INFORMATION
Mobility: Not available

**Persistence /
Degradability:** Not available

Bioaccumulation: Not available

Ecotoxicity: Not available

Other Adverse Effects: Not available

SECTION 13 DISPOSAL CONSIDERATION
Method of Disposal:

Disposal should be subject to federal, state and local laws.

SECTION 14 TRANSPORT INFORMATION
UN #: None

UN Shipping Name: None

UN Classification: None

UN Packing Group: None

Marine Pollutant: ☐ Yes **Chemical name (wt%):**
☒ No

Special Precautions: None

SECTION 15 REGULATORY INFORMATION
< EU Information >
Information on the Label:
Symbol & Indication: Not required

R-Phrase:

Not required

S-Phrase:

Not required

Dangerous Component(s):

None

Special Precautions under 1999/45/EC Annex V:

Not required

Specific Provisions in Relation to Protection of Man or the Environment:
76/769/EEC: Not regulated

(EC)2037/2000: Not regulated

(EC)304/2003: Not regulated

Others: None



MATERIAL SAFETY DATA SHEET

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:
Not required

Safety Advice:
Not required

Hazardous Component(s):
None

SARA Title III §313:

Chemical Name	Weight %
"Ethylene glycol" (107-21-1) (Contained in cyan and magenta ink)	2 - 6
"Copper Compounds" (Contained only in cyan ink) (as Cu)	2 - 6 (< 0.35)

California Proposition 65:

Chemical Name	Weight %
None	

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable.

R22 : Harmful if swallowed.

R36 : Irritating to eyes.

R67 : Vapours may cause drowsiness and dizziness.

R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

Entirely revised.

MATERIAL SAFETY DATA SHEET

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.
 OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
 ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
 EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
 DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.
 TWA: Time Weighted Average.
 IARC: International Agency for Research on Cancer.
 NTP: National Toxicology Program (USA).
 OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
 FHSA: Federal Hazardous Substances Act (USA).
 WHMIS: Workplace Hazardous Materials Information System.
 NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacture makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacture be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.