Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1104-0101 Product Code: 8642A / F42-6221

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon C-EXV 9 Magenta Toner

Product Code: 8642A / F42-6221 Company Name: Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

<	In	gredient(s)	>	
---	----	-------------	---	--

Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	75-85	None/ None	Not established	Not established	Not established	Not established
Wax	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established
Pigment	Confidential	1-7	None/ None	Not established	Not established	Not established	Not established

< Carcinogen >

Chemical Name CAS # Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Magenta fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



MATERIAL SAFETY DATA SHEET

MSDS #: TN1104-0101 Product Code: 8642A / F42-6221

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1104-0101 Product Code: 8642A / F42-6221

SECTION 8 EXPOS Exposure Guidelines:	URE CONTR	OLS / PERSONAL PROTECTION		
•	10 mg/m ³ (In 4 mg/m ³ (Inh	otal dust), 5 mg/m³ (Respirable fraction) halable fraction), 3 mg/m³ (Respirable fraction) halable fraction), 1.5 mg/m³ (Respirable fraction)		
Engineering Controls: Use adequate ventilation.				
Personal Protection Equipm	nent(s):			
Respiratory Protection	Required Not Required	ired		
Eye/Face Protection:	☐ Required Not Required	ired		
Skin Protection:	☐ Required Mot Required			
SECTION 9 PHYSIC	CAL AND CH	EMICAL PROPERTIES		
Appearance:		Magenta fine powder		
Odor:		Slight plastic odor		
pH:		Not applicable		
Boiling Point/Range(°C):		Not applicable		
Melting Point/Range(°C):		100 - 150 (Softening point)		
Decomposition Temperatur	re(°C):	>200		
Flash Point(°C):		Not applicable		
Flammable (Explosive) Lim	its:	Not applicable		
Autoignition Temperature (°C):	Not available		
Flammability:		Not-flammable(Test method: Directive 92/69/EEC, A10 Flammability (Solids))		
Explosive Properties:		Can form explosive dust-air mixtures when finely dispersed in air.		
Oxidizing Properties:		Not available		
Vapor Pressure:		Not applicable		
Vapor Density:		Not applicable		
Density / Specific Gravity:		1.0 - 1.2		
Water Solubility:		Negligible		
Fat Solubility:		Partially soluble in toluene and xylene.		
Partition Coefficient (n-Oct	anol/Water):	Not applicable		
Percent Volatile:		Negligible		
Evaporation Rate:		Not applicable		
Viscosity (mPa s):		Not applicable		

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1104-0101 Product Code: 8642A / F42-6221

SECTION 10 STABILITY AND	REACTIVITY		
Stability:	Stable Unstable □		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers		
Hazardous Decomposition Products:	CO, CO2		
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICOLOGICA	AL INFORMATION		
Acute Toxicity: Inhalation: Not available			
Ingestion: Estimate: Rat, LD50> 2000 mg/k	kg		
Eye: Estimate: Rabbit, transient slight	conjunctival irritation only.		
Skin: Estimate: Rabbit, non-irritant			
Sensitization: Estimate: Guinea pig, skin: Non-	sensitizing		
Mutagenicity: Ames Test (S. typhimurium, E. c	coli): Negative		
Reproductive Toxicity: Not available			
Carcinogenicity: Not available			

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1104-0101 Product Code: 8642A / F42-6221

SECTION 12 E	COLOG	ICAL INFORMATION			
Mobility:		Not available			
Persistence / Degradability: Bioaccumulation:		Not available			
		Not available			
Ecotoxicity:		Not available			
Other Adverse Effec	ets:	Not available			
SECTION 13 D	TCDOC A	L CONSIDERATION			
	ISPUSA	AL CONSIDERATION			
container, unless d	lust-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner osion preventing measures are taken. Finely dispersed particles form explosive mixtures abject to federal, state and local laws.			
SECTION 14 T	RANSP	ORT INFORMATION			
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes ⋈ No	Chemical name (wt%):			
Special Precautions:	None				
SECTION 15 R	REGULA	TORY INFORMATION			
< EU Information >					
Information on the Symbol & Indica		ot required			
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Com None	ponent(s):			
Special Precaution Not required	ons unde	r 1999/45/EC Annex V:			
Specific Provisions	in Relati	ion to Protection of Man or the Environment:			
76/769/EEC:	Not regu	lated			
(EC)2037/2000:	Not regu	lated			
(EC)304/2003:	Not regu	lated			
Others:	None				
< USA Information >	>				
Information on the	Label:				
Signal Word: Not required					
Hazard warning Not required	:				



MATERIAL SAFETY DATA SHEET

MSDS #: TN1104-0101
Product Code: 8642A / F42-6221

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

None

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations

"EU" stands for European Union.

"OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration(USA).

"ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

"EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

 $"DFG\ MAK"\ stands\ for\ MAK (Maximale\ Arbeitsplatzkonzentrationen)\ under\ Deutsche\ Forschungsgemeinschaft.$

"TWA" stands for Time Weighted Average.

"IARC" stands for International Agency for Research on Cancer.

"NTP" stands for National Toxicology Program (USA).

"OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard(USA).

"FHSA" stands for Federal Hazardous Substances Act(USA).

"WHMIS" stands for Workplace Hazardous Materials Information System.

"NOHSC" stands for National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.