Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1053-0101 Product Code: 1441A / F42-3131

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Toner (Yellow) for CLC1100 series

Product Code: 1441A / F42-3131

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph # 03-3758-2111

Supplier: Canon USA, Inc.,One Canon Plaza, Lake Success, NY, 11042, USA

Phone #: 1-800-OK-CANON, 24 Hr. Emergency CHEMTREC # 800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >

Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Polyester resin	Confidential	85 - 95	None / None	Not established	Not established	Not established	Not established
Chromate(1-), bis[3,5-bis(1,1-dimethylethyl)-2-(hydroxykappa.O) benzoato(2-)kappa.O]-, hydrogen, (T-4)-	72869-85-3/ 276-955-4	1 - 6 (as Cr: 0.1-0.6)	Xn / R22	Not established	Not established	Not established	Not established
Pigment	Confidential	1 - 5	None / None	Not established	Not established	Not established	Not established

< Carcinogen >

Chemical Name CAS # Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Yellow fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May cause slight irritation.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



MATERIAL SAFETY DATA SHEET

MSDS #: TN1053-0101 Product Code: 1441A / F42-3131

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus. For more infromation, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1053-0101 Product Code: 1441A / F42-3131

SECTION 8 EXPOSU Exposure Guidelines:	TRE CONTROLS / PERSONAL PROTECTION		
•	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction) 10 mg/m³ (Inhalable fraction) 3 mg/m³ (Respirable fraction) 4 mg/m³ (Inhalable fraction) 1.5 mg/m³ (Respirable fraction) 2)		
Engineering Controls: Use adequate ventilation.			
Personal Protection Equipm	nent(s):		
Respiratory Protection: ☐ Required Not Required			
Eye/Face Protection: Required Not Required			
Skin Protection: ☐ Required ☐ Not Required			
SECTION 9 PHYSIC.	AL AND CHEMICAL PROPERTIES		
Appearance:	Yellow fine powder		
Odor:	Slight plastic odor		
pH:	Not applicable		
Boiling Point/Range(°C):	Not applicable		
Melting Point/Range(°C):	85 - 120(Softening point)		
Decomposition Temperature	e(°C): > 200		
Flash Point(°C):	Not applicable		
Flammable (Explosive) Limit	Not applicable		
Autoignition Temperature (°	Not available		
Flammability:	Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))		
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.		
Oxidizing Properties:	Not available		
Vapor Pressure:	Not applicable		
Vapor Density:	Not applicable		
Density / Specific Gravity:	1.0 - 1.5		
Water Solubility:	Negligible		
Fat Solubility:	Partially soluble in toluene and xylene.		
Partition Coefficient (n-Octa	anol/Water): Not applicable		
Percent Volatile:	Negligible		
Evaporation Rate:	Not applicable		
Viscosity (mPa s):	Not applicable		

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1053-0101 Product Code: 1441A / F42-3131

SECTION 10 STABILITY AND	REACTIVITY			
Stability:	■ Stable □ Unstable			
Conditions to Avoid:	None			
Materials to Avoid:	Strong oxidizers CO, CO2 May Occur Will Not Occur			
Hazardous Decomposition Products:				
Hazardous Polymerization:				
Conditions to Avoid:	None			
SECTION 11 TOXICOLOGICA	AL INFORMATION			
Acute Toxicity: Inhalation: Not available				
Ingestion: Estimate:Rat, LD50 > 2000mg/k	cg			
Eye: Estimate: Rabbit, transient slight	conjunctival irritation only.			
Skin: Estimate:Rabbit, mild-irritant				
Sensitization: Guinea pig, skin : Non-sensitizin	ng			
Mutagenicity: Ames Test (Salmonella typhimu	rium) : Negative			
Reproductive Toxicity: Not available				
Carcinogenicity: Not available				
Others: Chronic effects: Muhle et al. reported pulmonary	response upon chronic inhalation exposure in rats to a toner enriched in			

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1053-0101 Product Code: 1441A / F42-3131

SECTION 12 E	COLOG	SICAL INFORMATION					
Mobility:		Not available					
Persistence / Degradability:		Not available					
Bioaccumulation:		Not available					
Ecotoxicity:		Not available					
Other Adverse Effects:		Not available					
SECTION 13	DISPOSA	L CONSIDERATION					
container, unless	er or tone dust-expl	r container into fire; heated toner may cause severe burns. DO NOT shred a toner osion preventing measures are taken. Finely dispersed particles form explosive nould be subject to federal, state or local laws.					
SECTION 14 T	TRANSP	ORT INFORMATION					
UN #:	None						
UN Shipping Name :	None						
UN Classification:	None						
UN Packing Group:	None						
Marine Pollutant:	☐ Yes ➤ No	Chemical name (wt%):					
Special Precautions	:None						
SECTION 15 I	REGULA	TORY INFORMATION					
< EU Information >							
Information on the							
Symbol & Indic	ation: No	ot required					
R-Phrase: Not required							
S-Phrase: Not required							
Dangerous Com None	ponent(s);					
-		er 1999/45/EC Annex V: able for professional user on request.					
Specific Provisions i 76/769/EEC:	n Relation	on to Protection of Man or the Environment:					
(EC)2037/2000:	Not regu	ılated					
(EEC)2455/92:							
Others:	None						
< USA Information	>						
Information on the							
Signal Word: Not required							
Hazard warning Not required							



MATERIAL SAFETY DATA SHEET

MSDS #: TN1053-0101

Product Code: 1441A / F42-3131

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

 Chemical Name
 Weight %

 Chromium(III) compounds
 1-6

 (as Cr)
 (0.1-0.6)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

R-phrase list:

R22 - Harmful if swallowed.

Revised information from the previous version:

Entirely revised

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
 U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of
- Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

"EU" stands for European Union.

- "OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration(USA).
- "ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- "EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
- "DFG MAK" stands for MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.
- "TWA" stands for Time Weighted Average.
- "IARC" stands for International Agency for Research on Cancer.
- "NTP" stands for National Toxicology Program (USA).
- "OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard(USA).
- "FHSA" stands for Federal Hazardous Substances Act(USA).
- "WHMIS" stands for Workplace Hazardous Materials Information System.
- "NOHSC" stands for National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.