Page 1 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1232-0101
Product Code: 6881A

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank BCI-24Black / Canon Ink Tank BCI-24Black Twin Pack

**Product Code:** 6881A

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph # 03-3758-2111

Supplier: Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USA

**Phone #:** 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

COMPOSI	TION/II	NFORMATIO	ON ON INGRE	DIENTS		
CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m <sup>3</sup>
1863-63-4 / 217-468-9	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-79-12	60 - 80	None / None	Not established	Not established	Not established	Not established
	CAS # / EC #   56-81-5 / 200-289-5   111-46-6 / 203-872-2   1863-63-4 / 217-468-9   Confidential   7732-18-5 /	CAS # / Weight %  56-81-5 / 5 - 10  111-46-6 / 203-872-2  1863-63-4 / 1 - 3  217-468-9  Confidential 5 - 10	CAS #/ EC #         Weight %         EU Symbol/ R-Phrase           56-81-5 / 200-289-5         5 - 10         None / None           111-46-6 / 203-872-2         2 - 6         Xn / R22           1863-63-4 / 217-468-9         1 - 3         Xi / R36           Confidential         5 - 10         None / None           7732-18-5 /         60 - 80         None / None	CAS #/ EC #         Weight %         EU Symbol/ R-Phrase         USA OSHA PEL           56-81-5 / 200-289-5         5 - 10         None / None         (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³           111-46-6 / 203-872-2         2 - 6         Xn / R22         Not established           1863-63-4 / 217-468-9         1 - 3         Xi / R36         Not established           Confidential         5 - 10         None / None         Not established           7732-18-5 /         60 - 80         None / None         Not established	EC #         %         R-Phrase         OSHA PEL           56-81-5 / 200-289-5         5 - 10         None / None         (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³         TWA = 10 mg/m³           111-46-6 / 203-872-2         2 - 6         Xn / R22         Not established         Not established           1863-63-4 / 217-468-9         1 - 3         Xi / R36         Not established         Not established           Confidential         5 - 10         None / None         Not established         Not established           7732-18-5 / 60 - 80         None / None         Not established         Not established	CAS #/ EC #Weight EC # %EU Symbol/ R-PhraseUSA OSHA PELACGIH TLVEU ILV56-81-5 / 200-289-55 - 10None / None(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³TWA = 10 mg/m³Not established111-46-6 / 203-872-22 - 6Xn / R22Not establishedNot establishedNot established1863-63-4 / 217-468-91 - 3Xi / R36Not establishedNot establishedNot establishedConfidential5 - 10None / NoneNot establishedNot establishedNot established7732-18-5 / 60 - 80None / NoneNot establishedNot establishedNot established

Page 2 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1232-0101
Product Code: 6881A

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

## SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

## **Emergency Overview:**

Ink tank containing black liquid ink with slight odor.

## **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

## **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

## SECTION 4 FIRST AID MEASURES

## First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

## Note to Physicians:

None

Page 3 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1232-0101
Product Code: 6881A

SECTION 5 FIRE FIG	GHTING MEASURES				
Fire Fighting Measures:					
Extinguishing Media:					
CO <sub>2</sub> , water, foam or dr	y chemicals				
Unsuitable Extinguishin	g Media:				
None					
Special Fire Fighting Pro	ocedures:				
None					
Unusual Fire and Explosion Hazards:					
None					
Fire and Explosive Propertie					
Hazardous Combustion CO, CO <sub>2</sub> and NOx	Products:				
Other Properties:					
None					
SECTION 6 ACCIDE	NTAL RELEASE MEASURES				
Personal Precautions:					
Avoid contact with skin, ey					
Environmental Precautions:	urface water or ground water.				
Method for Cleaning Up:	mace water of ground water.				
Wipe off with wet cloth or	paper				
	^ *				
SECTION 7 HANDLI	ING AND STORAGE				
Handling:					
Use with adequate ventilation.					
	t the contaminated area immediately.				
Storage:					
Protect from sunlight.	Keep in a cool and dry place.				
Keep out of the reach of ch	ildren.				
Specific Uses:					
Ink for Ink Jet Printer.					
For more information, plea	se refer to the instruction of this product.				
	RE CONTROLS / PERSONAL PROTECTION				
<b>Exposure Guidelines:</b>	(G. 1. GEOTHON A)				
Not established for this inl	(. (See also SECTION 2)				
Engineering Controls:  Use adequate ventilation.					
<b>Personal Protection Equipm</b>					
Respiratory Protection:	☐ Required  ✓ Not Required				
Eye/Face Protection:	Required				
•	Not Required   Not Required				
Skin Protection:	Required				
	▼ Not Required				

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

	MSDS #:	IC1232-0101
ET	Product Code:	6881 A

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Black liquid	
Odor:	Slight odor	
pH:	7.7 - 8.3	
<b>Boiling Point/Range(°C):</b>	Not available	
<b>Melting Point/Range(°C):</b>	Not available	
<b>Decomposition Temperature</b> ( ${}^{\circ}$ C):	Not available	
Flash Point(°C):	Estimate : None	
Flammable (Explosive) Limits:	Not available	
Autoignition Temperature (°C):	Not available	
Flammability:	Neither flammable nor combustible.	
<b>Explosive Properties:</b>	None	
Oxidizing Properties:	None	
Vapor Pressure :	Not available	
Vapor Density:	Not available	
Density / Specific Gravity:	1.04 - 1.10	
Water Solubility:	Miscible	
Fat Solubility:	Not available	
Partition Coefficient (n-Octanol/Water):	Not available	
Percent Volatile (%):	60 - 80	
<b>Evaporation Rate:</b>	Not available	
Viscosity (mPa s):	1.8 - 2.5	
SECTION 10 STABILITY AND RI	EACTIVITY	
Stability:	■ Stable     □ Unstable	
Conditions to Avoid:	None	
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents	
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and Ammonia	
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur	
Conditions to Avoid:	None	

Page 5 of 8



Not available

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1232-0101
Product Code: 6881A

TOXICOLOGICAL INFORMATION **SECTION 11 Acute Toxicity:** Inhalation: Not available **Ingestion:** Not available Eye: [Data of similar composition ink] Minimal irritant (rabbit) OECD Guidelines No.405 (1987) 92/69/EEC Method B5 Skin: [Data of similar composition ink] Non irritant (rabbit) OECD Guidelines No.404 (1992) 92/69/EEC Method B4 **Sensitization:** [Data of similar composition ink] Non sensitizer (guinea pig) OECD Guidelines No.406 (1992) 96/54/EC Method B6 Mutagenicity: Ames test: Negative (test strains: S.typhimurium & E.Coli) **Reproductive Toxicity:** Not available Carcinogenicity: Not available Others:

Page 6 of 8

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1232-0101</u> **SHEET** Product Code: 6881A

SECTION 12	ECOLOGICAL INFORMATION					
<b>Mobility:</b>	Not available					
Persistence /						
Degradability:	Not available					
<b>Bioaccumulation:</b>	Not available					
<b>Ecotoxicity:</b>	Not available					
Other Adverse Effects: Not available						
SECTION 13	DISPOSAL CONSIDERATION					
Method of Disposa Disposal should	al: I be subject to federal, state and local laws.					
SECTION 14	TRANSPORT INFORMATION					
UN #:	None					
UN Shipping Nam	None None					
<b>UN Classification:</b>	None					
UN Packing Group	p: None					
Marine Pollutant:	☐ Yes Chemical name (wt%):  ☑ No					
<b>Special Precaution</b>	None					
SECTION 15	REGULATORY INFORMATION					
< EU Information Information on the						
Symbol & Indi	ication: Not required					
R-Phrase: Not required	i					
S-Phrase:						
Not required	i					
None None	mponent(s):					
Special Precau Not required	ntions under 1999/45/EC Annex V:					
Specific Provision	ns in Relation to Protection of Man or the Environment:					
76/769/EEC:	Not regulated					
(EC)2037/2000	0: Not regulated					
(EC)304/2003:	Not regulated					
Others:	None					

Page 7 of 8

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1232-0101
Product Code: 6881A

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

None

**SARA Title III §313:** 

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

**Statement of Hazardous Nature:** Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R22 : Harmful if swallowed. R36 : Irritating to eyes.

<Revised information from the previous version>

Entirely revised.



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1232-0101
Product Code: 6881A

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.