SAFETY DATA SHEET

Easy Bathroom Cleaner: PROMO 50% EF [750ml x 6]

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME Easy Bathroom Cleaner: PROMO 50% EF [750ml x 6]

PRODUCT NO. 573750

INTERNAL ID 00022774 - (01:10 - 10/08/2010)

APPLICATION Liquid Cleaner

SUPPLIER Jeyes Ltd

Brunel Way

Thetford

Norfolk

IP24 1HF

England

T+44 (0)1842 757575

F+44 (0)1842 757683

technical@jeyes.co.uk
EMERGENCY TELEPHONE +44 (0) 1842 757575

CONTAINER SIZE 750 ml

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

CLASSIFICATION (1999/45) Not classified.

HUMAN HEALTH

May cause minor irritation on eye contact. Spray mists may cause respiratory tract irritation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name EC No. CAS-No. Content % Classification (67/548)

CITRIC ACID MONOHYDRATE 201-069-1 5949-29-1 1 - < 2.5% Xi;R36.

ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE 270-325-2 68424-85-1 0.25 - < 1% Xn;R22. C;R34. N;R50.

2-BUTOXYETHANOL 203-905-0 111-76-2 0 - < 0.25% Xn;R20/21/22 Xi;R36/38

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

In case of inhalation of spray mist: Move person into fresh air and keep at rest. Get medical attention if any discomfort continues.

INGESTION

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention. NEV ER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

SKIN CONTACT

Rinse with water. Contact physician if disconfort continues.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinsefor at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

REVISION DATE 07/01/2011 Product No. 573750

Easy Bathroom Cleaner: PROMO 50% EF [750ml x 6]

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Avoid inhalation of spray mist and contact with skin and eyes. For personal protection, see section 8.

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb with sand or other inert absorbent. Transfer to a container for disposal.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Avoid inhalation of vapours/spray and contact with skin and eyes.

STORAGE PRECAUTIONS

Store in closed original container at temperatures between 0°C and 30°C.

STORAGE CLASS

Lagerklasse 12

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name STD TWA - 8 Hrs STEL - 15 Min Notes

2-BUTOXYETHANOL WEL 25 ppm(Sk) 50 ppm(Sk)

WEL = Workplace Exposure Limit.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

HYGIENE MEASURES

Wash hands after handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear liquid

COLOUR Blue

ODOUR Agua

SOLUBILITY Soluble in water.

RELATIVE DENSITY 0.985 - 1.025 @ 20°C

pH-VALUE, CONC. SOLUTION 2.0 - 3.0

FLASH POINT (°C) >61°C CC (Closed cup).
10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Do not mix or usewith bleach or bleach containing products.

11 TOXICOLOGICAL INFORMATION

INHALATION

Vapours may irritate throat and respiratory system and cause coughing.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Prolonged contact may cause redness and irritation.

EYE CONTACT

May cause temporary eye irritation.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be toxic to aquatic organisms.

MOBILITY

The product is soluble in water.

2/3

REVISION DATE 07/01/2011 Product No. 573750

Easy Bathroom Cleaner : PROMO 50% EF [750ml x 6]

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S2 Keep out of the reach of children.

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689.

16 OTHER INFORMATION

REVISION COMMENTS

Addition of promotion details

ISSUED BY

Michelle Smith

REVISION DATE 07/01/2011

REV. NO./REPL. SDS GENERATED 2 - 26/08/2009

RISK PHRASES IN FULL

R34 Causes burns.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

R36 Irritating to eyes.

R50 Very toxic to aquatic organisms.

DISCLA İMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the

date indicated. How ever, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



Powder and Liquid Products Limited Factory 37,No.1 Industrial Estate, Consett, Co. Durham, DH8 6TW Telephone (01207) 591217 (office hours) Fax (01207) 592119

www.easvcleaning.info email: enquiries@plp.co.uk

Section 1. Identification of the substance/Preparation Easy Totally Original Washing up Liquid

Dish Cleaning - hand dish washing liquid

In the event of an emergency please call 0800 0181217 manned during office hours or call Local Poison Control Centre

Competent person responsible for Safety Data sheets - Matthew Parr - Technical Director (Matthew@plp.co.uk)

ction 2. Hazards Identification

This preparation is not classified as dangerous according to Directive 1999/45/EC

THIS PRODUCT CAN BE USED SAFELY WHEN USED AS DIRECTED AND WHEN APPLICABLE SAFETY PRECAUTIONS ARE

FOLLOWED

Ingestion - May cause transient gastrointestinal irritation with nausea, vomiting and/or diarrhoea

Eye contact – Contact may cause mild transient irritation Skin contact – Contact may cause mild transient irritation

Inhalation - None

Section 3. Composition/Information on Ingredients
Hand Dish Washing Liquid formulation

Component	INCI	CAS	EINECS	- %	Hazard	Risk
				Range		
Anionic surfactant	Sodium Laureth sulfate	68585-34-2	500-223-8	10-30	XI	36/38
Nonionic surfactant	Coconut Diethanolamide	68603-42-9	271-657-1	1.0-5.0	Xn XI	22,48/22,38.41
	C12-C15 Pareth-5	68131-39-5	N/A	0.1-1.0	Xn	22, 41
	C10-C16 Alkylamine oxide	61788-90-7	263-016-9	0.1-1.0	XI	36,38,41
Amphoteric surfactant	Cocoamidopropyl betaine	61789-40-0	263-058-8	0-0.1	XI	36
Preservative	Chioromethylisothiazolinone	26172-55-4	247-500-7	0-0.1	T, C, N	23/24/25,34,
	Methylisothiazolinone	2682-20-4	220-239-6	0-0.1		43,50
Perfume	Parfum	N/A	N/A	0.1-1.0	Xn	10,65,52/53
Preservative - Chloromethylis	Limonene					

Section 4. First Aid Measures
Immediate medical attention is not usually required

Inhalation - Move to fresh air.

Ingestion - In case of swallowing, seek medical assistance. If person conscious give milk or water. Do not induce vomiting

Skin Contact - Remove the product and flush with plenty of water

Eyes Contact - Flush with large quantities of water for minimum of 15 minutes, if irritation persists seek medical advice

Other information — Consumer packages have a caution statement. People with sensitive or damaged skin should avoid prolonged contact with the washing solution. KEEP OUT OF REACH OF CHILDREN

Section 5. Fire-FightingMeasures

Suitable extinguishing media - The product is not combustible, CO2, water or dry chemical may be used.

Extinguishing media which shall not be used for safety reasons - Not applicable

Special Exposure hazards - Combustion products: Carbon Monoxide, Carbon Dioxide, traces of incomplete burned organic compounds Special protective equipment for firefighters – Use self contained breathing apparatus

Personal precautions - Avoid eye and skin contact.

Environmental precautions - Prevent spillage of large quantities of undiluted product in surface or groundwater.

Cleaning methods - Absorb in earth or sand. Dispose contaminated material as waste according to item 13.

Information for safe handling including advice on technical measures - Avoid eye and skin contact.

Information about fire and explosion protection - No special measurements required

Requirements to be met by storerooms and receptacles - No special measurements required

Further information - Keep out of reach of children. Store in a cool, dry place.

ction 8. Exposure controls/Personal Protecti

Notes – This section mainly applies to the product when used in an industrial setting

Respiratory protection – Not necessary.

Hand protection – Protective gloves (rubber, neoprene) should be used for any prolonged direct contact Eye protection – If a splash of product in solution is likely, chemical goggles may be needed

Skin protection - Protective clothing may be required for any prolonged direct contact

SAFETY DATA SHEET

Kleen Off Pine Liquid Toilet Cleaner [750ml x 12] (JP)

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME Kleen Off Pine Liquid Toilet Cleaner [750ml x 12] (JP)

PRODUCT NO. 601970

INTERNAL ID BPD23 - 00017441 (5 - 03/06/2008)

APPLICATION Toilet bow I cleaning foaming and freshening.

SUPPLIER Jeyes Professional Division Ltd

180-181 Bradkirk Place

Walton Summit

Preston

Lancashire

PR5 8AJ

T 01772 318318

F 01772 318319

technical@jeves.co.uk

EMERGENCY TELEPHONE 0800 197 5599

CONTAINER SIZE 750 ml

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

HUMAN HEALTH

May cause minor irritation on eye contact.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name EC No. CAS-No. Content Classification

ALKYL DIMETHYL BENZYL AMMONIUM 270-325-2

CHLORIDE

68424-85-1 0.25 - < 1% Xn;R22. C;R34. N;R50.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

General first aid, rest, warmth and fresh air.

INGESTION

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention. NEV ER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

SKIN CONTACT

Rinse with water. Contact physician if discomfort continues.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinsefor at least 15 minutes. Get medical attention if any

discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials. PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Avoid contact with skin and eyes. For personal protection, see section 8.

1/3

REVISION DATE: 22/07/2008 PRODUCT NO.:601970

Kleen Off Pine Liquid Toilet Cleaner [750ml x 12] (JP)

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Small Spillages Flush away spillage with plenty of water. Large Spillages Absorb with sand or other

inert absorbent. Transfer to a container for disposal. For waste disposal, see section 13.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Avoid contact with skin and eyes.

STORAGE PRECAUTIONS

Store in closed original container at temperatures between 0°C and 30°C.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

HYGIENE MEASURES

Wash hands after handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear Viscous liquid

COLOUR Green

ODOUR Pine

SOLUBILITY Soluble in water

BOILING POINT (°C) ~ 100 RELATIVE DENSITY ~ 1.004 @ 20°C

pH-VALUE, CONC. SOLUTION 6.0 - 9.0 VISCOSITY 300 - 500 cps @ 20°C

FLASH POINT (°C) > 61°C CC (Closed cup).

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Do not mix or usew ith other products.

11 TOXICOLOGICAL INFORMATION

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Prolonged contact may cause redness and irritation.

EYE CONTACT

May cause temporary eye irritation.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be toxic to aquatic organisms.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

DISPOSAL MĚTHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

2/3

REVISION DATE: 22/07/2008 PRODUCT NO.:601970

Kleen Off Pine Liquid Toilet Cleaner [750ml x 12] (JP)

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S2 Keep out of the reach of children

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and

will be made available to them, at their direct request or at the request of a detergent manufacturer.

16 OTHER INFORMATION

GENERAL INFORMATION

- FOR PROFESSIONAL USE ONLY -

NOTE: THE RISK PHRASES SHOWN BELOW RELATE TO THE INDIVIDUAL RAW MATERIALS IN THE PRODUCT (from section 3).

AND NOT THE CLASSIFICATION OF THE PRODUCT ITSELF (this can be found in section 15)

REVISION COMMENTS

Additional information in section 15.

ISSUED BY

Michelle Smith

REVISION DATE 22/07/2008

REV. NO./REPL. SDS GENERATED 3 - 25/09/2006

RISK PHRASES IN FULL

R22 Harmful if swallowed.

R34 Causes burns.

R50 Very toxic to aquatic organisms.

DISCLA IMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

3/3SAFETY DATA SHEET

ALL PURPOSE CLEANER

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME ALL PURPOSE CLEANER INTERNAL ID M957 SUPPLIER MAXIMA TRADING LTD IPARK INDUSTRIAL ESTATE INNOVATION DRIVE HULL EAST YORKSHIRE HU5 1SG +44(0) 800 1380912

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name EC No. CAS-No. Content Classification (67/548) 2-AMINOETHANOL 205-483-3 141-43-5 0-1% C;R34 Xn;R20/21/22 The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INGESTION

Rinse mouth thoroughly. DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT Rinse with water.

EYE CONTACT

Rinse the eye with water immediately. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Absorbwith inert, damp, non-combustible material, then flush areawithwater.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Keep upright. Keep in original container. Store at moderate temperatures in dry, well ventilated area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name Std TWA - 8 hrs STEL - 15 min Notes 2-AMINOETHANOL WEL 3 ppm 7.6 mg/m3 6 ppm 15 mg/m3 WEL = Workplace Exposure Limit. PROTECTIVE EQUIPMENT 1/3

ALL PURPOSE CLEANER

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Use protective gloves made of: Rubber, neoprene or PVC. EYE PROTECTION

Wear eye protection if splashes to the eye are likely to occur.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear liquid

COLOUR Yellow

ODOUR Detergent.

SOLUBILITY Completely soluble in water

RELATIVE DENSITY 1.001±0.01 @ 25°C pH-VALUE, CONC. SOLUTION 10.7

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

11 TOXICOLOGICAL INFORMATION

MEDICAL SYMPTOMS

EYES AND MUCOUS MEMBRANES. Irritation of eyes and mucous membranes. DIGESTIVE SYSTEM. Gastrointestinal symptoms, including upset stomach. SKIN. Dry skin.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transportwarning sign required.

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S2 Keep out of the reach of children.

DETERGENT LABELLING

Contains METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6

UK REGULATORY REFERENCES

C.H.I.P. The Chemicals (Hazard Information and Packaging for supply) Regulations. The Carriage of Dangerous Goods by Road and Rail

Regulations.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION

DATE 18/11/10

2/3

ALL PURPOSE CLEANER

RISK PHRASES IN FULL

R34 Causes burns.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R37 Irritating to respiratory system.

DISCLA IMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in

any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no

warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the

suitability of such information for his own particular use.

3/3CLEAN & SHINE K062

Revision Date:

SAFETY DATA SHEET

10/04/2006

CLEAN & SHINE

K062

PRODUCT NAME:

SUPPLIER:

PRODUCT CODE:

NAME

CAS No.: EINECS Nr.: CLASSIFICATION CONTENT

ALIPHATIC DISTILLATE

64742-48-9 265-150-3 Xn;R65. R10,R66. 5-10 %

BUTANI

106-97-8 203-448-7 F+:R12 10-30 %

KEROSENE - NARROW CUT - NON AROMATIC

64742-47-8 Xn;R65. R66. 5-10 %

The full text for all R-Phrases are displayed in Section 16

PRESSURISED CONTAINER - increase in temperature to greater than 50C will cause internal pressure R12 Extremely flammable.

INHALATION: Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention. For breathing difficulties oxygen may be necessary.

INGESTION: Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

SKIN: Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinsefor at least 15

minutes. Get medical attention if any discomfort continues.

EXTINGUI SHING M EDIA: Use:, Pow der. Dry chemicals, sand, dolomite etc. Water spray, fog or mist. Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

SPECIAL FIRE FIGHTING PROCEDURES:

UNUSUAL FIRE & EXPLOSIVE HAZARDS: Aerosol cans may explode in a fire.

SPILL CLEAN UP METHODS: Wear necessary protective equipment. Extinguish all ignition sources. Avoid sparks, flames, heat

smoking. Ventilate. If leakage cannot be stopped, evacuate area.

ENVIRONMENTAL PRECAUTIONS: Any spillage needs to be contained and not allowed to enterwater courses

USAGE PRECAUTIONS: Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

STORAGE PRECAUTIONS: Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

Maxima Trading Limited TELEPHONE:+44 (0) 1482 625690

EMAIL: info@maxima-trading.co.uk

Page 1 of 3

CLEAN & SHINE K062

Revision Date

SAFETY DATA SHEET

10/04/2006

INGREDIENT NAME: CAS No.: STD LT EXP 8 Hrs ST EXP 15 Min

BUTANE WEL 600 750 **PROTECTIVE EQUIPMENT:**

APPEARANC E: Aerosol
ODOUR: Mild, Citrus
Information given relates to total aerosol
container contents.
PHYSICAL DATA COMMENTS:

DENSITY/SPECIFIC GRAVITY(g/ml) 0.81

FLASH POINT (°C): - 74 N/A.

AUTO IGNITION TEMPERATURE (°C): + 405 FLAMMABILITY LIMIT - LOWER(%): 1.8 FLAMMABILITY LIMIT - UPPER(%): 10.0

STABILITY: Stable under normal temperature conditions.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition. Increase in temperature to greater than 50 degrees will cause rise in internal pressure with likelihood of bursting/explosion.

HAZARDOUS COMPOSITION PRODUCTS: Fire creates:, Toxic gases/vapours/fumes of:, Carbon monoxide (CO). Carbon dioxide (CO2).

High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting. Gas or vapour displaces oxygen available for breathing (asphyxiant). Unconsciousness

INHALATION:

SKIN CONTACT: No specific health warnings noted. **EYE CONTACT:** Irritation of eyes and mucous membranes.

ECOTOXICITY: Not classed as Hazardous to the Environment but release to the environment should be avoided.

DISPOSA BLE MET HODS: Empty containers must not be burned because of explosion hazard., Dispose of waste and residues in accordance with local authority requirements.

UN No ROAD: 1950

UK ROAD TRANSPORT CLASS: 2

ADR CLASS NO.: 2

PROPER SHIPPING NAME I: AEROSOLS, FLAMMABLE

UN No SEA: 1950 IMDG CLASS: 2.1 UN NO. AIR: 1950 ICAO CLASS: 2.1

Page 2 of 3

CLEAN & SHINE K062

Revision Date:

SAFETY DATA SHEET

10/04/2006

LABEL FOR SUPPLY:

RISK PHRASES: R12 Extremely flammable.

SAFETY PHRASES: S2 Keep out of the reach of children, S16 Keep away from sources of ignition - No smoking. S23 Do not breathe vapour/spray. S51 Use only in well-ventilated areas.

STATUTORY INSTRUMENTS: Control of Substances Hazardous to Health. Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE: Classification and Labelling of Substances and Preparations Dangerous for Supply. **GUI DANC E NOT ES:** Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

DETERGENT LABELLING:

Contains 5-chloro-2-methyl-2H-isothiazol-3-one,2-methyl-2H-isothiazol-3-one < 5% Non-ionic surfactants

USER NOTES: The following risk phrases relate to the raw materials in the product and not the product itself:-

REVISION DATE: 10/04/2006

REV. NO./REPL. SDS GENERATED: 8

R-PHRASES (Full Text): R12 Extremely flammable. R10 Flammable., R66 Repeated exposure may cause skin dryness or cracking., R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking., R65 Harmful: may cause lung damage if swallowed.

Page 3 of 3MAXIMA CREAM CLEANER c060

Revision Date:

SAFETY DATA SHEET

23/02/2006

MAXIMA CREAM CLEANER c060 PRODUCT NAME: SUPPLIER: PRODUCT CODE: NAME

CAS No.: EINECS Nr.: CLASSIFICATION CONTENT

ALCOHOL ETHOXYLATE Xi;R38,R41. 1-5 % CALCIUM CARBONATE 1317-65-3 - 30-60 % SODIUM CARBONATE 497-19-8 207-838-8 Xi;R36

497-19-8 207-838-8 Xi;R36 1-5 % Sodium dodecyl benzene sulphonate 85117-50-6 Xi;R36/38. 1-5 % SODIUM SILICATE

1344-09-8 215-687-4 Xi;R38,R41. 1-5 %

The full text for all R-Phrases are displayed in Section 16

Not regarded as a health or environmental hazard under current legislation.

INGESTION: DO NOT INDUCE VOMITING!, Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

SKIN: Rinse with water. Get medical attention if any discomfort continues.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention if any discomfort continues.

EXTINGUISHING MEDIA: This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPILL CLEAN UP METHODS: Stop leak if possible without risk, Absorb in vermiculite, dry sand or earth and place into containers.

with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

ENVIRONMENTAL PRECAUTIONS: Any spillage needs to be contained and not allow ed to enterwater courses

USAGE PRECAUTIONS: Eye protection should be considered where there is a risk of splashing. Rubber gloves and barrier cream are recommended when using any chemical.

STORAGE PRECAUTIONS: Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

INGREDIENT NAME: CAS No.: STD LT EXP 8 Hrs ST EXP 15 Min

CALCIUM CARBONATE WEL

PROTECTIVE EQUIPMENT:

Maxima Trading Limited TELEPHONE:+44 (0) 1482 625690

EMAIL: info@maxima-trading.co.uk

Page 1 of 2

MAXIMA CREAM CLEANER c060

SAFETY DATA SHEET

APPEARANCE: Liquid **COLOUR:** Yellow

ODOUR: Mild (or faint), Lemon BOILING POINT (°C): 100

DENSITY/SPECIFIC GRAVITY(g/ml) 1.415 - 1.445

pH-VALUE, CONC. SOLUTION: 10.5 **SOLUBILITY:** Miscible with water.

STABILITY: Stable under normal temperature conditions. HAZARDOUS COMPOSITION PRODUCTS: Not know n.

Liquid irritates mucous membranes and may cause abdominal pain if swallowed. Diarrhoea. Nausea, vomiting.

INGESTION:

SKIN CONTACT: Prolonged contact may cause dryness of the skin.

EYE CONTACT: Irritation is likely.

ECOTOXICITY: Not classed as Hazardous to the Environment but release to the environment should be avoided.

DISPOSA BLE METHODS: Dispose of waste and residues in accordance with local authority requirements.

ROAD TRANSPORT NOTES: Not Classified RAIL TRANSPORT NOTES: Not Classified. SEA TRANSPORT NOTES: Not Classified. AIR TRANSPORT NOTES: Not Classified.

RISK PHRASES: NC Not classified.

SAFETY PHRASES: S2 Keep out of the reach of children, P13 Safety data sheet available for professional user on request.

STATUTORY INSTRUMENTS: Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE: Classification and Labelling of Substances and Preparations Dangerous for Supply. GUI DANC E NOT ES: Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108)

DETERGENT LABELLING:

- < 5% Perfumes
- < 5% Non-ionic surfactants
- < 5% Anionic surfactants

USER NOTES: The following risk phrases relate to the raw materials in the product and not the product itself:-

REVISION DATE: 23/02/2006

REV. NO./REPL. SDS GENERATED: 4

R-PHRASES (Full Text): R36 Irritating to eyes. R38 Irritating to skin., R41 Risk of serious damage to eyes. R36/38 Irritating to eyes and skin.|| R38 Irritating to skin., R41 Risk of serious damage to eyes.|

Page 2 of 2SAFETY DATA SHEET

GLASS CLEAR

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME GLASS CLEAR INTERNAL ID M785 SUPPLIER MAXIMA TRADING LTD IPARK INDUSTRIAL ESTATE INNOVATION DRIVE HULL **EAST YORKSHIRE** HU5 1SG +44(0) 800 1380912

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name EC No. CAS-No. Content Classification (67/548) S036 DIPROPYLENE GLYCOL MONOMETHYL 252-104-2 **ETHER** 3459-09-48 1-5% -The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION Fresh air and rest. **INGESTION**

Rinse mouth thoroughly. Get medical attention.

SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinsefor at least 15 minutes. Get medical attention if

discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA This product is not flammable.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Wipe up with absorbant cloths and rinse spill area afterwards. Wear gloves whilst handling spilled material.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS Provide good ventilation. STORAGE PRECAUTIONS Keep upright. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

GLASS CLEAR

Name Std TWA - 8 hrs STEL - 15 min Notes S036 DIPROPYLENE GLYCOL MONOMETHYL WEL 50 ppm **ETHER**

WEL = Workplace Exposure Limit. INGREDIENT COMMENTS WEL = Workplace Exposure Limits HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Use protective gloves made of: Rubber, neoprene or PVC.

Wear eye protection if splashes to the eye are likely to occur.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear liquid **COLOUR Colourless ODOUR Characteristic** SOLUBILITY Completely soluble in water RELATIVE DENSITY 1.00 pH-VALUE, CONC. SOLUTION 3

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

11 TOXICOLOGICAL INFORMATION

MEDICAL SYMPTOMS

EYES AND MUCOUS MEMBRANES. Irritation of eyes and mucous membranes. DIGESTIVE SYSTEM. Gastrointestinal symptoms, including upset stomach. SKIN. Dry skin.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL Not classified for transport

No transportwarning sign required.

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S2 Keep out of the reach of children.

DETERGENT LABELLING

Contains FORMALDEHYDE

UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

2/3

GLASS CLEAR

16 OTHER INFORMATION

DATE 18/11/10

RISK PHRASES IN FULL

NC Not classified.

DISCLA IMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in

any process. Such information is, to the best of the company's know ledge and belief, accurate and reliable as of the date indicated. How ever. no

warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the

suitability of such information for his own particular use.

3/3SAFETY DATA SHEET

GLASS CLEAR

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME GLASS CLEAR INTERNAL ID M785

SUPPLIER MAXIMA TRADING LTD

IPARK INDUSTRIAL ESTATE

INNOVATION DRIVE

HULL

EAST YORKSHIRE

HU5 1SG

+44(0) 800 1380912

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name EC No. CAS-No. Content Classification (67/548)

S036 DIPROPYLENE GLYCOL MONOMETHYL 252-104-2

ETHER

3459-09-48 1-5% -

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Fresh air and rest.

INGESTION

Rinse mouth thoroughly. Get medical attention.

SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinsefor at least 15 minutes. Get medical attention if any

discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Wipe up with absorbant cloths and rinse spill area afterwards. Wear gloves whilst handling spilled material.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Provide good ventilation.

STORAGE PRECAUTIONS

Keep upright. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

1/3

GLASS CLEAR

Name Std TWA - 8 hrs STEL - 15 min Notes

S036 DIPROPYLENE GLYCOL MONOMETHYL WEL 50 ppm

ETHER

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Use protective gloves made of: Rubber, neoprene or PVC.

EYE PROTECTION

Wear eye protection if splashes to the eye are likely to occur.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear liquid

COLOUR Colourless

ODOUR Characteristic

SOLUBILITY Completely soluble in water

RELATIVE DENSITY 1.00 pH-VALUE, CONC. SOLUTION 3

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

11 TOXICOLOGICAL INFORMATION

MEDICAL SYMPTOMS

EYES AND MUCOUS MEMBRANES. Irritation of eyes and mucous membranes. DIGESTIVE SYSTEM. Gastrointestinal symptoms, including upset stomach. SKIN. Dry skin.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL Not classified for transport No transportwarning sign required.

15 REGULATORY INFORMATION

RISK PHRASES NC Not classified. SAFETY PHRASES

S2 Keep out of the reach of children.

DETERGENT LABELLING Contains FORMALDEHYDE UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

2/3

GLASS CLEAR

16 OTHER INFORMATION

DATE 18/11/10 RISK PHRASES IN FULL NC Not classified. DISCLA IMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in

any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no

warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the

suitability of such information for his own particular use.

3/3