



## SAFETY DATA SHEET

### Swarfega Decking Cleaner

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Swarfega Decking Cleaner  
**Product number** SWDC27QP, SWDC5LB, SWDC2LB

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Detergent. . For full details regarding recommended uses please refer to the product label.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Deb Ltd  
 Denby Hall Way  
 Denby  
 Derbyshire  
 DE5 8JZ  
 Main Tel. 01773 855100  
 Technical Tel 01773 855105  
 reach@deb.co.uk

##### 1.4. Emergency telephone number

**Emergency telephone** National Poisons Information Service (UK) 0844 8920111

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification

**Physical hazards** Not Classified  
**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318  
**Environmental hazards** Aquatic Chronic 3 - H412

**Classification (67/548/EEC or 1999/45/EC)** Xi;R36/38.

**Environmental** The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

##### 2.2. Label elements

###### Pictogram



**Signal word** Danger

## Swarfega Decking Cleaner

<b>Hazard statements</b>	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
<b>Precautionary statements</b>	P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with national regulations.
<b>Contains</b>	SODIUM HYDROXIDE, TETRASODIUM ETHYLENE DIAMINE TETRAACETATE
<b>Detergent labelling</b>	< 5% amphoteric surfactants, < 5% cationic surfactants, < 5% EDTA and salts thereof, < 5% non-ionic surfactants
<b>Supplementary precautionary statements</b>	P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see medical advice on this label). P362+P364 Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>TETRASODIUM ETHYLENE DIAMINE TETRAACETATE</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01-2119486762-27-XXXX
<b>Classification</b> Acute Tox. 4 - H302 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22 Xi;R41	
<b>SODIUM HYDROXIDE</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-XXXX
<b>Classification</b> Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> C;R35	
<b>COCAMINE OXIDE</b> <span style="float: right;"><b>&lt;1%</b></span>		
CAS number: 68955-55-5	EC number: 931-341-1	REACH registration number: 01-2119489396-21-XXXX
M factor (Acute) = 1		
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22. Xi;R38,R41. N;R50.	

## Swarfega Decking Cleaner

<b>ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE</b>			<b>&lt;1%</b>
CAS number: 63449-41-2	EC number: 939-350-2	REACH registration number: 01-2119970550-39-XXXX	
M factor (Acute) = 10	M factor (Chronic) = 1		
<b>Classification</b>		<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Met. Corr. 1 - H290		Xn;R21/22. C;R34. N;R50.	
Acute Tox. 4 - H302			
Acute Tox. 4 - H312			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			
<b>TRISODIUM NITRILOTRIACETATE</b>			<b>&lt;1%</b>
CAS number: 5064-31-3	EC number: 225-768-6	REACH registration number: 01-2119519239-36-XXXX	
<b>Classification</b>		<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 4 - H302		Carc. Cat. 3;R40 Xn;R22 Xi;R36	
Eye Irrit. 2 - H319			
Carc. 2 - H351			
<b>ETHANEDIOL</b>			<b>&lt;1%</b>
CAS number: 107-21-1	EC number: 203-473-3		
<b>Classification</b>		<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 4 - H302		Xn;R22	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Irritation of nose, throat and airway.
<b>Ingestion</b>	May cause discomfort if swallowed. May cause stomach pain or vomiting.
<b>Skin contact</b>	Skin irritation.
<b>Eye contact</b>	Irritation of eyes and mucous membranes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

## Swarfega Decking Cleaner

**Notes for the doctor** No specific recommendations. If in doubt, get medical attention promptly.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** Does not decompose when used and stored as recommended.

#### 5.3. Advice for firefighters

**Protective actions during firefighting** No specific firefighting precautions known.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Collect and dispose of spillage as indicated in Section 13. Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid contamination of ponds or watercourses with washing down water.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in closed original container at temperatures between 0°C and 30°C.

**Storage class** Chemical storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

##### ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 20 ppm 10 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m<sup>3</sup>

Sk

## Swarfega Decking Cleaner

WEL = Workplace Exposure Limit

Sk = Can be absorbed through skin.

### Ingredient comments

EU = Indicative Values according to Commission Directive 91/322/EEC.

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

<b>DNEL</b>	Consumer - Oral; Long term systemic effects: 28 mg/kg/day Professional - Inhalation; Short term systemic effects: 2.8 mg/m <sup>3</sup> Professional - Inhalation; Long term local effects: 2.5 mg/m <sup>3</sup> Consumer - Inhalation; Short term systemic effects: 1.5 mg/m <sup>3</sup> Professional - Inhalation; Long term systemic effects: 2.5 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 1.5 mg/m <sup>3</sup> Professional - Inhalation; Short term systemic effects: 2.5 mg/m <sup>3</sup> Professional - Inhalation; Short term local effects: 2.5 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 2.2 mg/l - Soil; 0.72 mg/kg - STP; 43 mg/l - Marine water; 0.22 mg/l - ; Intermittent release 1.2 mg/l

#### SODIUM HYDROXIDE (CAS: 1310-73-2)

<b>DNEL</b>	Industry - Inhalation; Long term local effects: 1 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 1 mg/m <sup>3</sup>
-------------	--

#### REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE

<b>DNEL</b>	Professional - Dermal; Long term systemic effects: 5.3 mg/kg/day Professional - Inhalation; Long term systemic effects: 3.8 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 2.7 mg/kg/day Consumer - Inhalation; Long term systemic effects: 0.9 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 0.3 mg/kg/day
<b>PNEC</b>	- Marine water; 0.0003 mg/l - Soil; 0.0041 mg/kg - Fresh water; 0.03 mg/l - Sediment (Freshwater); 0.108 mg/kg - Intermittent release; 0.042 mg/l - STP; 9.9 mg/l - Sediment (Marinewater); 0.0108 mg/kg

#### COCAMINE OXIDE (CAS: 68955-55-5)

<b>DNEL</b>	Professional - Dermal; Long term systemic effects: 11 mg/kg/day Professional - Inhalation; systemic effects: 15.5 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 5.5 ppm Consumer - Inhalation; systemic effects: 3.8 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 0.44 mg/kg/day Professional - Combined; local effects: 0.045 mg/cm <sup>2</sup> Consumer - Dermal; local effects: 0.045 mg/cm <sup>2</sup>
-------------	---

## Swarfega Decking Cleaner

<b>PNEC</b>	<ul style="list-style-type: none"> <li>- Fresh water; 0.0335 mg/kg</li> <li>- Marine water; 0.00335 mg/l</li> <li>- water; Intermittent release 0.0335 mg/l</li> <li>- Soil; 1.02 mg/kg</li> <li>- STP; 24 mg/l</li> </ul>
-------------	--

### ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE (CAS: 63449-41-2)

<b>DNEL</b>	<p>Workers - Inhalation; Long term systemic effects: 3.96 mg/m<sup>3</sup></p> <p>Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 1.64 mg/m<sup>3</sup></p> <p>General population - Dermal; Long term systemic effects: 3.4 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 3.4 mg/kg/day</p>
<b>PNEC</b>	<ul style="list-style-type: none"> <li>- Fresh water; 0.0009 mg/l</li> <li>- Marine water; 0.00096 mg/l</li> <li>- Intermittent release; 0.00016 mg/l</li> <li>- STP; 0.4 mg/l</li> <li>- Sediment (Freshwater); 12.27 mg/kg</li> <li>- Sediment (Marinewater); 13.09 mg/kg</li> <li>- Soil; 7 mg/kg</li> </ul>

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

### Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

### Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Reddish.
<b>Odour</b>	Characteristic.

## Swarfega Decking Cleaner

<b>Odour threshold</b>	Not determined. Not determined.
<b>pH</b>	pH (concentrated solution): 12-13
<b>Melting point</b>	Not determined.
<b>Initial boiling point and range</b>	Not determined.
<b>Flash point</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Upper/lower flammability or explosive limits</b>	Scientifically unjustified. : : Scientifically unjustified.
<b>Vapour pressure</b>	Not determined.
<b>Relative density</b>	1.018-1.038 @ 25 Deg C°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Scientifically unjustified.
<b>Auto-ignition temperature</b>	Scientifically unjustified.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	Not determined.
<b>Explosive properties</b>	Scientifically unjustified.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

### 9.2. Other information

**Other information** Not relevant.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** The following materials may react with the product: Acids.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not applicable.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time. Avoid freezing.

### 10.5. Incompatible materials

**Materials to avoid** Strong acids.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

## Swarfega Decking Cleaner

**ATE oral (mg/kg)** 27,027.02702703

### Skin corrosion/irritation

**Animal data** Slightly irritating.

### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

### Germ cell mutagenicity

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

### Reproductive toxicity

**Reproductive toxicity - fertility** Does not contain any substances known to be toxic to reproduction.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Not anticipated to present an aspiration hazard based on chemical structure.

**Inhalation** May cause respiratory system irritation.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Irritating to skin.

**Eye contact** Irritating to eyes.

### Toxicological information on ingredients.

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 1,780

**Species** Rat Rat

**Notes (oral LD<sub>50</sub>)** LD50 > 1780 < 2000 mg/kg bw

**ATE oral (mg/kg)** 1,780.0

##### Acute toxicity - dermal

**Species** Rat

**ATE dermal (mg/kg)** 3,300.0

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** LOAEC ca. 30 mg/m<sup>3</sup> air



## Swarfega Decking Cleaner

**ATE inhalation (vapours mg/l)** 11.0

### Skin corrosion/irritation

**Animal data** Based on available data the classification criteria are not met.

### Serious eye damage/irritation

**Serious eye damage/irritation** H318

### Respiratory sensitisation

**Respiratory sensitisation** : Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** - : Conclusive data but not sufficient for classification.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Conclusive data but not sufficient for classification.

**Genotoxicity - in vivo** Conclusive data but not sufficient for classification.

### Carcinogenicity

**Carcinogenicity** Conclusive data but not sufficient for classification.

### Reproductive toxicity

**Reproductive toxicity - fertility** Conclusive data but not sufficient for classification.

**Reproductive toxicity - development** Conclusive data but not sufficient for classification.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Conclusive data but not sufficient for classification.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Conclusive data but not sufficient for classification.

### ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 795

**Species** Rat Rat

**ATE oral (mg/kg)** 795.0

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 400

**Species** Rat Rabbit

**ATE dermal (mg/kg)** 1,560.0

## Swarfega Decking Cleaner

### Skin corrosion/irritation

#### **Animal data**

Primary dermal irritation index: 6.29

### SECTION 12: Ecological Information

#### **Ecotoxicity**

The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

#### 12.1. Toxicity

#### **Toxicity**

The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

#### Ecological information on ingredients.

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: >100 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: >100 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	IC <sub>50</sub> , 72 hours: <100 mg/l, Algae
<b>Acute toxicity - terrestrial</b>	LC <sub>50</sub> , 14 days, 14 days: 156 mg/kg, Eisenia Fetida (Earthworm)
<b>Chronic toxicity - fish early life stage</b>	, 28 days, 28 days: >=36.9 mg/l, Brachydanio rerio (Zebra Fish)
<b>Chronic toxicity - aquatic invertebrates</b>	, 21 days, 21 days: 25 mg/l, Daphnia magna

#### SODIUM HYDROXIDE

<b>Acute toxicity - fish</b>	, : , LC <sub>50</sub> , 96 hours: 125 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , : 76 mg/l, Daphnia magna
<b>Acute toxicity - microorganisms</b>	EC <sub>50</sub> , : 22 mg/l,

#### ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

#### Acute aquatic toxicity

<b>LE(C)<sub>50</sub></b>	0.01 < L(E)C <sub>50</sub> ≤ 0.1
<b>M factor (Acute)</b>	10
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours, < 96 hours: 1 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours, < 48 hours: 1 mg/l, Daphnia magna

## Swarfega Decking Cleaner

<b>Acute toxicity - aquatic plants</b>	IC <sub>50</sub> , 48 hours, < 48 hours: 1 mg/l, Freshwater algae
<b>Acute toxicity - microorganisms</b>	EC <sub>50</sub> , 3 hours: 7.75 mg/l, Activated sludge
<b>Acute toxicity - terrestrial</b>	NOEC, 14 days: 1000 mg/l, mg/kg, Eisenia Fetida (Earthworm)
<b><u>Chronic aquatic toxicity</u></b>	
<b>M factor (Chronic)</b>	1

### **12.2. Persistence and degradability**

**Persistence and degradability** The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

### **12.3. Bioaccumulative potential**

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Scientifically unjustified.

### **Ecological information on ingredients.**

#### **TETRASODIUM ETHYLENE DIAMINE TETRAACETATE**

**Bioaccumulative potential** : 1.8 (28d), Lepomis macrochirus (Bluegill)

### **12.4. Mobility in soil**

**Mobility** The product is soluble in water. The product is non-volatile.

### **12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** None known.

### **12.6. Other adverse effects**

**Other adverse effects** None known.

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

**General information** When handling waste, the safety precautions applying to handling of the product should be considered.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. No specific disposal method required. Reuse or recycle products wherever possible. The following information is provided from exposure scenario(s) received from suppliers for the listed substances. The figures have been calculated using EU standard models & are not based on local conditions. Note that more than one product used on site might contain these substances. Also note the Trade Effluent Consent and/or Environmental Permit may have restrictions below these figures so it is recommended that you consult your local waste water treatment company. Contains AMINES C12-18 ALKYL DIMETHYL, N-OXIDES Maximum discharge of product per day 120L

## **SECTION 14: Transport information**

## Swarfega Decking Cleaner

<b>General</b>	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
<b>Road transport notes</b>	Not classified.
<b>Rail transport notes</b>	Not classified.
<b>Sea transport notes</b>	Not classified.
<b><u>14.1. UN number</u></b>	
Not applicable.	
<b><u>14.2. UN proper shipping name</u></b>	
Not applicable.	
<b><u>14.3. Transport hazard class(es)</u></b>	
<b>Transport labels</b>	
<b><u>14.4. Packing group</u></b>	
Not applicable.	
<b><u>14.5. Environmental hazards</u></b>	
<b>Environmentally hazardous substance/marine pollutant</b>	
No.	
<b><u>14.6. Special precautions for user</u></b>	
Not applicable.	
<b><u>14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</u></b>	
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.

### SECTION 15: Regulatory information

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>EU legislation</b>	Dangerous Substances Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
-----------------------	--

#### **15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>General information</b>	Only trained personnel should use this material.
<b>Key literature references and sources for data</b>	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
<b>Revision comments</b>	New SDS Software

## Swarfega Decking Cleaner

<b>Revision date</b>	09/05/2015
<b>Revision</b>	1
<b>Supersedes date</b>	27/09/2013
<b>Risk phrases in full</b>	R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R35 Causes severe burns. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
<b>Hazard statements in full</b>	H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
<b>Notes for Risk Phrases and Hazard Statements in Full</b>	The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.