

## DECLARATION OF CONFORMITY

Eastpoint  
Rotterdam Road  
Lowestoft  
NR32 2EX, U.K.  
Tel: +44 (0)1502 52 55 55  
Fax: +44 (0)1502 52 55 66  
E-mail: sales@eastpointglobal.com  
www: eastpointglobal.com

Eastpoint hereby declare that the products identified hereunder conforms to the relevant product safety requirements of the European Community

Item Name/Codes: STM4, STM10 & STM50

Eastpoint Sales Description: Show Me Teacher Markers



The above products have been assessed for and conform to the current requirements of General Product Safety Directive (GPSD) and have been designed and manufactured to the following standards:

BS 72 72

EN71 Part 3

and has been assessed for REACH compliance and does not contain any SVHC's according to candidate list (Art. 59 (1) of regulation (EG) Nr. 1907/2006)

Signed for and on behalf of Eastpoint and taking sole responsibility.

Name: Bruce Temple

Position: Director/Brand Manager

Signature:





Date Last Reviewed: 02/05/2017 Photography for Guidance only

**1 Identification of the substance/mixture and of the company/undertaking**

- **Product identifier**
- **Trade name:** Series WB 73xx.1; xx = 11; 11 EN; 22; 24; 34; 34 EN; 41; 42; 62; 63
- **Article number:** 2007585
- **Registration number**  
The ingredients of this ink have been pre-registered according to 1907/2006/EC (REACH)
- **Relevant identified uses of the substance or mixture and uses advised against**  
Currently no such applications are identified
- **Application of the substance / the mixture** dry erase whiteboard ink
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Sellner  
DOKUMENTAL GmbH & Co KG Schreibfarben  
Woellnerstraße 26  
D-67065 Ludwigshafen  
Phone + 49(0)621/5402321  
Fax + 49(0)621/5402391  
www.dokumental.de
- **Further information obtainable from:**  
Technical Service, Dr. B. Polzin  
Tel.: +49-621-5402322  
Mobile +49-1726204412  
E-Mail: bernd.polzin@dokumental.de
- **Emergency telephone number:**  
GBK Gefahrgut Büro GmbH  
++49 (0) 6132 / 84463  
Ingelheim, Deutschland

**2 Hazards identification**

- **Classification of the substance or mixture**
  - **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
 F; Highly flammable  
R11: Highly flammable.  
R67: Vapours may cause drowsiness and dizziness.
  - **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
Has a narcotizing effect.
  - **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- 
- **Label elements**
  - **Labelling according to EU guidelines:**  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
  - **Code letter and hazard designation of product:**  
 F Highly flammable
  - **Risk phrases:**  
11 Highly flammable.  
67 Vapours may cause drowsiness and dizziness.
  - **Safety phrases:**  
7/9 Keep container tightly closed and in a well-ventilated place.  
16 Keep away from sources of ignition - No smoking.  
24 Avoid contact with skin.  
60 This material and its container must be disposed of as hazardous waste.
  - **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

Trade name: Series WB 73xx.1; xx = 11; 11 EN; 22; 24; 34; 34 EN; 41; 42; 62

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**  
Mixture of the following substances, containing non-hazardous substances and colouring agents.
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64-17-5 EINECS: 200-578-6	ethanol F R11 Flam. Liq. 2, H225	50-100%
CAS: 107-98-2 EINECS: 203-539-1	1-Methoxy-2-propanol R10-67 Flam. Liq. 3, H226; STOT SE 3, H336	10-25%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Wear protective clothing.
- **Environmental precautions:**  
Prevent seepage into sewage system, workpits and cellars.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 3)

Trade name: Series WB 73xx.1; xx = 11; 11 EN; 22; 24; 34; 34 EN; 41; 42; 62

(Contd. of page 2)

 • **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

 • **Ingredients with limit values that require monitoring at the workplace:**

107-98-2 1-Methoxy-2-propanol (10-25%)

IOELV	Short-term value: 568 mg/m <sup>3</sup> , 150 ppm Long-term value: 375 mg/m <sup>3</sup> , 100 ppm Skin
-------	---

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

 • **Information on basic physical and chemical properties**

 • **General Information**

 • **Appearance:**

Form:	Fluid
Colour:	According to product specification
Odour:	Alcohol-like
Odour threshold:	Not determined.

 • **Important information on protection of health and environment, and on safety.**

 -  
-

 • **pH-value:**

Not determined.

 • **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

 • **Flash point:**

13 °C

 • **Flammability (solid, gaseous):**

Not applicable.

 • **Ignition temperature:**

287 °C

 • **Decomposition temperature:**

Not determined.

 • **Self-igniting:**

Product is not selfigniting.

 • **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

(Contd. on page 4)

EU

Trade name: Series WB 73xx.1; xx = 11; 11 EN; 22; 24; 34; 34 EN; 41; 42; 62

(Contd. of page 3)

· <b>Explosion limits:</b>	
Lower:	1,7 Vol %
Upper:	15,0 Vol %
· <b>Vapour pressure at 20 °C:</b>	59 hPa
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Partly miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Solvent content:</b>	
Organic solvents:	79,4 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.



 (Contd. on page 5)  
 EU

Trade name: Series WB 73xx.1; xx = 11; 11 EN; 22; 24; 34; 34 EN; 41; 42; 62

(Contd. of page 4)

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

## 14 Transport information

• UN-Number	UN1263
• ADR, IMDG, IATA	
• UN proper shipping name	1263 PAINT
• ADR	1263 PAINT
• IMDG, IATA	PAINT
• Transport hazard class(es)	
• ADR	
	
• Class	3 (F1) Flammable liquids.
• Label	3
• IMDG, IATA	
	
• Class	3 Flammable liquids.
• Label	3
• Packing group	II
• ADR, IMDG, IATA	II
• Environmental hazards:	
• Marine pollutant:	No
• Special precautions for user	Warning: Flammable liquids.
• Danger code (Kemler):	33
• EMS Number:	F-E,S-E
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
• ADR	
• Limited quantities (LQ)	5L
• Transport category	2
• Tunnel restriction code	D/E

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:
- Technical instructions (air):

Class	Share in %
NK	50-100
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
  - H225 Highly flammable liquid and vapour.
  - H226 Flammable liquid and vapour.
  - H336 May cause drowsiness or dizziness.
  - R10 Flammable.
  - R11 Highly flammable.
  - R67 Vapours may cause drowsiness and dizziness.
- \* Data compared to the previous version altered.