SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : FLOATING BALL PEN INK RED Product code : FB524/5/1003RD.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for PAPER MATE: Flexgrip Ultra, Flexgrip Ultra Recycled, Flexgrip Elite, Biodegradable, Conformate, 880, Flexgrip Ultra/Elite Refills

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited. Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom. Telephone : +44 (0) 1543447001. Fax : . Aftersales.SERVICE@newellco.com www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Acute oral toxicity: harmful (Xn, R 22).

Eye irritation (Xi, R 36).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07 Signal Word : WARNING Product identifiers :

603-098-00-9

PHENOXYETHANOL -2

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (05/12/2014) Newell Rubbermaid UK Limited

EC 265-499-1	C.I. SOLVENT RED 39		
603-057-00-5	BENZYL ALCOHOL		
Hazard statements :			
H302	Harmful if swallowed.		
H319	Causes serious eye irritation.		
Precautionary statement	nts - General :		
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
Precautionary statement	nts - Prevention :		
P264	Wash thoroughly after handling.		
P270	Do no eat, drink or smoke when using this product.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary statement	nts - Response :		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P337 + P313	If eye irritation persists: Get medical advice/attention.		
Precautionary statement	nts - Disposal :		
P501	Dispose of contents/container to		

FLOATING BALL PEN INK RED - FB524/5/1003RD

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition : 67/548/EEC Identification (EC) 1272/2008 Note % INDEX: 603-098-00-9 GHS07 50 <= x % < 100 Xn [1] Xn;R22 CAS: 122-99-6 Wng EC: 204-589-7 Acute Tox. 4, H302 Xi;R36 Eye Irrit. 2, H319 PHENOXYETHANOL -2 GHS07 10 <= x % < 25 CAS: 65138-66-1 Xn EC: 265-499-1 Xn;R22 Wng Acute Tox. 4, H302 C.I. SOLVENT RED 39 INDEX: 603-057-00-5 GHS07 Xn 10 <= x % < 25 CAS: 100-51-6 Wng Xn;R20/22 EC: 202-859-9 Acute Tox. 4, H332 Acute Tox. 4, H302 **BENZYL ALCOHOL**

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

- Special foams for polar liquids (known as alcohol resistant)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- Germany - AGW (BAuA - TRGS 90	00, 21/06/2010) :		
CAS	VME :	VME :	Excess	Notes
122-99-6	20 ml/m3	110 mg/m3	2(I)	DFG, H, Y
	-			

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

- Store dersonal protective equipment in a clean blace, away the	om the work area.				
Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequat ventilation, especially in confined areas.					
- Eye / face protection					
Avoid contact with eyes.					
Use eye protectors designed to protect against liquid splashes					
Before handling, wear safety goggles with protective sides acc	cordance with standard EN166.				
In the event of high danger, protect the face with a face shield					
Prescription glasses are not considered as protection.					
Individuals wearing contact lenses should wear prescription g	lasses during work where they may be exposed to irritan	t vapours.			
Provide eyewash stations in facilities where the product is har		1			
- Hand protection					
Wear suitable protective gloves in the event of prolonged or r	epeated skin contact.				
Use suitable protective gloves that are resistant to chemical ag	-				
Gloves must be selected according to the application and dura					
Protective gloves need to be selected according to their suit may be handled, necessary physical protections (cutting, prick	ability for the workstation in question : other chemical	products th			
Type of gloves recommended :	ling, heat protection), level of dextently required.				
	2011				
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (Ni	SK))				
Recommended properties :					
Impervious gloves in accordance with standard EN374					
- Impervious gloves in accordance with standard EN374					
- Body protection					
- Body protection Work clothing worn by personnel shall be laundered regularly					
- Body protection					
- Body protection Work clothing worn by personnel shall be laundered regularly					
- Body protection Work clothing worn by personnel shall be laundered regularly After contact with the product, all parts of the body that have					
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 					
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties 					
 Body protection Work clothing worn by personnel shall be laundered regularly After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : 	been soiled must be washed.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: 	been soiled must be washed.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information 	been soiled must be washed.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : 	been soiled must be washed. Viscous liquid. Not relevant.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range :	been soiled must be washed. Viscous liquid. Not relevant. Not specified.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range : Flash Point Interval :	been soiled must be washed. Viscous liquid. Not relevant. Not specified. PE > 100°C.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range : Flash Point Interval : Explosive properties, lower explosivity limit (%) :	been soiled must be washed. Viscous liquid. Not relevant. Not specified.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range : Flash Point Interval : Explosive properties, lower explosivity limit (%) : Explosive properties, upper explosivity limit (%) :	been soiled must be washed. Viscous liquid. Not relevant. Not specified. PE > 100°C. 1.4	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range : Flash Point Interval : Explosive properties, lower explosivity limit (%) : Explosive properties, upper explosivity limit (%) : Vapour pressure (50°C) :	been soiled must be washed. Viscous liquid. Not relevant. Not specified. PE > 100°C. 1.4 9 Not relevant.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range : Flash Point Interval : Explosive properties, lower explosivity limit (%) : Explosive properties, upper explosivity limit (%) : Vapour pressure (50°C) : Density :	been soiled must be washed. Viscous liquid. Not relevant. Not specified. PE > 100°C. 1.4 9 Not relevant. 1.15 +/- 0.05	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range : Flash Point Interval : Explosive properties, lower explosivity limit (%) : Explosive properties, upper explosivity limit (%) : Vapour pressure (50°C) : Density : Water solubility :	been soiled must be washed. Viscous liquid. Not relevant. Not specified. PE > 100°C. 1.4 9 Not relevant. 1.15 +/- 0.05 Insoluble.	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range : Flash Point Interval : Explosive properties, lower explosivity limit (%) : Vapour pressure (50°C) : Density : Water solubility : Viscosity :	been soiled must be washed. Viscous liquid. Not relevant. Not specified. PE > 100°C. 1.4 9 Not relevant. 1.15 +/- 0.05 Insoluble. > 1000 mPa.s	Red			
 Body protection Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Color: Important health, safety and environmental information pH : Boiling point/boiling range : Flash Point Interval : Explosive properties, lower explosivity limit (%) : Explosive properties, upper explosivity limit (%) : Vapour pressure (50°C) : Density : Water solubility :	been soiled must be washed. Viscous liquid. Not relevant. Not specified. PE > 100°C. 1.4 9 Not relevant. 1.15 +/- 0.05 Insoluble.	Red			

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

Acute toxicity :

C.I. SOLVENT RED 39 (CAS: 65138-66-1) Oral route :

300 < LD50 <= 2000 mg/kg Species : Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste) :

08 01 13 * sludges from paint or varnish containing organic solvents or other dangerous substances

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :



Contains :			
603-057-00-5	BENZYL ALCOHOL		
603-098-00-9	PHENOXYETHANOL -2		
EC 265-499-1	C.I. SOLVENT RED 39		
Risk phrase :			
R 36	Irritating to eyes.		
R 22	Harmful if swallowed.		
Safety phrase :			
S 2	Keep out of the reach of children.		
S 46	If swallowed, seek medical advice immediately and show this container or label.		
S 13	Keep away from food, drink and animal feedingstuffs.		
S 25	Avoid contact with eyes.		
S 26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
S 64	If swallowed, rinse mouth with water (only if the person is conscious).		
Title for H, EUH and I	R indications mentioned in section 3 :		
H302	Harmful if swallowed.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
R 20/22	Harmful by inhalation and if swallowed.		
R 22	Harmful if swallowed.		
R 36	Irritating to eyes.		
Abbreviations :			
ADR : European agree	ement concerning the international carriage of dangerous goods by Road.		
IMDG : International	Maritime Dangerous Goods.		
IATA : International A	Air Transport Association.		

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark