Duck	Issue Date Supply Date	22/05/00 14:49 10/04/02 14:33
Waterproof Duck Tape (Silver)	Ref	1045V02 HS

1. Identification of the	1.1 substance/ preparation Duck Waterproof Tape (Silver)				
and	 1.2 company/ undertaking Henkel Consumer Adhesives Road 5 Winsford Industrial Estate Winsford Cheshire United Kingdom Tel 01606 593933 Fax 01606 863762 				
2. Composition/ information on ingredients	Pressure sensitive tape consisting of a fabric based tape with a silver coloured PE coating. The tape features a special high tack adhesive for adhesion to various substrates such as stone, concrete, wood & plastics.				
	% w/w Range	Substance	Cas no EEC No	Risk	Risk Phrases
3. Hazards identification	There is no evidence of any hazards to health when used according to the normally accepted safe processing procedures. Due to high molecular weight of the composing materials, (subsequently a low vapour pressure) there is no evidence of hazard caused by: - Skin absorption - Eye contact - Inhalation acute or chronic - Ingestion				
	At long durations of skin contact, a small percentage of individuals may develop an allergy for the product, similar to the effect of adhesive plasters. There is no evidence that the product has any effect on the health of workers handling it in the normal way.				

Duck Waterproof Duck Tape (Silver)

Ref

1045V02 HS

4. First aid measures	 4.1 Skin contact: Wash with soap and water 4.2 Eye contact: N.A. 4.3 Inhalation: N.A. 4.3 Ingestion: N.A. 			
5. Fire fighting measures	5.1 Suitable extinguishing media: Water spray, dry powder or carbon dioxide			
	5.2 Unsuitable extinguishing media: N.A.			
	5.3 <i>Exposure hazards:</i> Carbon dioxide, carbon monoxide and smoke			
	5.4 Protective equipment: Respiratory and eye protection required for fire fighting personnel			
6. Accidental release measures	 6.1 Personal precautions: N.A. 6.2 Environmental precautions: N.A. 6.2 Methods for cleaning: N.A. 			
7. Handling and storage	Store in a cool place away from sunlight and direct heat sources, to maintain the optimal properties.			
8. Exposure controls/ personal protection	 8.1 Personal protective equipment: Not required at ambient temperatures. Prevent contact with the eyes. 8.2 Engineering control: When heating organic substances to about 500°C, with or without partial exclusion of air, a good working practice is to use a local extraction system for removing the combustion/volatile products. 			
9. Physical and Chemical Properties	Physical StateSolidOdourSlight rubber odourSpecific Gravity0.93 g/cm³Vapour pressureEssentially non-volatileAutoflammabilityN.A.Evaporation rateN.A.Boiling pointN.A.Melting point> 130 °CpHN.A.Solubility in water (20 °C)Negligible			

Duck Waterproof Duck Tape (Silver)

Ref

1045V02 HS

10 Stability and reactivity				
	10.1 Chemical Stability Stable at temperatures up to 130 °C			
	10.2 Conditions to avoid Extensive heat			
	 10.3 Materials to avoid Certain oxidation catalysts such as cobalt naphthenate or strong oxidizing agents e.g. peroxides can initiate a rapid oxidation causing heating and possibly a fire 10.4 Hazardous decomposition products Above 300 °C, the tape will start to decompose finally emitting vapours which may be noxious, irritating or flammable 			
11. Toxicological Information	Not applicable			
12. Ecological Information	Not applicable			
13. Disposal Considerations	Ensure conformity to local disposal regulations			
14. Transport Information	Not classified			
15. Regulatory Information	This product requires no classification or labelling, according to EC regulations			
16 Other Information	 16.1 Poisons Centres Henkel Products are registered with the National Poisons Information Service from whom medical professionals can obtain further information. 16.2 Revision Data All sections were rewritten in this issue 			
	16.3 Sources of information Suppliers data sheets, and general reference books.			
	16.4 Restrictions of use			
	16.5 Disclaimer Every effort has been made to ensure that this information is accurate and up to date. Users are reminded that they should ensure that they have retained or internally circulated the most up to date copy as provided to the persons or work locations which require them. No warranty is implied or given as to suitability for use for any activity which is not covered by either the technical data or the restrictions of use above.			
	Produced by: Technical Services Department. Winsford. Cheshire			