

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or 51605B Rev B

designation of the mixture

Registration number -

Synonyms None.

Issue date 21-May-2015

Version number 02

Revision date 06-Sep-2015 **Supersedes date** 21-May-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.Company identificationHP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Specific target organ toxicity - repeated Category 2

exposure categories

H373 - May cause damage to organs (kidney) through prolonged

or repeated exposure.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2-pyrrolidone, Alkyldiol, Ethylene glycol, Glycerol, Substituted triphenylmethane salt #1,

Substituted xanthylium salt #1, Water

Hazard pictograms

Signal word Warning

Hazard statements

H373 May cause damage to organs (kidney) through prolonged or repeated exposure.

Precautionary statements

Prevention P260 - Do not breathe dust/fume/gas/mist/vapors/spray. **Response** P314 - Get medical attention/advice if you feel unwell.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label

information

None.

Material name: 51605B Rev B SDS UK

2.3. Other hazards

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	40-50	7732-18-5 231-791-2	-	-	
Classification: -					
Ethylene glycol	<30	107-21-1 203-473-3	-	603-027-00-1	#
Classification: Acute Tox. 4	;H302, ST0	OT RE 2;H373			
2-pyrrolidone	<20	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Eye Irrit. 2;	1319				
Glycerol	<10	56-81-5 200-289-5	-	-	
Classification: Eye Irrit. 2;	1319				
Alkyldiol	<7.5	Proprietary	01-2119987321-35-XXXX	-	
Classification: Skin Irrit. 2;	H315, Eye 1	Irrit. 2;H319, STOT	SE 3;H335		
Substituted triphenylmethane salt #1	<2.5	Proprietary	-	-	
Classification: -		-			
Substituted xanthylium salt #1	<2.5	Proprietary	-	-	
Classification:		-			

SECTION 4: First aid measures

Composition comments

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

This ink supply contains an aqueous ink formulation.

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Not available.

Material name: 51605B Rev B SDS UK

4.3. Indication of any immediate medical attention and special treatment needed

Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

Specific methods None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Not available.

6.2. Environmental

precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other Not available.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU **Components Type** Value

Ethylene glycol (CAS **STEL** 104 mg/m3 107-21-1) 40 ppm TWA 52 mg/m3 20 ppm

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m3	Vapor.
		40 ppm	Vapor.
	TWA	52 mg/m3	Vapor.
		10 mg/m3	Particulate.
		20 ppm	Vapor.

Material name: 51605B Rev B SDS UK

UK. EH40 Workplace Exposure Limits (WELs)

Components **Value Form** TWA Glycerol (CAS 56-81-5) 10 mg/m3 Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no-effect level

(DNEL)

Not available.

Predicted no effect

concentrations (PNECs)

Not available.

Exposure guidelines Exposure limits have not been established for this product.

UK EH40 WEL: Skin designation

Ethylene glycol (CAS 107-21-1) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

- Hand protection Not available. - Other Not available. Not available. **Respiratory protection** Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Color Cyan, Blue Odor Not available. **Odor threshold** Not available. 7 - 7.4 pН Not available. Melting point/freezing point Initial boiling point and

boiling range

Not determined

338.0 - 347.0 °F (170.0 - 175.0 °C) Closed Cup Flash point

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not determined

Flammability limit -

upper (%)

Not available.

Vapor pressure Not determined

Solubility(ies)

Solubility (water) Soluble in water Solubility (other) Not available. Not available. **Partition coefficient**

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** >= 2 cp

Material name: 51605B Rev B SDS UK

Explosive properties Not available. **Oxidizing properties** Not determined

9.2. Other information

VOC (Weight %) < 458 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous Will not occur.

reactions

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. 11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitization Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Substituted triphenylmethane salt #1 (CAS Proprietary) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Based on available data, the classification criteria are not met. Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion.

Aspiration hazard Based on available data, the classification criteria are not met.

Components Test Results Species

2-pyrrolidone (CAS 616-45-5)
Acute

Oral

6500 mg/kg LD50 Guinea pig Rat 6500 mg/kg

Ethylene glycol (CAS 107-21-1)

Acute

Dermal

LD50 Rabbit 9530 mg/kg

Oral

LD50 Cat 1650 mg/kg

> 5500 mg/kg Dog Guinea pig 8.2 g/kg Mouse 14.6 g/kg Rat 5.89 g/kg

Other

LD50 Mouse 5.8 g/kg

2800 mg/kg Rat

Material name: 51605B Rev B SDS UK 5/9

Components Test Results Species

Substituted xanthylium salt #1 (CAS Proprietary)

Acute

Oral

LD50 Rat <= 10000 mg/kg

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

Aquatic toxicity This product has not been tested for ecological effects.

12.1. Toxicity

Components **Test Results Species**

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ethylene glycol (CAS 107-21-1)

Aquatic

LC50 Fish Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Glycerol (CAS 56-81-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 51000 - 57000 mg/l, 96 hours

(Oncorhynchus mykiss)

Substituted triphenylmethane salt #1 (CAS Proprietary)

Aquatic

Fish LC50 Coho salmon, silver salmon 332 mg/l, 96 hours

(Oncorhynchus kisutch)

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

Partition coefficient

n-octanol/water (log Kow)

-0.852-pyrrolidone -1.36Ethylene glycol Glycerol -1.76

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Not available. Contaminated packaging **EU** waste code Not available.

Disposal Do not dispose of together with general office waste. Do not allow this material to drain into methods/information

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

Material name: 51605B Rev B SDS UK

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Ethylene glycol (CAS 107-21-1)

Directive 94/33/EC on the protection of young people at work

Not regulated.

Material name: 51605B Rev B SDS UK

Other regulations All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

Other informationThis Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Specific

Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).

National regulations 15.2. Chemical safety

assessment

Not available. Not available.

and amendments).

SECTION 16: Other information

ReferencesNot available.Information on evaluationNot available.

method leading to the classification of mixture

Issue date 21-May-2015

Revision information SECTION 2: Hazards identification: 2.3. Other hazards

SECTION 16: Other information: Disclaimer

Training information

Disclaimer

ot available.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information HP

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Material name: 51605B Rev B SDS UK

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: 51605B Rev B SDS UK 9/9