

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	B6Y10Series
Registration number	-
Synonyms	None.
Issue date	05-Jun-2015
Version number	03
Revision date	04-Aug-2016
Supersedes date	16-Aug-2015
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing.
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	1-(2-hydroxyethyl)-2-pyrrolidone, Diethylene glycol, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		70-80	7732-18-5 231-791-2	-	-	
Classification:	-					
Diethylene glycol		<5	111-46-6 203-872-2	-	603-140-00-6	
Classification:	Acute Tox.	4;H302, ST0	DT RE 2;H373			
1-(2-hydroxyethyl)-2-py	rrolidone	<2.5	3445-11-2 222-359-4	01-2119977089-21-XXXX	-	
Classification:	-					

Composition comments

This ink supply contains an aqueous ink formulation.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid me	asures
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment	Not available.

needed

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.

6.2. Environmental precautions	Do not let pr	oduct enter drains. I	Do not flush into s	urface water or s	anitary sewer system.
6.3. Methods and material for containment and cleaning up		led material, where t eous earth, commerc			bsorbent such as dry clay, sand ps.
6.4. Reference to other sections	Not available.				
SECTION 7: Handling and	d storage				
7.1. Precautions for safe handling	Avoid contac	t with skin, eyes and	d clothing.		
7.2. Conditions for safe storage, including any incompatibilities	Keep out of	the reach of children	i. Keep away from	excessive heat o	r cold.
7.3. Specific end use(s)	Not available	2.			
SECTION 8: Exposure co	ntrols/per	sonal protectio	on		
8.1. Control parameters					
Occupational exposure limits					
UK. EH40 Workplace Expo	sure Limits (WELs)			
Components		Туре		Value	
Diethylene glycol (CAS 111-46-6)		TWA		101 mg/m3	
	No biologico	ovnosvuo limito not	ad far tha ingradia	23 ppm	
Biological limit values Recommended monitoring procedures	Not available	exposure limits not e.	ed for the ingredie	int(s).	
Derived no-effect level (DNEL)	•				
Components	,	Туре	Route	Value	Form
Diethylene glycol (CAS 111-46	5-6)	Consumers	Dermal	53 mg/kg	Systemic long term
			Inhalation	12 mg/m3	Local long term
		Workers	Dermal	106 mg/kg	Systemic long term
			Inhalation	60 mg/m3	Local long term
Predicted no effect concentrat	ions (PNECs)				_
Components		Туре	Route	Value	Form
Diethylene glycol (CAS 111-46	b-6)	Not applicable	Freshwater	10 mg/l	Delegen
			Intermittant Marine water	10 mg/l 1 mg/l	Releases
			Sediment	20.9 mg/kg	Freshwater
			Soil	1.53 mg/kg	
				• •	Sewage Treatment Plant
			STP	199.5 mg/l	Sewaye meannent riant
Exposure guidelines	Exposure lim	its have not been es		-	Sewage Treatment Flant
Exposure guidelines 8.2. Exposure controls	Exposure lim	its have not been es		-	Sewage Treatment Plant
	Exposure lim Not available			-	Sewage Treatment Plant
8.2. Exposure controls Appropriate engineering controls	Not available	<u>.</u>	stablished for this	-	Sewage Treatment Plant
8.2. Exposure controls Appropriate engineering controls	Not available s, such as pe	<u>.</u>	stablished for this equipment	product.	-
8.2. Exposure controls Appropriate engineering controls Individual protection measure	Not available s, such as pe Use personal	s. rsonal protective	stablished for this equipment ent to minimize exp	product.	-
8.2. Exposure controls Appropriate engineering controls Individual protection measure General information	Not available s, such as pe Use personal	rsonal protective I protective equipme	stablished for this equipment ent to minimize exp	product.	-
8.2. Exposure controls Appropriate engineering controls Individual protection measure General information Eye/face protection	Not available s, such as pe Use personal Wear safety	rsonal protective I protective equipme	stablished for this equipment int to minimize exp ields (or goggles).	product.	-
 8.2. Exposure controls Appropriate engineering controls Individual protection measure General information Eye/face protection Skin protection 	Not available s, such as pe Use personal Wear safety Use protectiv	rsonal protective I protective equipme glasses with side shi	stablished for this equipment ont to minimize exp ields (or goggles). Nitrile rubber.	product.	-
8.2. Exposure controls Appropriate engineering controls Individual protection measure General information Eye/face protection Skin protection - Hand protection	Not available s, such as pe Use personal Wear safety Use protectiv	e. rsonal protective I protective equipme glasses with side shi ve gloves made of: N priate chemical resist	stablished for this equipment ont to minimize exp ields (or goggles). Nitrile rubber.	product.	-
8.2. Exposure controls Appropriate engineering controls Individual protection measure General information Eye/face protection Skin protection - Hand protection - Other	Not available s, such as pe Use personal Wear safety Use protectiv Wear approp	e. rsonal protective I protective equipme glasses with side shi ve gloves made of: N priate chemical resist e.	stablished for this equipment ont to minimize exp ields (or goggles). Nitrile rubber.	product.	-
8.2. Exposure controls Appropriate engineering controls Individual protection measure General information Eye/face protection Skin protection - Hand protection - Other Respiratory protection	Not available s, such as per Use personal Wear safety Use protectiv Wear approp Not available Not available	e. rsonal protective I protective equipme glasses with side shi ve gloves made of: N priate chemical resist e.	equipment equipment ent to minimize exp ields (or goggles). litrile rubber. cant clothing.	product.	d eye.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.ColorYellowOdorNot available.Odor thresholdNot available.pH8 - 10Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot available.
OdorNot available.Odor thresholdNot available.pH8 - 10Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Odor thresholdNot available.pH8 - 10Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
pH8 - 10Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Initial boiling point and boiling rangeNot available.Flash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
boiling rangeFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Flammability limit - lower Not available. (%)
Flammability limit - Not available. upper (%)
Vapor pressure Not available.
Solubility(ies)
Solubility (water) Not available.
Solubility (other) Not available.
Partition coefficient Not available. (n-octanol/water) Image: Contract of the second
Auto-ignition temperature Not available.
Decomposition temperature Not available.
Viscosity Not available.
Explosive properties Not available.
Oxidizing properties Not determined
9.2. Other information
Specific gravity 1 - 1.1
VOC (Weight %) < 182 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity 10.2. Chemical stability 10.3. Possibility of hazardous reactions	Not available. Stable under recommended storage conditions. None known.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen fluoride.

SECTION 11: Toxicological information

General information

11.1. Information on toxicological effects		
Acute toxicity	Based on available data, the classification criteria are not met.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	

Not available.

SECTION 13: Disposal co					
		C			
and vPvB assessment 12.6. Other adverse effects	Not available.				
12.5. Results of PBT		/PvB substance or mixture.			
Bioconcentration factor (BCF) 12.4. Mobility in soil	Not available. Not available.				
potential	Not available				
degradability 12.3. Bioaccumulative	Not available.				
12.2. Persistence and	Not available.				
Aquatic	LC50	Western mosquitofish (Gambusia affinis)	> 32000 mg/l, 96 hours		
Diethylene glycol (CAS 111-46-6)		-			
Components		Species	Test Results		
•	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 Hours		
Aquatic					
B6Y10Series		Species			
12.1. Toxicity Product	No information		Test Results		
Aquatic toxicity	No information				
SECTION 12: Ecological					
Other information		city data are not available for this specific	rormulation		
information		ain, data aya yat ayatishis ƙwallon wasari	formulation		
Mixture versus substance	Not available.	,	ציוע יי		
	Nat		.7 g/kg		
	Rat		700 mg/kg		
LDJU	Rabbit		.o g/kg 000 mg/kg		
<i>Other</i> LD50	Mouse	٥	.6 g/kg		
Oth	Rat	1	2565 mg/kg		
	Rabbit		6.9 g/kg		
	Mouse		3.3 g/kg		
	Guinea pig		700 mg/kg		
	Dog Guinea nia		000 mg/kg		
LD50	Cat		300 mg/kg		
Oral	<u>.</u>	-	200 //		
LD50	Rabbit	1	1890 mg/kg		
Dermal					
Acute					
Diethylene glycol (CAS 111-46-6)	-				
Components	Species		est Results		
Aspiration hazard	Based on available data, the classification criteria are not met.				
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.				
Specific target organ toxicity - single exposure	Based on avai	lable data, the classification criteria are no	t met.		

13.1. Waste treatment methodsResidual wasteNot available.Contaminated packagingNot available.EU waste codeNot available.

Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulations
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II
Not listed.
Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended
Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended
Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended
Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed. Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry
Not listed.
Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA
Not listed.
Authorizations
Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization
Not listed.
Restrictions on use
Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.
Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work
Not regulated.
Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding
Not regulated.
Other EU regulations
Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances
Not regulated.
Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work
Diethylene glycol (CAS 111-46-6)

Directive 94/33/EC on the protection of young people at work Not regulated. Other regulations All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments). **National regulations** Not available. 15.2. Chemical safety See attached SUMI or GEIS document, if applicable. assessment

SECTION 16: Other information

References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Issue date	05-Jun-2015
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

List of abbreviations

Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.		
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading		
	o inclusion into/onto article (indoor)	
Additional information on prod		
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.		
Most of the water based inks are "not classified".		
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.		
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	