

1.0 Product and Company Identification

Identification of the preparation: C1809A - No 09 Yellow

Use of the preparation: Inkjet printing

Company Identification: Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, Oregon 97330-4239

United States

Emergency telephone number

Hewlett-Packard Health Effects Line: 503

1-800-457-4209 (USA and Canada)

503-494-7199 (USA direct)

Singapore: +001-800-332-13321

General information telephone

number:

208-323-2551 (USA direct)

Local Contact Information Ireland

Liffey Park Technology Campus

Barnhall Road, Leixlip, Co. Kildare Phone: 01 6150000

United Kingdom Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

Phone: 1344 36-0000

Hazard Rating	NFPA/HMIS	
Health	1	
Flammability	1	
Instability/Reactivity	0	
Special	none	

2.0 Composition/Information on Hazardous Ingredients

This ink supply contains an aqueous ink formulation

Component/Substance	CAS Number	EU Number	% by	EU Classification
			Weight	
Alkyldiol	confidential	confidential	< 13	not classified
Water	7732-18-5	231-791-2	> 70	not classified

3.0 Hazard Identification

This ink is not classified according to EU Directive 1999/45/EC.



Routes of Exposure Potential routes of overexposure to this product are

skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under

normal use conditions.

Complete toxicity data are not available for this specific

formulation.

Acute Health Hazards Any potential hazards are presumed to be due to

exposure to the components.

<u>Alkyldiol</u>: Contact with eyes and skin may result in irritation. Inhalation may cause respiratory irritation.

Chronic Health Hazards None known.

Carcinogenicity None of the components present in this formulation at

concentrations equal to or greater than 0.1% are listed

by EU, MAK, IARC, NTP or OSHA.

4.0 First Aid Measures

Emergency telephone number 1-800-457-4209 (USA and Canada)

Hewlett-Packard Health Effects 503-494-7199 (USA direct)

Line:

Singapore: +001-800-332-13321

Inhalation: Remove to fresh air. If symptoms persist, consult a

physician.

Ingestion: If stomach upset persists, consult a physician.

Skin: Wash affected areas thoroughly with soap and

water. If irritation persists, consult a physician.

Eyes: Do not rub eyes. Immediately flush with large

amounts of clean, lukewarm water (low pressure)

for at least 15 minutes or until particles are

removed. If irritation persists, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media: Water, dry chemical, carbon dioxide, foam

Unsuitable Extinguishing No.

Media:

None known

Special Firefighting

Procedures: None known

Unusual fire and explosion

No special hazards known

Auto-ignition temperature: Not determined

hazards:

Flashpoint (method): 200° F, > 93.3° C (US EPA Method 1020)



Hazardous Combustion Products

Refer to section 10.

6.0 Accidental release measures

Spill or Leak Procedures: Standard eye and skin protection is

recommended.

Environmental precautions: Do not discharge into drains (See also Section

13, Disposal considerations)

7.0 Handling and Storage

Storage Temperature: 59°F to 95°F; 15°C to 35°C

Handling and Storage Keep out of the reach of children

precautions: Keep away from extreme heat or cold.

Shelf Life: 1 year

Special Sensitivity: None

8.0 Exposure control/ personal protection

Exposure Limit Values None established.

Exposure Controls Standard eye and skin protection for laboratory

chemical safety is recommended. Use in well

ventilated area.

9.0 Physical and chemical properties

pH: 7.5 (6.95 – 8.04)

Boiling point: Not Determined

Flash point: $200^{\circ} \text{ F, > } 93.3^{\circ} \text{ C}$

Flammability: US NFPA/HMIS Flammability rating = 1

Explosive properties: Not applicable **Oxidizing properties:** Not applicable **Vapor Pressure:** Not applicable

Relative density: Specific Gravity 1.0 to 1.2

Solubility: Soluble in water

Partition coefficient: Not determined

Viscosity: 2.0 cp

Vapor density: >1 (air = 1.0) Evaporation rate: Not applicable

Other: Not applicable



10.0 Stability and reactivity

Stability: Stable under normal storage conditions

Incompatibilities: Strong oxidizers and strong bases

Thermal decomposition Oxides of carbon/nitrogen/sulfur, water

products:

Hazardous polymerization: None

11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures lnk formulation has not been tested.

12.0 Ecological information

Ink formulation:

Static Acute Bioassay (fathead minnow): 96-hour LC₅₀ = 668 mg/L

13.0 Disposal considerations

Dispose in accordance with all applicable US Federal, state, local, and country laws.

14.0 Transportation information

Not a regulated article under United States DOT, IATA, ADR, or RID.

UN Number: Not applicable

Class: Not applicable

Proper Shipping Name: Not applicable

Packing Group: Not applicable

Marine Pollutant: Not listed Special Precautions: None noted

15.0 Regulatory information

US EPA TSCA Inventory: All ingredients are listed or exempt.

US EPA TSCA 12(b): Does not contain listed chemicals.

EU Notification: All ingredients are listed on EINECS

and/or ELINCS or exempt.

EU Hazard Label (1999/45/EC): This product does not require a label

according to EU Directive 1999/45/EC.



16.0 Other information

Date Prepared: June 20, 2002

HP-DMS Document Control 09000de7802284f7-eng

Number:

Revision Information: This document replaces all prior versions of the

MSDS

EU Risk (R) Phrase definitions: None noted.

Other Information: This MSDS was prepared in compliance with EU

Directive 91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communication Standard

(29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.