

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

C4906Series

designation of the mixture

Registration number -

Synonyms None.

Issue date 05-Mar-2015

Version number 05

Revision date 14-Jul-2016 **Supersedes date** 01-Jun-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.Company identificationHP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2-pyrrolidone, Modified carbon black 11, Water

Hazard pictograms None. **Signal word** None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label

information

None.

2.3. Other hazards Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens

according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific

formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: C4906Series SDS UK

9215 Version No.: 05 Revision date: 14-Jul-2016 Print date: 14-Jul-2016

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
2-pyrrolidone	< 20	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Modified carbon black 11	. <5	Proprietary	-	-	
Classification:	-	-			

Composition comments

This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

and special treatment

needed

Not available.

Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or

foam, applied as a mist or spray.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for

Not available.

Special fire fighting

Not available.

procedures Specific methods

firefighters

None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate personal protective equipment.

Material name: C4906Series SDS UK For emergency responders

Not available.

6.2. Environmental

precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Not available.

Recommended monitoring

procedures

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term

Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

Exposure guidelines Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

Hand protection Not available.
 Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure Not available.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Material name: C4906Series SDS UK

Appearance

Not available. Physical state Color Black, or Dark Grey Not available. Odor Not available. **Odor threshold** 9.3 - 9.7

Melting point/freezing point

Initial boiling point and

Not available. Not determined

boiling range

>= 200.0 °F (>= 93.3 °C) Setaflash Closed Tester Flash point

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not determined

(%)

Flammability limit -

Not available.

upper (%)

Not determined Vapor pressure

Solubility(ies)

Soluble in water Solubility (water) Solubility (other) Not available. Not available. **Partition coefficient**

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** >= 2 cp**Explosive properties** Not available. Not determined **Oxidizing properties**

9.2. Other information

VOC (Weight %) < 182 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons. decomposition products

SECTION 11: Toxicological information

General information Not available. 11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met.

Material name: C4906Series SDS UK

9215 Version No.: 05 Revision date: 14-Jul-2016 Print date: 14-Jul-2016 **Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

Reproductive toxicity
Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute

Oral

LD50 Guinea pig 6500 mg/kg
Rat 6500 mg/kg

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

Aquatic toxicity This product has not been tested for ecological effects.

12.1. Toxicity

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

Partition coefficient

n-octanol/water (log Kow)

2-pyrrolidone -0.85

Bioconcentration factor (BCF) Not available. **12.4. Mobility in soil** Not available.

12.5. Results of PBT

vot available.

12.5. Results of PBI

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information

Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

Material name: C4906Series SDS UK

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Material name: C4906Series SDS UK

9215 Version No.: 05 Revision date: 14-Jul-2016 Print date: 14-Jul-2016

Other information

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

and amendments).

National regulations

Not available.

15.2. Chemical safety

See attached SUMI or GEIS document, if applicable.

assessment

SECTION 16: Other information

References Not available. Information on evaluation

method leading to the classification of mixture Not available.

05-Mar-2015 Issue date **Revision information** None

Training information Not available. **Disclaimer**

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information

HP Inc. 1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: C4906Series SDS UK

Version No.: 05 Revision date: 14-Jul-2016 Print date: 14-Jul-2016

Safe Use of Mixture Information (SUMI)

--

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or C4907 Series

designation of the mixture

Registration number -

Synonyms None.

Issue date 20-May-2015

Version number 03

Revision date 21-May-2016 **Supersedes date** 01-Sep-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.Company identificationHP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1-(2-hydroxyethyl)-2-pyrrolidone, 2-pyrrolidone, Water

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label

information

Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

2.3. Other hazards Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and

ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: C4907 Series SDS UK

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-85	7732-18-5 231-791-2	-	-	
Classification: -					
1-(2-hydroxyethyl)-2-pyrrolidone	< 10	3445-11-2 222-359-4	01-2119977089-21-XXXX	-	
Classification: -					
2-pyrrolidone	< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Eye Irrit. 2;	;H319				

Composition comments This ink supply contains an aqueous ink formulation.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Not available.

Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, dry chemical, or foam

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising

Not available.

from the substance or

mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

Not available.

procedures **Specific methods**

Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Not available.

Material name: C4907 Series SDS UK 2/7

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exp

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no-effect level (DNEL)

Туре	Route	Value	Form
Consumers	Dermal	6 mg/kg bw/d	Systemic long term
	Dermal	167 mg/kg bw/d	Systemic acute short term
	Inhalation	17.1 mg/m3	Systemic long term
	Oral	5.2 mg/kg bw/d	Systemic long term
	Oral	33.3 mg/kg bw/d	Systemic acute short term
Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
	Dermal	10 mg/kg bw/d	Systemic long term
	Inhalation	57.8 mg/m3	Systemic long term
	Consumers	Consumers Dermal Inhalation Oral Oral Workers Dermal Dermal	Consumers Dermal Dermal 167 mg/kg bw/d 167 mg/kg bw/d Inhalation 17.1 mg/m3 Oral Oral Oral 33.3 mg/kg bw/d Dermal Dermal 277 mg/kg bw/d Dermal 10 mg/kg bw/d

Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

Exposure guidelines Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection

Skin protection

Not available.

Hand protection Not available.
 Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Material name: C4907 Series SDS UK

Physical state Liquid. Color Cyan

Odor Not available. **Odor threshold** Not available. 8.7 - 9.1Melting point/freezing point Not available. Initial boiling point and Not determined

boiling range

> 200.0 °F (> 93.3 °C) Setaflash Closed Cup Flash point

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not determined

(%)

Flammability limit -

upper (%)

Not available.

Vapor pressure Not determined

Solubility(ies)

Solubility (water) Soluble in water Not available. Solubility (other) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not determined **Decomposition temperature** Not available. >= 3 cP**Viscosity Explosive properties** Not available. Oxidizing properties Not determined

9.2. Other information

VOC (Weight %) < 307 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous

decomposition products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Decomposition of this product may yield oxides

of phosphorus. hydrogen fluoride fluorinated hydrocarbons

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity Based on available data, the classification criteria are not met.

- single exposure

Material name: C4907 Series SDS UK 10793 Version No.: 03 Revision date: 21-May-2016 Print date: 21-May-2016

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute

Oral

LD50 6500 mg/kg Guinea pig

> 6500 mg/kg Rat

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

Aquatic toxicity This product has not been tested for ecological effects.

12.1. Toxicity

Components Test Results Species

2-pyrrolidone (CAS 616-45-5)

Aquatic

EC50 Crustacea Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

Partition coefficient

n-octanol/water (log Kow)

-0.852-pyrrolidone

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. **Contaminated packaging** Not available. **EU** waste code Not available.

Disposal Do not allow this material to drain into sewers/water supplies.

methods/information Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

5 / 7

available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Material name: C4907 Series SDS UK 10793 Version No.: 03

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Other regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

and amendments).

National regulations Not available.

Material name: C4907 Series SDS UK

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

ReferencesNot available. **Information on evaluation**Not available.

method leading to the classification of mixture

Issue date 20-May-2015

Revision information None.

Training information Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: C4907 Series SDS UK

Safe Use of Mixture Information (SUMI)

--

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

C4908 Series Trade name or

designation of the mixture

Registration number

Synonyms None.

Issue date 11-Mar-2015

Version number 03

Revision date 21-May-2016 Supersedes date 31-Aug-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing Uses advised against None known. **Company identification** HP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1-(2-hydroxyethyl)-2-pyrrolidone, 2-pyrrolidone, Water

Hazard pictograms None. Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not available. Response Not available. Storage Not available. **Disposal** Not available.

Supplemental label

information

Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

2.3. Other hazards Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and

ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: C4908 Series SDS UK 1/8

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-85	7732-18-5 231-791-2	-	-	
Classification: -					
1-(2-hydroxyethyl)-2-pyrrolidone	< 10	3445-11-2 222-359-4	01-2119977089-21-XXXX	-	
Classification: -					
2-pyrrolidone	< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Eye Irrit. 2;H3	319				
2,4,7,9-Tetramethyl-5-decyne-4,7-diol	<1	126-86-3 204-809-1	-	-	
Classification: Skin Sens. 1B	;H317, Ey	e Dam. 1;H318, Eye	e Irrit. 2;H319, Aquatic Chronic	3;H412	

Composition comments This ink supply contains an aqueous ink formulation.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important

symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

and special treatment

needed

Not available.

Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, dry chemical, or foam

media

Unsuitable extinguishing None known.

media

5.2. Special hazards arising

from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

Specific methods Wear self contained breathing apparatus for fire fighting if necessary.

Material name: C4908 Series SDS UK

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Not available.

6.2. Environmental

precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Freshwater

Marine water

Sewage Treatment Plant

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Not available.

Recommended monitoring

procedures

P

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2,4,7,9-Tetramethyl-5-decyne-4,7-diol (CAS 126-86-3)	Consumers	Dermal	0.75 mg/kg	Systemic short term
		Dermal	0.25 mg/kg	Systemic long term
		Inhalation	1.29 mg/m3	Systemic short term
		Inhalation	0.43 mg/m3	Systemic long term
		Oral	0.75 mg/kg	Systemic short term
		Oral	0.25 mg/kg	Systemic long term
	Workers	Dermal	1.5 mg/kg	Systemic short term
		Dermal	0.5 mg/kg	Systemic long term
		Inhalation	5.28 mg/m3	Systemic short term
		Inhalation	1.76 mg/m3	Systemic long term
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
dicted no effect concentrations (PNECs)				
Components	Туре	Route	Value	Form
2,4,7,9-Tetramethyl-5-decyne-4,7-diol (CAS 126-86-3)	Not applicable	Freshwater	0.04 mg/l	
		Intermittant	0.4 mg/l	Releases
		Marine water	0.004 mg/l	

Material name: C4908 Series SDS UK

Not applicable

Sediment

Sediment

Freshwater

Soil **STP** 0.32 mg/kg

0.032 mg/kg 0.028 mg/kg

7 mg/l

0.5 mg/l

10794 Version No.: 03 Revision date: 21-May-2016 Print date: 21-May-2016

2-pyrrolidone (CAS 616-45-5)

Components Route Value Form Type 0.5 mg/l Releases Intermittant 0.05 mg/l Marine water Sediment 0.4205 mg/kg Freshwater Soil 0.0612 mg/kg STP Sewage Treatment Plant 10 mg/l

Exposure guidelines Exposure limits have not been established for this product.

8.2. Exposure controls

Use in a well ventilated area. **Appropriate engineering**

controls

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

- Hand protection Not available. - Other Not available. Not available. **Respiratory protection** Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Color Magenta Odor Not available. **Odor threshold** Not available. 8.7 - 9.1 рH Melting point/freezing point Not available. Initial boiling point and Not determined

boiling range Flash point

> 200.0 °F (> 93.3 °C) Setaflash Closed Cup

Not determined **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Not determined

Flammability limit -

upper (%)

Not available.

Not determined Vapor pressure

Solubility(ies)

Solubility (water) Soluble in water Not available. Solubility (other) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not determined **Decomposition temperature** Not available. >= 3 cP**Viscosity Explosive properties** Not available. **Oxidizing properties** Not determined

9.2. Other information

VOC (Weight %) < 313 g/I

Material name: C4908 Series SDS UK

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

Stable under recommended storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous decomposition products Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Decomposition of this product may yield oxides

of phosphorus. hydrogen fluoride fluorinated hydrocarbons

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Test Results Components **Species**

2-pyrrolidone (CAS 616-45-5)

Acute

Oral

LD50 Guinea pig 6500 mg/kg 6500 mg/kg Rat

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity

Product Test Results Species

Magenta ink

Aquatic

LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours Fish

Components **Species Test Results**

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

12.2. Persistence and

degradability

Not available

12.3. Bioaccumulative

potential

Not available.

Material name: C4908 Series SDS UK

Partition coefficient n-octanol/water (log Kow)

> -0.852-pyrrolidone

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Not available. Contaminated packaging **EU** waste code Not available.

Disposal Do not allow this material to drain into sewers/water supplies.

methods/information Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

TATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Material name: C4908 Series SDS UK

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

> Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

and amendments).

National regulations

15.2. Chemical safety

assessment

Not available.

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

Not available. References Information on evaluation method leading to the

Not available

classification of mixture

Issue date 11-Mar-2015

Revision information None

Training information Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Material name: C4908 Series SDS UK

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: C4908 Series SDS UK 8/8

Safe Use of Mixture Information (SUMI)

--

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or C4909 Series

designation of the mixture

Registration number -

Synonyms None.

Issue date 11-Mar-2015

Version number 04

Revision date 22-May-2016 **Supersedes date** 21-May-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.Company identificationHP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1-(2-hydroxyethyl)-2-pyrrolidone, 2-pyrrolidone, Water

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label

information

Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

2.3. Other hazards Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and

ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: C4909 Series SDS UK

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-85	7732-18-5 231-791-2	-	-	
Classification: -					
1-(2-hydroxyethyl)-2-pyrrolidone	< 10	3445-11-2 222-359-4	01-2119977089-21-XXXX	-	
Classification: -					
2-pyrrolidone	< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Eye Irrit. 2;	;H319				

Composition comments This ink supply contains an aqueous ink formulation.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Not available.

Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising

from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

Specific methods Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Not available.

Material name: C4909 Series SDS UK

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits N

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term

Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

Exposure guidelines Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection

Not available.

Skin protection

Hand protection Not available.
 Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

Hygiene measures
Environmental exposure

Handle in accordance with good industrial hygiene and safety practice.

Environmentai exp

Not available.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Material name: C4909 Series SDS UK

Physical state Liquid. Color Yellow

Not available. Odor **Odor threshold** Not available. 8.7 - 9.1Melting point/freezing point Not available. Initial boiling point and Not determined

boiling range

> 200.0 °F (> 93.3 °C) Setaflash Closed Cup Flash point

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not determined

(%)

Flammability limit -

upper (%)

Not available.

Vapor pressure Not determined

Solubility(ies)

Solubility (water) Soluble in water Not available. Solubility (other) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not determined **Decomposition temperature** Not available. >= 3 cP**Viscosity Explosive properties** Not available. Oxidizing properties Not determined

9.2. Other information

VOC (Weight %) < 313 g/l

SECTION 10: Stability and reactivity

Not available. 10.1. Reactivity

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous

decomposition products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Decomposition of this product may yield oxides

of phosphorus. hydrogen fluoride fluorinated hydrocarbons

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. Specific target organ toxicity Based on available data, the classification criteria are not met.

Revision date: 22-May-2016

- single exposure

Version No.: 04

Material name: C4909 Series SDS UK 10795

Print date: 22-May-2016

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute

Oral

LD50 Guinea pig 6500 mg/kg

Rat 6500 mg/kg

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

Aquatic toxicity This product has not been tested for ecological effects.

12.1. Toxicity

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

Partition coefficient

n-octanol/water (log Kow)

2-pyrrolidone -0.85

Bioconcentration factor (BCF) Not available. **12.4. Mobility in soil** Not available.

12.5. Results of PBT

..

and vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual wasteNot available.Contaminated packagingNot available.EU waste codeNot available.

Disposal Do not allow this material to drain into sewers/water supplies.

methods/information Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Material name: C4909 Series SDS UK

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification under

> chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

> Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

and amendments).

National regulations Not available.

Material name: C4909 Series SDS UK 6/7

15.2. Chemical safety

See attached SUMI or GEIS document, if applicable.

assessment

SECTION 16: Other information

ReferencesNot available. **Information on evaluation**Not available.

method leading to the classification of mixture

Issue date 11-Mar-2015

Revision information None.

Training information Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: C4909 Series SDS UK

Safe Use of Mixture Information (SUMI)

--

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Up to 8 hours per day
< 240 days per year
Covers use at ambient temperatures.
Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
guidelines to ensure acceptable air quality in the workspace.
Avoid direct contact.
Regular cleaning of equipment and work area.
Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
followed.

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.