

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	C4822Series
-	
Registration number	-
Synonyms	None.
Issue date	28-Jun-2013
Version number	05
Revision date	19-Jul-2016
Supersedes date	20-May-2016
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards Serious eye damage/eye	e irritation	Category 1	H318 - Causes serious eye damage.
2.2. Label elements			
Label according to Regulatio	n (EC) No. 1272/	2008 as amended	
Contains:	2-pyrrolidone, C	C11-C15 secondary ethoxyl	ated alcohols, Succinic acid, Water
Hazard pictograms			
Signal word	Danger		
Hazard statements			
H318	Causes serious	eye damage.	
Precautionary statements			
Prevention	P280 - Wear pro	otective gloves/protective	clothing/eye protection/face protection.
Response	contact lenses,	P338 - IF IN EYES: Rinse if present and easy to do. ately call a POISON CENTE	
Storage	Not available.		
Disposal	Not available.		
Supplemental label information	None.		

Index No.

_

Notes

SECTION 3: Composition/information on ingredients

3.2. Mixtures

eneral information							
Chemical name	%	CAS-No. / EC No.	REACH Registration No.				
Water	60-80	7732-18-5 231-791-2	-				
Classification: -							
2 purrolidono	<10		01 2110475471 27 VVVV				

2-pyrrolidone		<10	616-45-5 210-483-1	01-2119475471-37-XXXX	-
Classification:	Eye Irrit. 2;I	H319			
Succinic acid		<7.5	110-15-6	01-2119896114-34-XXXX	-
Classification:	Eye Dam. 1;	H318			
C11-C15 secondary eth alcohols	oxylated	<2.5	68131-40-8 -	-	-
Classification:	Acute Tox. 4	i;H302, Acut	e Tox. 4;H312, Ski	n Irrit. 2;H315, Eye Dam. 1;H318	3, Aquatic Chronic 2;H411

Composition comments

This ink supply contains an aqueous ink formulation.

SECTION 4: First aid measures				
General information	Not available.			

4.1. Description of first aid me	easures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, prot	ective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring	Not available.
procedures	

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short ter
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short ter
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short ter
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Succinic acid (CAS 110-15-6)	Consumers	Dermal	67 mg/kg	Systemic short term
		Dermal	43 mg/kg	Systemic long term
		Inhalation	10 mg/m3	Local long term
		Inhalation	10 mg/m3	Local short term
		Inhalation	10 mg/m3	Systemic long term
		Inhalation	10 mg/m3	Systemic short term
		Oral	67 mg/kg	Systemic short term
	Workers	Dermal	71 mg/kg	Systemic long term
		Dermal	67 mg/kg	Systemic short term
		Inhalation	10 mg/m3	Local long term
		Inhalation	10 mg/m3	Local short term
		Inhalation	10 mg/m3	Systemic long term
		Inhalation	10 mg/m3	Systemic short term
dicted no effect concentrations (P	NECs)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater

Components	Туре	Route	Value	Form
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
Succinic acid (CAS 110-15-6)	Not applicable	Freshwater	0.1 mg/l	
		Intermittant	1 mg/l	Releases
		Marine water	0.01 mg/l	
		Sediment	0.079 mg/kg	Freshwater
		Sediment	0.0079 mg/kg	Marine water
		Soil	0.0177 mg/kg	
		STP	3 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure limits have not been est	ablished for this	product.	
8.2. Exposure controls				
Appropriate engineering controls	Use in a well ventilated area. Provide adequate ventilation.			
Individual protection measure	s, such as personal protective e	quipment		
General information	Use personal protective equipmen	t to minimize exp	oosure to skin and o	eye.
Eye/face protection	Not available.			
Skin protection				
- Hand protection	Recommended gloves: Nitrile 4 m	il minimum thick	ness.	
- Other	Protected gloves not required under intended use.			
Respiratory protection	Not available.			
Thermal hazards	Not available.			
Hygiene measures	Handle in accordance with good in	ndustrial hygiene	and safety practice	2.
Environmental exposure controls	Not available.			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	·· · · · · · · · · · · · · · · · · · ·
Appearance	
Physical state	Liquid.
Color	Magenta
Odor	Not available.
Odor threshold	Not available.
рН	3.8 - 4.3
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined

SECTION 10: Stability and reactivity

10.1. Reactivity 10.2. Chemical stability	Not available. Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information	Not available.	
11.1. Information on toxicolog	Jical effects	
Acute toxicity	Based on available data, the classification criteria are	e not met.
Skin corrosion/irritation	Based on available data, the classification criteria are	e not met.
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory sensitization	Based on available data, the classification criteria are	e not met.
Skin sensitization	Based on available data, the classification criteria are	e not met.
Germ cell mutagenicity	Based on available data, the classification criteria are	e not met.
Carcinogenicity	Based on available data, the classification criteria are	e not met.
Reproductive toxicity	Based on available data, the classification criteria are	e not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are	e not met.
Aspiration hazard Components	Based on available data, the classification criteria are Species	e not met. Test Results
•		
Components		
Components 2-pyrrolidone (CAS 616-45-5)		
Components 2-pyrrolidone (CAS 616-45-5) Acute		
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral	Species	Test Results
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral	Species Guinea pig	Test Results 6500 mg/kg
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50	Species Guinea pig	Test Results 6500 mg/kg
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Succinic acid (CAS 110-15-6)	Species Guinea pig	Test Results 6500 mg/kg
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Succinic acid (CAS 110-15-6) Acute	Species Guinea pig	Test Results 6500 mg/kg
Components 2-pyrrolidone (CAS 616-45-5) Acute Ora/ LD50 Succinic acid (CAS 110-15-6) Acute Ora/ LD50	Species Guinea pig Rat	Test Results 6500 mg/kg 6500 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Product		Species	Test Results
C4822Series			
Aquatic			
Crustacea	EC50	Daphnia	> 100 mg/l, 48 hr
Acute			
Algae	EC50	Algae	> 100 mg/l, 72 hours
Crustacea	EC50	Daphnia	> 100 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	< 400 mg/l, 96 hours

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Succinic acid (CAS 110-15-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	350 - 400 mg/l, 48 hours
Fish	LC50	Fish	101, 96 Hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow)			
2-pyrrolidone		-0.85	
Succinic acid		-0.59	
Bioconcentration factor (BCF)			
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.		
12.6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment methe	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

amended	2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as
Not listed. Regulation (EC) No. 689/2 amended	2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as
Not listed.	
	2008 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed. Regulation (EC) No. 166/2	2006 Annex II Pollutant Release and Transfer Registry
Not listed.	too Annex II Fondant Release and Transfer Registry
	2006, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 143/2	2011 Annex XIV Substances Subject to Authorization
Not listed.	
Restrictions on use	
Regulation (EC) No. 1907/ amended	2006, REACH Annex XVII Substances subject to restriction on marketing and use as
Not listed. Directive 2004/37/EC: on mutagens at work	the protection of workers from the risks related to exposure to carcinogens and
Not regulated.	
Directive 92/85/EEC: on t are breastfeeding	he safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
-	so II) on the control of major-accident hazards involving dangerous substances
Not regulated. Directive 98/24/EC on the agents at work	protection of the health and safety of workers from the risks related to chemical
Not regulated.	
	e protection of young people at work
Not regulated.	All chemical substances in this HD product have been patified as are event from patification under
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other infor	mation
References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.

SECTION 8: Exposure controls/personal protection: Eye/face protection SECTION 8: Exposure controls/personal protection: Respiratory protection SECTION 8: Exposure controls/personal protection: - Other

Revision information

Not available.

Disclaimer Manufacturer information	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf