



Material Safety Data Sheet

1.0 Product and Company Identification

Identification of the preparation: C5010D – No 14 Tri Color

Use of the preparation: Inkjet printing

Company Identification: Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, Oregon 97330-4239
United States

Emergency telephone number 1-800-457-4209 (USA and Canada)
Hewlett-Packard Health Effects Line: 503-494-7199 (USA direct)
Singapore: +001-800-332-13321

General information telephone number: 208-323-2551 (USA direct)

Local Contact Information:

Ireland
Liffey Park Technology Campus
Barnhall Road,
Leixlip, Co. Kildare
Phone: 01 6150000

United Kingdom
Hewlett-Packard, Ltd.
Cain Road, Amen Corner
Bracknell, Berkshire, RG12 1HN
Phone: 1344 36-0000

Hazard Rating	NFPA/HMIS
Health	1
Flammability	1
Instability/Reactivity	0
Special	none

2.0 Composition/Information on Hazardous Ingredients

This ink supply contains an aqueous ink formulation

Cyan (blue) formulation

Component/Substance	CAS Number	EU Number	% by Weight	EU Classification
2-Pyrrolidone	616-45-5	210-843-1	<8	Xi; R36/37/38
1,5-Pentanediol	111-29-5	203-854-4	<15	not classified
Tetraethylene glycol	112-60-7	203-989-9	<5	Xi; R36/37/38
Alkylquaternaryamine salt	confidential	confidential	<5	Xi; R36/38
Alkyldicarboxylic acid	confidential	confidential	<7	Xi; R36/37/38
Water	7732-18-5	231-791-2	> 50	not classified



Material Safety Data Sheet

Magenta (Red) formulation

Component/Substance	CAS Number	EU Number	% by Weight	EU Classification
1,5-Pentanediol	111-29-5	203-854-4	<15	not classified
Tetraethylene glycol	112-60-7	203-989-9	<5	Xi; R36/37/38
Alkylquaternaryamine salt	confidential	confidential	<5	Xi; R36/38
Alkyldicarboxylic acid	confidential	confidential	<7	Xi; R36/37/38
Substituted azonaphthalene mixed salt	confidential	confidential	<7	not classified
Water	7732-18-5	231-791-2	> 50	not classified

Yellow formulation

Component/Substance	CAS Number	EU Number	% by Weight	EU Classification
2-Pyrrolidone	616-45-5	210-843-1	<8	Xi; R36/37/38
1,5-Pentanediol	111-29-5	203-854-4	<15	not classified
Tetraethylene glycol	112-60-7	203-989-9	<5	Xi; R36/37/38
Alkylquaternaryamine salt	confidential	confidential	<5	Xi; R36/38
Alkyldicarboxylic acid	confidential	confidential	<8	Xi; R36/37/38
Water	7732-18-5	231-791-2	> 50	not classified

3.0 Hazard Identification

The cyan, magenta and yellow inks are not classified according to EU Directive 1999/45/EC.

Routes of Exposure: Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.



Material Safety Data Sheet

Acute Health Hazards: Any potential hazards are presumed to be due to exposure to the components.

2-Pyrrolidone: Contact with eyes and skin may result in irritation. Inhalation may result in respiratory irritation.

Ingestion may result in nausea, vomiting, and diarrhea.

1,5-Pentanedio: Contact with eyes and skin may cause irritation. Harmful if swallowed.

Tetraethylene glycol: Contact with eyes and skin may cause irritation. Inhalation may result in respiratory irritation.

Alkylquaternaryamine salt: Contact with skin or eyes may result in irritation.

Alkyldicarboxylic acid: Contact with eyes and skin may result in irritation. Inhalation may result in respiratory irritation.

Substituted azonaphthalene mixed salt: Contact with eyes may result in irritation.

Chronic Health Hazards: None known

Carcinogenicity: None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4.0 First Aid Measures

Emergency telephone number 1-800-457-4209 (USA and Canada)
Hewlett-Packard Health Effects 503-494-7199 (USA direct)
Line: Singapore: +001-800-332-13321

Inhalation: Remove to fresh air. If symptoms persist, consult a physician.

Ingestion: If stomach upset persists, consult a physician.

Skin: Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.

Eyes: Do not rub eyes. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media: Water, dry chemical, carbon dioxide, foam

Unsuitable Extinguishing None known
Media:

Special Firefighting None known
Procedures:



Material Safety Data Sheet

Unusual fire and explosion hazards: No special hazards known
Auto-ignition temperature: Not determined
Flashpoint (method): > 200° F, > 93.3° C (US EPA Method 1020)
Hazardous Combustion Products: Refer to section 10

6.0 Accidental release measures

Spill or Leak Procedures: Standard eye and skin protection is recommended.
Environmental precautions: Do not discharge into drains (See also Section 13, Disposal considerations)

7.0 Handling and Storage

Storage Temperature: 59°F to 95°F; 15°C to 35°C
Handling and Storage precautions: Keep out of the reach of children. Keep away from extreme heat or cold.
Shelf Life: 1.5 years
Special Sensitivity: None

8.0 Exposure control/ personal protection

Exposure Limit Values: Tetraethylene glycol: Austria, Germany, Netherlands, Switzerland TWA= 1000ppm
Exposure Controls: Standard eye and skin protection for laboratory chemical safety is recommended. Use in well ventilated area.

9.0 Physical and chemical properties

pH: 4.0 for cyan, magenta and yellow ink
Boiling point: Not Determined
Flash point: > 200° F, > 93.3° C
Flammability: US NFPA/HMIS Flammability rating = 1
Explosive properties: Not applicable
Oxidizing properties: Not applicable
Vapor Pressure: Not applicable
Relative density: Specific Gravity 1.0 to 1.2
Solubility: Soluble in water
Partition coefficient: Not determined
Viscosity: Not determined
Vapor density: >1 (air = 1.0)



Material Safety Data Sheet

Evaporation rate: Not applicable

Other: Not applicable

10.0 Stability and reactivity

Stability: Stable under normal storage conditions

Incompatibilities: Strong oxidizers and bases

Thermal decomposition products: Oxides of carbon/nitrogen/sulfur, water

Hazardous polymerization: None

11.0 Toxicological information

Refer to Section 3 for potential health effects and Section 4 for first aid measures

Test data on a similar magenta formulation:

Skin sensitization: Non-sensitizer in guinea pig (OECD 406). Not classified as a skin sensitizer according to EU Directives 67/548/EEC and 1999/45/EC.

12.0 Ecological information

Test data on a similar magenta formulation:

96 Hour LC50

LC50 < 400 mg/L

Fathead minnow

13.0 Disposal considerations

Dispose in accordance with all applicable US Federal, state, local, and country laws.

14.0 Transportation information

Not a regulated article under United States DOT, IATA, ADR, or RID.

UN Number: Not applicable

Class: Not applicable

Proper Shipping Name: Not applicable

Packing Group: Not applicable

Marine Pollutant: Not listed

Special Precautions: None noted

15.0 Regulatory information

US EPA TSCA Inventory: All ingredients are listed or exempt.

US EPA TSCA 12(b): Does not contain listed chemicals.

EU Notification: All ingredients are listed on EINECS and/or ELINCS or exempt.



Material Safety Data Sheet

EU Hazard Label (1999/45/EC): This product does not require a label according to EU Directive 1999/45/EC.

16.0 Other information

Date Prepared: August 19, 2002
HP-DMS Document Control Number: 09000de78022e1ec
Revision Information: This document replaces all prior versions of the MSDS
EU Risk (R) Phrase definitions: R36/38: Irritating to eyes and skin
R36/37/38: Irritating to eyes, respiratory system and skin.
Other Information: This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communication Standard (29CFR1910.1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.