C6578 Series[C][3]-SDS_UK-English-29.pdf

C6578 Series[M][3]-SDS_UK-English-29.pdf

C6578 Series[Y][3]-SDS_UK-English-30.pdf



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or	C6578 Series[C][3]
designation of the mixture	
Registration number	-
Synonyms	None.
Issue date	15-May-2015
Version number	03
Revision date	08-May-2016
Supersedes date	05-Sep-2015
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited
	Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)
	Bracknell, United Kingdom RG12 1HN
	Telephone 44 (0) 879 013 0790
	HP Inc. health effects line
	(Toll-free within the US) 1-800-457-4209
	(Direct) 1-760-710-0048
	HP Inc. Customer Care Line
	(Toll-free within the US) 1-800-474-6836
	(Direct) 1-208-323-2551
	Email: hpcustomer.inquiries@hp.com
	Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Laber according to Regulation	
Contains:	1,5-pentanediol, 2-pyrrolidone, Ammonium nitrate, Cyan colorant, Magnesium nitrate hexahydrate, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Complete toxicity data are not available for this specific formulation.
	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes	
Water	65-75	7732-18-5 231-791-2	-	-		
Classification:	-					
1,5-pentanediol	<10	111-29-5 203-854-4	01-2119449341-44-XXXX	-		
Classification:	-					
2-pyrrolidone	< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-		
Classification:	Eye Irrit. 2;H319					
Magnesium nitrate hexa	ahydrate < 7.5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-		
Classification:	Eye Irrit. 2;H319					
Ammonium nitrate	<2.5	.5 6484-52-2 01-2119490981-27-XXXX 229-347-8		-		
Classification:	Skin Irrit. 2;H315, Eye	e Irrit. 2;H319, STOT	SE 3;H335			
Cyan colorant	< 2.5	< 2.5 Proprietary 01-0000016309-68-X		-		
Classification:	Acute Tox. 4;H302, S	- TOT RE 2;H373, Aqu	atic Chronic 2;H411			
nposition comments	This ink supply	contains an aqueous	ink formulation.			

SECTION 4: First aid measures

General information	Not available.
4.1. Description of first aid me	asures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, prot	ective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	l storage

7.1 Proceedings for safe

handling	Avoid contact with skin, eyes and clotning.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring	Not available.
procedures	

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Magnesium nitrate hexahydrate (CAS 10377-60-3)	Consumers	Dermal	12.5 mg/kg bw/d	Systemic long term
		Inhalation	10.9 mg/m3	Systemic long term
		Oral	12.5 mg/kg bw/d	Systemic long term
	Workers	Dermal	20.8 mg/kg bw/d	Systemic long term
		Inhalation	36.7 mg/m3	Systemic long term
dicted no effect concentrations (PNE	Cs)			

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plan

Components		Туре	Route	Value	Form
Magnesium nitrate hexahydrat 10377-60-3)	te (CAS	Not applicable	Freshwater	0.45 mg/l	
			Intermittant	4.5 mg/l	Releases
			Marine water	0.045 mg/l	
			STP	18 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure lir	nits have not been est	ablished for this	product.	
8.2. Exposure controls					
Appropriate engineering controls	Use in a we	ll ventilated area.			
Individual protection measure	s, such as p	ersonal protective e	quipment		
General information	Use persona	al protective equipmer	nt to minimize exp	oosure to skin and e	ye.
Eye/face protection	Not availabl	e.			
Skin protection					
- Hand protection	Not availabl	e.			
- Other	Not availabl	e.			
Respiratory protection	Not availabl	e.			
Thermal hazards	Not availabl	e.			
Hygiene measures	Handle in a	ccordance with good in	ndustrial hygiene	and safety practice.	
Environmental exposure controls	Not availabl	e.			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical prop	erties
--	--------

Appearance	Not available.
Physical state	Liquid.
Color	Cyan
Odor	Not available.
Odor threshold	Not available.
рН	6.2 - 6.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined.
9.2. Other information	
Specific gravity	1 - 1.2
VOC (Weight %)	< 338 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
SECTION 11, Toxicologic	al information

SECTION 11: Toxicological information

SECTION 11: Toxicologic			
General information	Not available.		
11.1. Information on toxicolog	jical effects		
Acute toxicity	Based on available data, the classification criteria a	are not met.	
Skin corrosion/irritation	Based on available data, the classification criteria a	are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria a	are not met.	
Respiratory sensitization	Based on available data, the classification criteria a	are not met.	
Skin sensitization	Based on available data, the classification criteria a	are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria a	are not met.	
Carcinogenicity	Based on available data, the classification criteria a	are not met.	
Reproductive toxicity	Based on available data, the classification criteria a	are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria a	are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria a	are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.		
	based on available data, the elassification enterial	מוכ ווטנ וווכנ.	
Components	Species	Test Results	
-			
Components			
Components 2-pyrrolidone (CAS 616-45-5)			
Components 2-pyrrolidone (CAS 616-45-5) Acute			
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral	Species	Test Results	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral	Species Guinea pig Rat	Test Results 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute	Species Guinea pig Rat	Test Results 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation	Species Guinea pig Rat 2)	Test Results 6500 mg/kg 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation LC50	Species Guinea pig Rat	Test Results 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation	Species Guinea pig Rat 2)	Test Results 6500 mg/kg 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation LC50 Oral	Species Guinea pig Rat Rat	Test Results 6500 mg/kg 6500 mg/kg > 88.8 mg/l, 4 Hours	

SECTION 12: Ecological information 12.1. Toxicity Product **Test Results** Species Cyan ink Aquatic Acute Fathead minnow (Pimephales promelas) < 400 mg/l, 96 hours Fish LC50 Components **Species Test Results** 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours Material name: C6578 Series[C][3] SDS UK

FishLC50Fish100, 96 HourCyan colorant (CAS Proprietary)AquaticIndependent of the second of	ults	Test Results	Species		Components
CrustaceaEC50Daphnia100, 48 HourFishLC50Fish100, 96 HourAquaticCrustaceaEC50Daphnia50 - 100 mg/CrustaceaNot available.S0 - 100 mg/degradabilityNot available.S0 - 100 mg/12.3. Bioaccumulative potentialNot available.S0 - 100 mg/Partition coefficient n-octanol/water (log Kow) 2-pyrrolidoneNot available.S0 - 100 mg/Bioconcentration factor (BCF) Ausailable.Not available.S0 - 100 mg/12.4. Mobility in soilNot available.S0 - 100 mg/12.5. Results of PBT assessmentNot a PBT or PvB substance or mixture.S0 - 100 mg/				2)	Ammonium nitrate (CAS 6484-52-2
FishLC50Fish100, 96 HourCyan colorant (CAS Proprietary)AquaticSolutionAquaticCrustaceaEC50Daphnia50 - 100 mg/12.2. Persistence and degradabilityNot available.Mot available.12.3. Bioaccumulative potentialNo data available on bioaccumulation. potentialSolutionPartition coefficient n-octanol/water (log Kow) 2-pyrrolidone-0.85SolutionBioconcentration factor (BCF) 12.4. Mobility in soilNot available0.85Bioconcentration factor (BCF) and vPvB assessmentNot a PBT or vPvB substance or mixture.Key Partice					Aquatic
Cyan colorant (CAS Proprietary) Aquatic 50 - 100 mg/ Crustacea EC50 Daphnia 50 - 100 mg/ 12.2. Persistence and degradability Not available. 50 - 100 mg/ 12.3. Bioaccumulative potential No data available on bioaccumulation. 50 - 100 mg/ Partition coefficient n-octanol/water (log Kow) -0.85 -0.85 2-pyrrolidone -0.85 Not available. 12.4. Mobility in soil Not available. -0.85 12.5. Results of PBT and VPVB assessment Not a PBT or VPVB substance or mixture. -0.85	ours	100, 48 Hours	Daphnia	EC50	Crustacea
Aquatic CrustaceaEC50Daphnia50 - 100 mg/12.2. Persistence and degradabilityNot available.50 - 100 mg/12.3. Bioaccumulative potentialNot available on bioaccumulation. potentialNo data available on bioaccumulation.Partition coefficient n-octanol/water (log Kow) 2-pyrrolidoneNot available.Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone-0.85Bioconcentration factor (BCF)Not available.12.4. Mobility in soilNot available.12.5. Results of PBT and vPvB assessmentNot a PBT or vPvB substance or mixture.	ours	100, 96 Hours	Fish	LC50	Fish
CrustaceaEC50Daphnia50 - 100 mg/12.2. Persistence and degradabilityNot available.12.3. Bioaccumulative Not available on bioaccumulation.12.3. Bioaccumulative potentialNot available on bioaccumulation.Partition coefficient n-octanol/water (log Kow) 2-pyrrolidoneNot available on bioaccumulation.2-pyrrolidone-0.85Bioconcentration factor (BCF) 12.5. Results of PBT and vPvB assessmentNot available.					Cyan colorant (CAS Proprietary)
12.2. Persistence and degradabilityNot available.12.3. Bioaccumulative potentialNo data available on bioaccumulation.Partition coefficient n-octanol/water (log Kow) 2-pyrrolidoneNo data available on bioaccumulation.Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone-0.85Bioconcentration factor (BCF)Not available.12.4. Mobility in soilNot available.12.5. Results of PBT and vPvB assessmentNot a PBT or vPvB substance or mixture.					Aquatic
degradabilityNo data available on bioaccumulation.12.3. Bioaccumulative potentialNo data available on bioaccumulation.Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone-0.85Bioconcentration factor (BCF)Not available.12.4. Mobility in soilNot available.12.5. Results of PBT and vPvB assessmentNot a PBT or vPvB substance or mixture.	ng/l, 48 Hours	50 - 100 mg/l, 48 l	Daphnia	EC50	Crustacea
potentialPartition coefficient n-octanol/water (log Kow) 2-pyrrolidone-0.85Bioconcentration factor (BCF)Not available.12.4. Mobility in soilNot available.12.5. Results of PBT and vPvB assessmentNot a PBT or vPvB substance or mixture.				Not available.	
n-octanol/water (log Kow) 2-pyrrolidone-0.85Bioconcentration factor (BCF)Not available.12.4. Mobility in soilNot available.12.5. Results of PBT and vPvB assessmentNot a PBT or vPvB substance or mixture.			ble on bioaccumulation.	No data availa	
12.4. Mobility in soilNot available.12.5. Results of PBTNot a PBT or vPvB substance or mixture.and vPvBAddressassessmentAddress			-0.85		n-octanol/water (log Kow)
12.5. Results of PBT Not a PBT or vPvB substance or mixture.and vPvBassessment				Not available.	Bioconcentration factor (BCF)
and vPvB assessment	Not available.		12.4. Mobility in soil		
12.6 Other adverse effects Not available			vPvB substance or mixture.	Not a PBT or v	and vPvB
				Not available.	12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment metho	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/ amended	/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as
Not listed. Regulation (EC) No. 689/ amended	/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as
Not listed. Regulation (EC) No. 689 Not listed.	/2008 concerning the export and import of dangerous chemicals, Annex V as amended
	2006 Annex II Pollutant Release and Transfer Registry
	7/2006, REACH Article 59(1) Candidate List as currently published by ECHA
Not listed. Authorizations	
	(2011 Annoy VIV Sylastances Sylicates Authorization
Not listed.	2011 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907 amended	7/2006, REACH Annex XVII Substances subject to restriction on marketing and use as
AMMONIUM NITRATE (Directive 2004/37/EC: of mutagens at work	AN) (CAS 6484-52-2) n the protection of workers from the risks related to exposure to carcinogens and
Not regulated.	
-	the safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
Directive 96/82/EC (Sev	eso II) on the control of major-accident hazards involving dangerous substances
Not regulated. Directive 98/24/EC on th agents at work	ne protection of the health and safety of workers from the risks related to chemical
Not regulated.	
Directive 94/33/EC on the	ne protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other info	ormation
References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.

classification of mixtureIssue date15-May-2015Revision informationNone.Training informationNot available.

Disclaimer Manufacturer information	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	io inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
I	WB01 English.pdf



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	C6578 Series[M][3]
Registration number	-
Synonyms	None.
Issue date	15-May-2015
Version number	03
Revision date	08-May-2016
Supersedes date	05-Sep-2015
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, Ammonium nitrate, Magnesium nitrate hexahydrate, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water		65-75	7732-18-5 231-791-2	-	-	
Classification:	-					
2-pyrrolidone		< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
Magnesium nitrate hexa	ahydrate	< 7.5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
Ammonium nitrate		< 2.5	6484-52-2 229-347-8	01-2119490981-27-XXXX	-	
Classification:	Skin Irrit. 2	;H315, Eye I	rrit. 2;H319, STOT	SE 3;H335		
nposition comments	This i	nk supply co	ntains an aqueous i	nk formulation.		

SECTION 4: First aid measures

General information	Not available.
4.1. Description of first aid me	asures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	Wear appropriate personal protective equipment.			
For emergency responders	Not available.			
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.			
6.3. Methods and material for containment and cleaning up	Not available.			
6.4. Reference to other sections	Not available.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.			

Keep out of the reach of children. Keep away from excessive heat or cold.

storage, including anyincompatibilities7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.

Derived no-effect level (DNEL)

7.2. Conditions for safe

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Magnesium nitrate hexahydrate (CAS 10377-60-3)	Consumers	Dermal	12.5 mg/kg bw/d	Systemic long term
		Inhalation	10.9 mg/m3	Systemic long term
		Oral	12.5 mg/kg bw/d	Systemic long term
	Workers	Dermal	20.8 mg/kg bw/d	Systemic long term
		Inhalation	36.7 mg/m3	Systemic long term
licted no effect concentrations (PNE	Cs)	Inhalation	36.7 mg/m3	Systemic long term
licted no effect concentrations (PNE Components	Cs) Type	Inhalation Route	36.7 mg/m3 Value	Systemic long term Form
	-		-	
Components	Туре	Route	Value	
Components	Туре	Route Freshwater	Value 0.5 mg/l	Form
Components	Туре	Route Freshwater Intermittant	Value 0.5 mg/l 0.5 mg/l	Form
Components	Туре	Route Freshwater Intermittant Marine water	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg	Form Releases
Components	Туре	Route Freshwater Intermittant Marine water Sediment	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg	Form Releases Freshwater
Components	Туре	Route Freshwater Intermittant Marine water Sediment Soil	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg	Form Releases
Components 2-pyrrolidone (CAS 616-45-5) Magnesium nitrate hexahydrate (CAS	Type Not applicable	Route Freshwater Intermittant Marine water Sediment Soil STP	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Form Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Magnesium nitrate hexahydrate (CAS	Type Not applicable	Route Freshwater Intermittant Marine water Sediment Soil STP Freshwater	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l 0.45 mg/l	Form Releases Freshwater Sewage Treatment Plant

Exposure guidelines

Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering controls	Use in a well ventilated area.
Individual protection measure	es, such as personal protective equipment
General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

Section Stringsical and	
9.1. Information on basic phys	ical and chemical properties
Appearance	Not available.
Physical state	Liquid.
Color	Magenta
Odor	Not available.
Odor threshold	Not available.
рН	6.2 - 6.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	-
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined.
9.2. Other information	
Specific gravity	1 - 1.2
VOC (Weight %)	< 349 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria a	are not met.
Skin corrosion/irritation	Based on available data, the classification criteria a	are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria a	are not met.
Respiratory sensitization	Based on available data, the classification criteria a	are not met.
Skin sensitization	Based on available data, the classification criteria a	are not met.
Germ cell mutagenicity	Based on available data, the classification criteria a	are not met.
Carcinogenicity	Based on available data, the classification criteria a	are not met.
Reproductive toxicity	Based on available data, the classification criteria a	are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria a	are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria a	are not met.
Aspiration hazard	Based on available data, the classification criteria a	are not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Ammonium nitrate (CAS 6484-52-2	2)	
Acute		
Acuto		
Inhalation		
	Rat	> 88.8 mg/l, 4 Hours
Inhalation	Rat	> 88.8 mg/l, 4 Hours
Inhalation LC50	Rat	> 88.8 mg/l, 4 Hours 2217 mg/kg
Inhalation LC50 Oral		

SECTION 12: Ecological information

12.1. Toxicity			
Product		Species	Test Results
Magenta ink			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	< 400 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Ammonium nitrate (CAS 6484	-52-2)		
Aquatic			
Crustacea	EC50	Daphnia	100, 48 Hours
Fish	LC50	Fish	100, 96 Hours
12.2. Persistence and degradability	Not availa	ble.	
12.3. Bioaccumulative potential	No data a	vailable on bioaccumulation.	

Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	-0.85
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.

SECTION 13: Disposal considerations

.

13.1. Waste treatment metho	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

.

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

tional regulations	Not available.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
her information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
her regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS) Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Directive 94/33/EC on the Not regulated.	e protection of young people at work
	e protection of the health and safety of workers from the risks related to chemical
Directive 96/82/EC (Seven Not regulated.	so II) on the control of major-accident hazards involving dangerous substances
her EU regulations	
Not regulated.	
Not regulated. Directive 92/85/EEC: on t are breastfeeding	the safety and health of pregnant workers and workers who have recently given birth or
AMMONIUM NITRATE (A Directive 2004/37/EC: on mutagens at work	N) (CAS 6484-52-2) a the protection of workers from the risks related to exposure to carcinogens and
Regulation (EC) No. 1907, amended	/2006, REACH Annex XVII Substances subject to restriction on marketing and use as
strictions on use	
Regulation (EC) No. 1907 amended AMMONIUM NITRATE (A	N) (CAS 6484-52-2)

Not available.
Not available.
15-May-2015
None.
Not available.
This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.		
Operational conditions			
Maximum duration	Up to 8 hours per day		
Frequency of exposure	< 240 days per year		
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions		
	followed.		
Risk management measures			
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.		
related to Personal Protection			
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.		
Equipment, hygiene and	Wear appropriate chemical resistent clothing.		
health evaluation	In case of inadequate ventilation wear respiratory protection.		
	Eye wash fountain and emergency showers are recommended.		
	Avoid breathing mist/vapours.		
	Avoid contact with skin, eyes and clothing.		
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.		
Good practice advice			
Use personal protective equipme	ent as required.		
Wash hands before breaks and a	after work.		
Keep good industrial hygiene and	d safety practice.		
Use only with adequate ventilati			
Do no eat, drink or smoke when			
Wash contaminated clothing be			
Store at room temperature.			
Environmental measures			
	in intercourse/unitercourselies		
Do not allow this material to dra			
-	ding to Local, State, Federal and Provincial Environmental Regulations.		
	ith appropriately licenced waste contractor.		
Use descriptors			
IS-Use at industrial sites			
PW-Widespread use by profession	onal workers		
SU7-Printing and reproduction n	nedia		
PC18-Inks and Toners			
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.		
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions		
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities		
ERC5-Use at industrial site leading to inclusion into/onto article			
	ERC8c-Widespread use leading to inclusion into/onto article (indoor)		
Additional information on prod			
	s on the label, the classification of the mixture is provided.		
Most of the water based inks are			
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.			
All ingredients contributing to the classification are stated in Section 3 of the SDS.			
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.			
The product may contain sensitizing ingredients that may cause allergic reaction to certain people.			
Section 2 of the SDS states these			
I	WB01 English.pdf		



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name or designation of the mixture	C6578 Series[Y][3]		
Registration number	-		
Synonyms	None.		
Issue date	15-May-2015		
Version number	03		
Revision date	08-May-2016		
Supersedes date	05-Sep-2015		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	Not available.		
Uses advised against	None known.		
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790		
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Eaber according to Regulati	
Contains:	1,5-pentanediol, 2-pyrrolidone, Ammonium nitrate, Magnesium nitrate hexahydrate, naphthalenesulfonate salt #12, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		65-75	7732-18-5 231-791-2	-	-	
Classification:	-					
1,5-pentanediol		<10	111-29-5 203-854-4	01-2119449341-44-XXXX	-	
Classification:	-					
2-pyrrolidone		< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
Magnesium nitrate hexal	nydrate	< 7.5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
naphthalenesulfonate sal	lt #12	< 5	Proprietary	-	-	
Classification:	-		-			
Ammonium nitrate		< 2.5	6484-52-2 229-347-8	01-2119490981-27-XXXX	-	
Classification:	Skin Irrit. 2	;H315, Eye I	rrit. 2;H319, STOT	SE 3;H335		
mposition comments	This i	nk supply co	ntains an aqueous	ink formulation.		
CTION 4: First aid	measure	5				
neral information	Not a	vailable.				
. Description of first aid	d measures	;				
Inhalation	Move	to fresh air.	If symptoms persis	t, get medical attention.		
Skin contact	Wash atten		as thoroughly with	mild soap and water. If irritatio	n persists get me	edical
Eye contact	least	15 minutes o	or until particles are	vith large amounts of clean, war removed. If irritation persists g		
Ingestion	If ing	estion of a la	irge amount does o	ccur, seek medical attention.		
2. Most important nptoms and effects, bo ite and delayed		vailable.				
· · ·						

4.3. Indication of any Not available. immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.

5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

6.1. Personal precautions, protective equipment and emergency procedures For non-emergency Wear appropriate personal protective equipment.

personnel	
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Not available.
6.4. Reference to other sections	Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring	Not available.
procedures	

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Magnesium nitrate hexahydrate (CAS 10377-60-3)	Consumers	Dermal	12.5 mg/kg bw/d	Systemic long term
		Inhalation	10.9 mg/m3	Systemic long term
		Oral	12.5 mg/kg bw/d	Systemic long term
	Workers	Dermal	20.8 mg/kg bw/d	Systemic long term
		Inhalation	36.7 mg/m3	Systemic long term

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

Components		Туре	Route	Value	Form
Magnesium nitrate hexahydrat 10377-60-3)	e (CAS	Not applicable	Freshwater	0.45 mg/l	
			Intermittant	4.5 mg/l	Releases
			Marine water	0.045 mg/l	
			STP	18 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure lir	nits have not been es	tablished for this	product.	
8.2. Exposure controls					
Appropriate engineering controls	Use in a we	ll ventilated area.			
Individual protection measure	s, such as p	ersonal protective of	equipment		
General information	Use persona	al protective equipme	nt to minimize exp	oosure to skin and e	eye.
Eye/face protection	Not availabl	e.			
Skin protection					
- Hand protection	Not availabl	e.			
- Other	Not availabl	e.			
Respiratory protection	Not availabl	e.			
Thermal hazards	Not availabl	e.			
Hygiene measures	Handle in a	ccordance with good i	ndustrial hygiene	and safety practice	
Environmental exposure controls	Not availabl	e.			

SECTION 9: Physical and chemical properties

Jill Information on busic phys	
Appearance	Not available.
Physical state	Liquid.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
рН	6.2 - 6.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined.
9.2. Other information	
Specific gravity	1 - 1.2
VOC (Weight %)	< 340 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
SECTION 11, Toxicologic	and information

SECTION 11: Toxicological information

SECTION 11: Toxicologic	al information		
General information	Not available.		
11.1. Information on toxicolog	ical effects		
Acute toxicity	Based on available data, the classification criteria are	e not met.	
Skin corrosion/irritation	Based on available data, the classification criteria are	e not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are	e not met.	
Respiratory sensitization	Based on available data, the classification criteria are	e not met.	
Skin sensitization	Based on available data, the classification criteria are	e not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are	e not met.	
Carcinogenicity	Based on available data, the classification criteria are	e not met.	
Reproductive toxicity	Based on available data, the classification criteria are	e not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are	e not met.	
Aspiration hazard	Based on available data, the classification criteria are	e not met.	
Components	Species	Test Results	
2-pyrrolidone (CAS 616-45-5)			
Acute			
Oral			
LD50	Guinea pig	6500 mg/kg	
	Rat	6500 mg/kg	
Ammonium nitrate (CAS 6484-52-2	2)		
Acute			
Inhalation			
LC50	Rat	> 88.8 mg/l, 4 Hours	
Oral			
LD50	Rat	2217 mg/kg	
Mixture versus substance information	Not available.		
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		

SECTION 12: Ecological information

	Species	Test Results	
LC50	Fathead minnow (Pimephales promelas)	< 400 mg/l, 96 hours	
	Species	Test Results	
5)			
EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
	5)	LC50 Fathead minnow (Pimephales promelas) Species	LC50 Fathead minnow (Pimephales promelas) < 400 mg/l, 96 hours Species Test Results 5)

Components		Species	Test Results
Ammonium nitrate (CAS 6484-52-2	2)		
Aquatic			
Crustacea	EC50	Daphnia	100, 48 Hours
Fish	LC50	Fish	100, 96 Hours
12.2. Persistence and degradability	Not available	е.	
12.3. Bioaccumulative potential	No data available on bioaccumulation.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available		
12.4. Mobility in soil	Not available	e.	
12.5. Results of PBT and vPvB assessment	Not a PBT o	r vPvB substance or mixtur	e.
12.6. Other adverse effects	Not available	е.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

AMMONIUM NITRATE (AN) (CAS 6484-52-2)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Information on evaluation method leading to the classification of mixture	Not available. Not available.
Issue date	15-May-2015
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	s), where applicable, completes an extended product 3D3.
	Up to 9 hours por day
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilation	
Do no eat, drink or smoke when	
Wash contaminated clothing bef	
Store at room temperature.	
Environmental measures	
Do not allow this material to dra	in into cowors/water supplies
	ding to Local, State, Federal and Provincial Environmental Regulations.
-	vith appropriately licenced waste contractor.
· · ·	th appropriately incenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	
SU7-Printing and reproduction m	
PC18-Inks and Toners	
	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
r NOC2-Chemical production of r	ennery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3- Manufacture or formula condition	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment
	r mixture (charging and discharging) at non-dedicated facilities
	or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leadir	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
=	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
	WB01_English.pd