

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

C6615 Series

designation of the mixture

Registration number

**Synonyms** None.

**Issue date** 01-Apr-2015

Version number 02

**Revision date** 20-Aug-2015 **Supersedes date** 01-Apr-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.Company identificationHP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** 2-pyrrolidone, Carbon black, Isopropyl alcohol, Water

Hazard pictograms None.

Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label

information

Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

**2.3. Other hazards** Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Material name: C6615 Series SDS UK

9235 Version No.: 02 Revision date: 20-Aug-2015 Print date: 20-Aug-2015

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	75-85	7732-18-5 231-791-2	-	-	
Classification:	-				
2-pyrrolidone	<15	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Carbon black	<5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:	-				
Isopropyl alcohol	<2.5	67-63-0 200-661-7	01-2119457558-25-XXXX	603-117-00-0	
Classification:	Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336				

**Composition comments** This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

#### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

and special treatment

needed

Contact with skin and eyes may result in irritation.

**SECTION 5: Firefighting measures** 

Notes No ignition, sustained combustion or flashing detected using the Sustained Combustibility Test

(method in US 49CFR173, Appendix H).

CO2, water, dry chemical, or foam

**General fire hazards** Contact with skin and eyes may result in irritation.

Not available.

5.1. Extinguishing media

Suitable extinguishing

media

None known.

Unsuitable extinguishing

media

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

None established.

Material name: C6615 Series SDS UK

9235 Version No.: 02 Revision date: 20-Aug-2015 Print date: 20-Aug-2015 Special fire fighting

procedures

Not available.

**Specific methods** 

None established.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Not available.

6.2. Environmental

precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Slowly vacuum or sweep the

material into a bag or other sealed container.

Dispose of in compliance with federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

**7.3. Specific end use(s)** Not available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Occupational exposure limits**

#### **UK. EH40 Workplace Exposure Limits (WELs)**

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3.5 mg/m3	
Isopropyl alcohol (CAS 67-63-0)	STEL	1250 mg/m3	
•		500 ppm	
	TWA	999 mg/m3	
		400 ppm	

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

**Derived no-effect level** 

(DNEL)

controls

Not available.

Predicted no effect concentrations (PNECs)

Not available.

**Exposure guidelines** 

Exposure limits have not been established for this product.

8.2. Exposure controls

**Appropriate engineering** 

ice engine

Use in a well ventilated area.

# Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment to minimize exposure to skin and eye.

**Eye/face protection** Not available.

Skin protection

Hand protection Not available.
 Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

Material name: C6615 Series SDS UK

**Environmental exposure** controls

Not available.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

**Physical state** Liquid. Color Black.

Odor Not available. Not available. **Odor threshold** 7.8 - 8.4 pН Melting point/freezing point Not available. Initial boiling point and

boiling range

200 °F (93.33 °C)

Flash point 131.0 - 136.0 °F (55.0 - 57.8 °C)

**Evaporation rate** Not determined Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not available.

Flammability limit -

upper (%)

Not available.

Not determined Vapor pressure

Solubility(ies)

Soluble in water Solubility (water) Solubility (other) Not available. **Partition coefficient** Not determined

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. > 2 cp Viscosity

Not available. **Explosive properties** Not determined Oxidizing properties

9.2. Other information

1 - 1.2 gm/ml **Bulk density** Specific gravity 1 - 1.2 VOC (Weight %) < 116.6 g/l

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

## **SECTION 11: Toxicological information**

Not available. **General information** 

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

**Respiratory sensitization** Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Material name: C6615 Series SDS UK

Version No.: 02 Revision date: 20-Aug-2015 Print date: 20-Aug-2015

# Germ cell mutagenicity Carcinogenicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Components Species Test Results** 2-pyrrolidone (CAS 616-45-5) **Acute** Oral LD50 Guinea pig 6500 mg/kg Rat 6500 mg/kg Carbon black (CAS 1333-86-4) **Acute** Oral LD50 Rat > 8000 mg/kg Isopropyl alcohol (CAS 67-63-0) **Acute** Dermal LD50 Rabbit 12800 mg/kg Oral LD50 Dog 4797 mg/kg Mouse 3600 mg/kg Rabbit 5.03 g/kg Rat 4.7 g/kg Other LD50 Mouse 1509 mg/kg Rat 1099 mg/kg Mixture versus substance Not available. information

Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# **SECTION 12: Ecological information**

**Aquatic toxicity** 

Not expected to be harmful to aquatic organisms.

12.1. Toxicity

**Product Test Results Species** 

C6615 Series (CAS Mixture)

**Aquatic** 

Acute

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

**Components Test Results Species** 

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

Crustacea FC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Material name: C6615 Series SDS UK 9235 Version No.: 02 Revision date: 20-Aug-2015 Print date: 20-Aug-2015

Components Species Test Results

Isopropyl alcohol (CAS 67-63-0)

**Aquatic** 

Fish LC50 Bluegill (Lepomis macrochirus) > 1400 mg/l, 96 hours

Acute

AlgaeEC50Algae> 1000 mg/l, 72 hoursCrustaceaEC50Daphnia13299 mg/l, 48 hoursFishLC50Fathead minnow (Pimephales promelas)9460 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

Not available.

**Partition coefficient** 

n-octanol/water (log Kow)

2-pyrrolidone -0.85 Isopropyl alcohol 0.05

**Bioconcentration factor (BCF)** Not available. **12.4. Mobility in soil** Not available.

12.5. Results of PBT Not a PBT or vF

and vPvB assessment

Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** Not available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Residual waste** Not available.

**Contaminated packaging** No special precautions.

**EU waste code** Not available.

**Disposal** Do not allow this material to drain into sewers/water supplies.

methods/information Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

#### **SECTION 14: Transport information**

#### **D01**

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

# ADR

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous

Goods Regulations Section 3.3.1.3.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Material name: C6615 Series SDS UK

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

**Authorizations** 

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

**Restrictions on use** 

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

#### Other EU regulations

Other regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Isopropyl alcohol (CAS 67-63-0)

Directive 94/33/EC on the protection of young people at work

Not regulated.

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

All chemical substances in this HP product have been notified or are exempt from notification under

China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

> Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments). Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).

**National regulations** 

15.2. Chemical safety

Not available. Not available.

assessment

#### **SECTION 16: Other information**

Not available. References

Material name: C6615 Series SDS UK Information on evaluation method leading to the classification of mixture

Not available.

**Issue date** 01-Apr-2015

**Revision information** None.

**Training information** Not available.

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information HP

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

**NTP** National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

Recommended Exposure Limit **REL** 

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP Toxicity Characteristics Leaching Procedure** 

**TLV** Threshold Limit Value

**TSCA Toxic Substances Control Act** VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: C6615 Series SDS UK 8/8