C9409Series[MB][2]-SDS_UK-English-83.pdf

C9409Series[R][2]-SDS_UK-English-18.pdf



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	-
1.1. Product identifier	
Trade name or	C9409Series[MB][2]
designation of the mixture	
Registration number	-
Synonyms	None.
Issue date	08-Aug-2014
Version number	05
Revision date	03-Aug-2016
Supersedes date	11-Feb-2016
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited
	Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)
	Bracknell, United Kingdom RG12 1HN
	Telephone 44 (0) 879 013 0790
	HP Inc. health effects line
	(Toll-free within the US) 1-800-457-4209
	(Direct) 1-760-710-0048
	HP Inc. Customer Care Line
	(Toll-free within the US) 1-800-474-6836
	(Direct) 1-208-323-2551
	Email: hpcustomer.inquiries@hp.com
	Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Laber according to Regulation	
Contains:	2-pyrrolidone, Glycerol, Modified carbon black 11, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation. Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
2-pyrrolidone	< 15	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Modified carbon black 11	<5	Proprietary	-	-	
Classification:	-				
Glycerol	<2.5	56-81-5 200-289-5	-	-	
Classification:	Eye Irrit. 2;H319				
nposition comments	This ink supply co	ontains an aqueous i	ink formulation.		

SECTION 4: First aid measures

General information	Not available.
4.1. Description of first aid me	asures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	Not available.
SECTION 7: Handling an	d storage
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold.

storage, including any incompatibilities Not available.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

7.2. Conditions for safe

Occupational exposure limits

UK. EH40 Workplace Exp	osure Limits (WELs)			
Components	Туре	Value	Form	
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.	
Biological limit values	No biological exposure limits noted	for the ingredient(s).		
Recommended monitoring procedures	Not available.			

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Predicted no effect concentrat	ions (PNECs)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure limits have not been es	stablished for this	product.	
8.2. Exposure controls				
Appropriate engineering controls	Use in a well ventilated area.			
Individual protection measure	s, such as personal protective	equipment		
General information	Use personal protective equipme	nt to minimize exp	posure to skin and e	ye.
Eye/face protection	Not available.			
Skin protection				
- Hand protection	Not available.			

- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	9.2
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	-
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not determined
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
Specific gravity	1 - 1.1
VOC (Weight %)	< 240 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. hydrogen fluoride, fluorinated hydrocarbons

SECTION 11: Toxicological information

General information	Not available.
11.1. Information on toxicological effects	
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation	Based on avai	able data, the classification criteria are no	t met.	
Respiratory sensitization	Based on available data, the classification criteria are not met.			
Skin sensitization	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity	Based on avai	able data, the classification criteria are no	t met.	
Carcinogenicity	Based on avai	able data, the classification criteria are no	t met.	
	2B) and by the organizations i bound within a	s classified as a carcinogen by the IARC (p e State of California under Proposition 65. indicate that exposure to carbon black, pe a product matrix, specifically, rubber, ink, this preparation.	In their evaluations of carbon black r se, does not occur when it remain	k, both s
Reproductive toxicity	Based on avail	able data, the classification criteria are no	t met.	
Specific target organ toxicity - single exposure	Based on avail	able data, the classification criteria are no	t met.	
Specific target organ toxicity - repeated exposure	Based on avail	lable data, the classification criteria are no	t met.	
Aspiration hazard	Based on avail	able data, the classification criteria are no	t met.	
Components	Species	т	est Results	
2-pyrrolidone (CAS 616-45-5)				
Acute				
Oral				
LD50	Guinea pig	6	500 mg/kg	
	Rat	6	500 mg/kg	
Mixture versus substance information	Not available.			
Other information		city data are not available for this specific on 2 for potential health effects and Sectio		
SECTION 12, Ecological	information			
SECTION 12: Ecological				
Aquatic toxicity	Not expected	to be harmful to aquatic organisms.		
12.1. Toxicity				
Product		Species	Test Results	
C9409Series[MB][2]				
Aquatic				
Acute			750 // 051	
Fish	LC50	Fathead minnow (Pimephales promelas)	•	
Components		Species	Test Results	
2-pyrrolidone (CAS 616-45-5)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
Glycerol (CAS 56-81-5)				
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/l, 96 hours	
12.2. Persistence and degradability	Not available.			
12.3. Bioaccumulative potential	Not available.			
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Glycerol		-0.85 -1.76		
Bioconcentration factor (BCF)	Not available.			
12.4. Mobility in soil	Not available.			
12.5. Results of PBT and vPvB assessment	Not a PBT or v	PvB substance or mixture.		
				SDS UK

SECTION 13: Disposal considerations

13.1. Waste treatment meth	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling o

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: c are breastfeeding	on the safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
Directive 96/82/EC (Se	eveso II) on the control of major-accident hazards involving dangerous substances
Not regulated. Directive 98/24/EC on agents at work	the protection of the health and safety of workers from the risks related to chemical
Not regulated.	the protection of young people at work
Not regulated.	the protection of young people at work
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.

References Information on evaluation method leading to the classification of mixture	Not available. Not available.
Issue date	08-Aug-2014
Revision information	SECTION 15: Regulatory information: Other information
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists		
CAS	Chemical Abstracts Service		
CERCLA	Comprehensive Environmental Response Compensation and Liability Act		
CFR	Code of Federal Regulations		
COC	Cleveland Open Cup		
DOT	Department of Transportation		
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)		
IARC	International Agency for Research on Cancer		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program		
OSHA	Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
RCRA	Resource Conservation and Recovery Act		
REC	Recommended		
REL	Recommended Exposure Limit		
SARA	Superfund Amendments and Reauthorization Act of 1986		
STEL	Short-Term Exposure Limit		
TCLP	Toxicity Characteristics Leaching Procedure		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
VOC	Volatile Organic Compounds		
List of abbreviations	Not available.		

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading		
	io inclusion into/onto article (indoor)	
Additional information on prod		
	s on the label, the classification of the mixture is provided.	
Most of the water based inks are		
	is based on the individuel ingredients and their concentration within the mixture.	
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.	
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	•
1.1. Product identifier	
Trade name or	C9409Series[R][2]
designation of the mixture	
Registration number	-
Synonyms	None.
Issue date	15-Oct-2015
Version number	03
Revision date	03-Aug-2016
Supersedes date	10-Feb-2016
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, Alkyldiol, Diethylene glycol, Trade secret red colorant, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

eneral information Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
Classification: -					
2-pyrrolidone	<15	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Ey	e Irrit. 2;H319				
Diethylene glycol	<7.5	111-46-6 203-872-2	-	603-140-00-6	
Classification: Ac	cute Tox. 4;H302, ST0	OT RE 2;H373			
Alkyldiol	<5	Proprietary -	01-2119987321-35-XXXX	-	
Classification: Ey	e Irrit. 2;H319				
Trade secret red colorant	<1	Proprietary	-	-	
Classification: -					
omposition comments		ontains an aqueous	ink formulation.		
SECTION 4: First aid mo					
eneral information	Not available.				
1. Description of first aid m Inhalation		If cymptoms persis	t, get medical attention.		
Skin contact			mild soap and water. If irritation	on persists get me	dical
Eye contact			vith large amounts of clean, wa removed. If irritation persists		
Ingestion	If material is inge	sted, immediately c	ontact a physician or poison co	ontrol center.	
.2. Most important ymptoms and effects, both cute and delayed	Not available.				
.3. Indication of any mmediate medical attention nd special treatment eeded	Not available.				
SECTION 5: Firefighting	g measures				
eneral fire hazards	Not available.				
.1. Extinguishing media Suitable extinguishing media	CO2, water, dry c	hemical, or foam			
Unsuitable extinguishing media	None known.				
2.2. Special hazards arising rom the substance or nixture	Not available.				
.3. Advice for firefighters	Not available				

Special protective Not available. equipment for firefighters

Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, prot	ective equipment and emergency procedures			
For non-emergency personnel	Wear appropriate personal protective equipment.			
For emergency responders	Not available.			
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.			
6.3. Methods and material for containment and cleaning up	Not available.			
6.4. Reference to other sections	Not available.			
SECTION 7: Handling and	d storage			

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)			
Components	Туре	Value	
Diethylene glycol (CAS 111-46-6)	TWA	101 mg/m3	
		23 ppm	

Biological limit values Recommended monitoring

No biological exposure limits noted for the ingredient(s). Not available.

procedures

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short tern
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Alkyldiol (CAS Proprietary)	Worker	Inhalation	123 mg/m3	Systemic long term
Diethylene glycol (CAS 111-46-6)	Consumers	Dermal	53 mg/kg	Systemic long term
		Inhalation	12 mg/m3	Local long term
	Workers	Dermal	106 mg/kg	Systemic long term
		Inhalation	60 mg/m3	Local long term
edicted no effect concentrations (PN	IECs)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

10 mg/l

Components	Туре	Route	Value	Form
		Intermittant	10 mg/l	Releases
		Marine water	1 mg/l	
		Sediment	20.9 mg/kg	Freshwater
		Soil	1.53 mg/kg	
		STP	199.5 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure limits have not been esta	ablished for this	product.	
8.2. Exposure controls				
Appropriate engineering controls	Use in a well ventilated area.			
Individual protection measure	es, such as personal protective e	quipment		
General information	Use personal protective equipment	t to minimize exp	osure to skin and e	ye.
Eye/face protection	Not available.			
Skin protection				
- Hand protection	Not available.			
- Other	Not available.			
Respiratory protection	Not available.			
Thermal hazards	Not available.			
Hygiene measures	Handle in accordance with good in	dustrial hygiene	and safety practice.	
Environmental exposure controls	Not available.			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Not available.
Color	Red
Odor	Not available.
Odor threshold	Not available.
рН	9.2
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 230.0 °F (> 110.0 °C) Setaflash Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not determined
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC (Weight %)	219.2 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen fluoride, fluorinated hydrocarbons

SECTION 11: Toxicological information

SECTION II. TOXICOlogic		
General information	Not available.	
11.1. Information on toxicolog	gical effects	
Acute toxicity	Based on available data, the classification criteria ar	re not met.
Skin corrosion/irritation	Based on available data, the classification criteria an	re not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria ar	re not met.
Respiratory sensitization	Based on available data, the classification criteria ar	re not met.
Skin sensitization	Based on available data, the classification criteria ar	re not met.
Germ cell mutagenicity	Based on available data, the classification criteria ar	re not met.
Carcinogenicity	Based on available data, the classification criteria ar	re not met.
Reproductive toxicity	Based on available data, the classification criteria ar	re not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria ar	re not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria ar	re not met.
Aspiration hazard	Based on available data, the classification criteria ar	re not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5) Acute		
Oral	Cuince nig	
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Diethylene glycol (CAS 111-46-6)		
Acute		
<i>Dermal</i> LD50	Rabbit	11890 mg/kg
	Nabbit	11050 mg/kg
<i>Oral</i> LD50	Cat	3300 mg/kg
2000		9000 mg/kg
	Dog Cuince nig	
	Guinea pig	8700 mg/kg
	Mouse	13.3 g/kg
	Rabbit	26.9 g/kg
	Rat	12565 mg/kg
Other		
LD50	Mouse	9.6 g/kg
	Rabbit	2000 mg/kg
	Rat	7700 mg/kg
		7.7 g/kg
Mixture versus substance information	Not available.	
Other information	Complete toxicity data are not available for this spe	cific formulation

12.1. Toxicity			
Product		Species	Test Results
C9409Series[R][2]			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
omponents		Species	Test Results
pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
ethylene glycol (CAS 111-46-6)			
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	> 32000 mg/l, 96 hours
2.2. Persistence and egradability	Not available.		
3. Bioaccumulative tential	Not available.		
tition coefficient octanol/water (log Kow)			
2-pyrrolidone		-0.85	
concentration factor (BCF)	Not available.		
4. Mobility in soil	Not available.		
5. Results of PBT d vPvB sessment	Not a PBT or v	PvB substance or mixture.	
6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed. Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed. Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed. Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed. Authorizations Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization Not listed. **Restrictions on use** Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed. Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work Not regulated. Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding Not regulated. **Other EU regulations** Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Diethylene glycol (CAS 111-46-6) Directive 94/33/EC on the protection of young people at work Not regulated. Other regulations All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments). National regulations Not available. 15.2. Chemical safety See attached SUMI or GEIS document, if applicable. assessment

SECTION 16: Other information

References

Not available.

Information on evaluation method leading to the classification of mixture	Not available.
Issue date	15-Oct-2015
Revision information	SECTION 15: Regulatory information: Other information
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	s), where applicable, completes an extended product 3D3.		
	Up to 9 hours por day		
Maximum duration	Up to 8 hours per day		
Frequency of exposure	< 240 days per year		
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions		
	followed.		
Risk management measures			
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.		
related to Personal Protection	Wear appropriate chemical resistent gloves: see section 8 of the SDS.		
Equipment, hygiene and	Wear appropriate chemical resistent clothing.		
health evaluation	In case of inadequate ventilation wear respiratory protection.		
	Eye wash fountain and emergency showers are recommended.		
	Avoid breathing mist/vapours.		
	Avoid contact with skin, eyes and clothing.		
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.		
Good practice advice			
Use personal protective equipme	ent as required.		
Wash hands before breaks and a			
Keep good industrial hygiene and	d safety practice.		
Use only with adequate ventilation			
Do no eat, drink or smoke when			
Wash contaminated clothing bef			
Store at room temperature.			
Environmental measures			
Do not allow this material to dra	in into sowors /water supplies		
	ding to Local, State, Federal and Provincial Environmental Regulations.		
-	rith appropriately licenced waste contractor.		
· · ·	In appropriately incented waste contractor.		
Use descriptors			
IS-Use at industrial sites			
PW-Widespread use by profession			
SU7-Printing and reproduction m	IEUId		
PC18-Inks and Toners			
PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions			
r NOC2-Chemical production of r	ennery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions		
PROC3- Manufacture or formula condition	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment		
	r mixture (charging and discharging) at non-dedicated facilities		
	r mixture (charging and discharging) at dedicated facilities		
ERC5-Use at industrial site leadir			
	io inclusion into/onto article (indoor)		
Additional information on prod			
	s on the label, the classification of the mixture is provided.		
Most of the water based inks are			
	is based on the individuel ingredients and their concentration within the mixture.		
	ne classification are stated in Section 3 of the SDS.		
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.			
	zing ingredients that may cause allergic reaction to certain people.		
Section 2 of the SDS states these			
	WB01_English.pd		