

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or	C9413Series
designation of the mixture	C94155enes
Registration number	-
Synonyms	None.
Issue date	10-Mar-2015
Version number	04
Revision date	26-Jul-2016
Supersedes date	22-May-2016
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, Alkyldiol, Carbon black, Diethylene glycol, Glycerol, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
2-pyrrolidone	<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Alkyldiol	<5	Proprietary	01-2119987321-35-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Diethylene glycol	<5	111-46-6 203-872-2	-	603-140-00-6	
Classification:	Acute Tox. 4;H302, STC	DT RE 2;H373			
Glycerol	<5	56-81-5 200-289-5	-	-	
Classification:	Eye Irrit. 2;H319				
Carbon black	<2.5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:	-				
omposition comments	This ink supply co	ntains an aqueous i	ink formulation.		
	Carbon black is p	esent only in a bou	nd form in this preparation.		
ECTION 4: First aid n	neasures				
eneral information	Not available.				
1. Description of first aid		<b>.</b>			
Inhalation			t, get medical attention.		
Skin contact Eye contact	attention.		mild soap and water. If irritation		
Lye contact			removed. If irritation persists		
Ingestion	If material is inge	sted, immediately c	ontact a physician or poison co	ntrol center.	
2. Most important mptoms and effects, botl cute and delayed	Not available. h				
3. Indication of any mediate medical attention of special treatment meded	Not available. on				
ECTION 5: Firefightin	ng measures				
eneral fire hazards	Not available.				
1. Extinguishing media					
Suitable extinguishing	CO2, water, dry c	hemical, or foam			

5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.
SECTION 6: Accidental re	elease measures
6.1. Personal precautions, prot	tective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Not available.
6.4. Reference to other sections	Not available.
SECTION 7: Handling and	l storage
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.

#### 7.3. Specific end use(s) Not available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Occupational exposure limits**

UK. EH40 Workplace Exposu	re Limits (WELs)
---------------------------	------------------

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
2	TWA	3.5 mg/m3	
Diethylene glycol (CAS 111-46-6)	TWA	101 mg/m3	
-		23 ppm	
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
logical limit values	No biological exposure limits noted	for the ingredient(s).	
commended monitoring	Not available.		

**Recommended monitoring** 

procedures

## Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Alkyldiol (CAS Proprietary)	Worker	Inhalation	123 mg/m3	Systemic long term
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term

Components		Туре	Route	Value	Form
			Inhalation	1 mg/m3	Systemic long term
Diethylene glycol (CAS 111-46-6)		Consumers	Dermal	53 mg/kg	Systemic long term
			Inhalation	12 mg/m3	Local long term
		Workers	Dermal	106 mg/kg	Systemic long term
			Inhalation	60 mg/m3	Local long term
Predicted no effect concentra	tions (PNECs	;)			
Components	•	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5	)	Not applicable	Freshwater	0.5 mg/l	
			Intermittant	0.5 mg/l	Releases
			Marine water	0.05 mg/l	
			Sediment	0.4205 mg/kg	Freshwater
			Soil	0.0612 mg/kg	
			STP	10 mg/l	Sewage Treatment Plant
Carbon black (CAS 1333-86-	4)	Not applicable	Freshwater	5 mg/l	
			Marine water	5 mg/l	
Diethylene glycol (CAS 111-4	6-6)	Not applicable	Freshwater	10 mg/l	
			Intermittant	10 mg/l	Releases
			Marine water	1 mg/l	
			Sediment	20.9 mg/kg	Freshwater
			Soil	1.53 mg/kg	
			STP	199.5 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure lir	nits have not been es	stablished for this	product.	
8.2. Exposure controls					
Appropriate engineering controls	Use in a well ventilated area.				
Individual protection measur	es, such as p	ersonal protective	equipment		
General information	Use persona	al protective equipme	ent to minimize exp	posure to skin and	eye.
Eye/face protection	Not require	d under intended use			
Skin protection					
- Hand protection	Not availabl	e.			
- Other	Protected g	loves not required un	der intended use.		
Respiratory protection	For use other than intended use (such as in the event of a large spill), goggles and respirators may be required.				
Thermal hazards	Not available.				
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.			е.	
Environmental exposure controls	Not availabl	e.			

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	9.3
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	200.0 °F (93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined

Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not determined
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
Specific gravity	1 - 1.1
VOC (Weight %)	< 192 g/L

## **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen fluoride, fluorinated hydrocarbons

## **SECTION 11:** Toxicological information

General informationNot available.11.1. Information on toxicological effects

-		
Acute toxicity	Based on available data, the classification criteria	are not met.
Skin corrosion/irritation	Based on available data, the classification criteria	are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria	are not met.
Respiratory sensitization	Based on available data, the classification criteria	are not met.
Skin sensitization	Based on available data, the classification criteria	are not met.
Germ cell mutagenicity	Based on available data, the classification criteria	are not met.
Carcinogenicity	Based on available data, the classification criteria	are not met.
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Carbon black (CAS 1333-	86-4) 2B Possibly carcin	ogenic to humans.
Reproductive toxicity	Based on available data, the classification criteria	are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria	are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria	are not met.
Aspiration hazard	Based on available data, the classification criteria	are not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg

Product       Species       Test Results         C9413Series       Aquatic       Acute       Species       Species <th>Components</th> <th>Species</th> <th>T</th> <th>est Results</th>	Components	Species	T	est Results
Ora/ L050     Rat     > 8000 mg/kg       Diethylene glycol (OXS 111-64-6)	Carbon black (CAS 1333-86-4)			
LD50Rat> 8000 mg/kgDetryieve glycol (CAS 111-66-5)-Acte-Dermal-LD50Rabbi11890 mg/kgOral-3300 mg/kgOral-3000 mg/kgOral-6000 mg/kgOral-8000 mg/kgOral-8700 mg/kgOral-8700 mg/kgOral-8700 mg/kgMouse-8700 mg/kgOtherRabbi26.9 g/kgCoher-9.6 g/kgAbbi-9.6 g/kgRabbi-7700 mg/kgDoto mg/kgRabbi-Doto mg/kgRabbi-Complete toxicity data are not available for this specific formulationSECTEVN 12: Ecological informationComplete toxicity data are not available for this specific formulationSECTEVN 12: Ecological informationSpeciesTest ResultsComponentsSpeciesTest ResultsAquaticAquaticSpecies13.21 mg/l, 96 hoursAquaticSpecies13.21 mg/l, 96 hoursCorustaceaEC50Water fiea (Daphnia pulex)> 32000 mg/l, 96 hoursDittyieve glycol (CAS 511-146-5)SpeciesSitol - 57000 mg/l, 96 hours12.2. Persistence and degradabilityNet availableFishLS0Rainbow trout, donaktion trout.Sitol - 57000 mg/l, 96 hours12.2. Persistence and degradabilityNet availableAquaticNet available <td>Acute</td> <td></td> <td></td> <td></td>	Acute			
Dethylene glycol (CAS 111-46-6) Acute Derma/ LDS0 Rabbit DS0 Rabbit Coa Coa Dog 9000 mg/kg Cob Goinea pig Cob Rabbit Cob				"
Acute       Jermal       11890 mg/kg         Defs       Rabbit       11890 mg/kg         D50       Cat       3300 mg/kg         D50       Cat       9000 mg/kg         Guinea pig       8700 mg/kg         Mouse       13.3 g/kg         Rabbit       26.9 g/kg         Rabbit       26.9 g/kg         Cother       1255 mg/kg         LD50       Rabbit       2000 mg/kg         Cother       1255 mg/kg         LD50       Rabbit       2000 mg/kg         Rat       7000 mg/kg         Rat       5000 mg/kg         Section 12 Ecological       Economical         Section 12 Ecological       Economical         Section 12 Ecological       Species       Test Results         Cautacea       ECS       Species       Test Results         Cautacea       ECS       Water filea (Daphnia pulex)       13.21 mg/l, 48 hours			>	8000 mg/kg
Derma/       LD50       Rabit       I1890 mg/kg         LD50       Cat       3300 mg/kg         LD50       Cat       3300 mg/kg         LD50       Cat       3300 mg/kg         Guinea pig       8700 mg/kg       8700 mg/kg         Mouse       13.3 g/kg1       69 g/kg         Rabit       26.9 g/kg       8700 mg/kg         Rabit       2000 mg/kg       88 g/kg         Rabit       Complete toxicity data are not available for this specific formulatior         Species         Test Results         Species         Aquatic       Acute         Rish       LC50       Fathead minnow (Pimephales promelas)       > 750 mg/l, 96 hours         Carusacea       EC50       Water flea (Daphnia pulex)       3.21 mg/l, 48 hours         Species       Test Results         <				
LD50 Rabbit I1890 mg/kg Ord/ LD50 Cat 300 mg/kg Dog 9000 mg/kg Guinea pig 8700 mg/kg Rabbit 205 g/kg Rabbit 205 mg/kg Cdher LD50 Mouse 9,6 g/kg Rabbit 2000 mg/kg Rabbit 2000 mg/kg Rabit 2000 mg/kg Rabbit 2000				
Ora/ LD50     Cat     3300 mg/kg       Dog     9000 mg/kg       Guinea pig     8700 mg/kg       Mouse     13.3 g/kg       Rabbit     26.9 g/kg       Rat     12565 mg/kg       Other     12565 mg/kg       LD50     Mouse     9.6 g/kg       Rabbit     2000 mg/kg       Rat     12565 mg/kg       Adubit     2000 mg/kg       Rat     7.7 g/kg       Mixture versus substance     Not available.       Information     Complete toxicity data are not available for this specific formulator       SECTION 12: Ecological information       Test Results       Complete toxicity data are not available for this specific formulator       Section 12: Ecological information       Complete toxicity data are not available for this specific formulator       Section 12: Ecological information       Test Results       Components       Aquatic     Species       Aquatic     Test Results       Crustacea     EC50       Aquatic     Species       Fish     LC50       Rainbow trout,donaidson trout (Oncorhynchus mykiss)     51000 - 57000 mg/l, 96 hours       Close Si-81-5)     Aquatic       Fish     LC50		Rabbit	1.	1890 ma/ka
LD50 Cat 3300 mg/kg 9000 mg/kg 6uinea pig 6700 mg/kg 700		Rubbic	1.	1050 mg/kg
Dog     9000 mg/kg       Guinea pig     8700 mg/kg       Mouse     13.3 g/kg       Rabbit     26.9 g/kg       Rat     12565 mg/kg       Other     1250       LDS0     Mouse     9.6 g/kg       Rat     2000 mg/kg       Rat     2000 mg/kg       Rat     700 mg/kg       Rat     5pecies       Aquatic     Species       Guinea pige <td></td> <td>Cat</td> <td>3:</td> <td>300 ma/ka</td>		Cat	3:	300 ma/ka
Guinea pig Guinea pig 3700 mg/kg Mouse 1.3.3 g/kg Rabbit 26.9 g/kg Rabbit 26.9 g/kg Rabbit 26.9 g/kg Rabbit 2000 mg/kg Rabbit 2000 mg/kg Ra				
Mouse     13.3 g/kg       Rabbit     26.9 g/kg       Rabbit     26.9 g/kg       Rabbit     12565 mg/kg       Mouse     9.6 g/kg       Rabbit     2000 mg/kg       Rat     2000 mg/kg       Rat     7700 mg/kg       .7.7 g/kg     7/kg		-		
Rabit     26.9 g/kg <i>Other</i> 12565 mg/kg       LD50     Mouse     96 g/kg       Rabit     2000 mg/kg       Rabit     2000 mg/kg       Rat     770 0 mg/kg       Rat     770 0 mg/kg       Not available.     7.7 g/kg       Sectors result of this specific formulation       Species       Test Results       Species       Aquatic       Acute     Species       Fish     LC50       Fathead minnow (Pimephales promelas)       > 750 mg/l, 96 hours       Components       Species       Test Results       Test Results       Species       Test Results       Species       Test Results       Components       Species       Test Results       Species       Test Results       Components       Aquatic       Crust acea     EC50     Water flea (Daphnia pulex)     13.21 mg/l, 48 hours       Species     Test Results     Species     Species       Species <td></td> <td></td> <td></td> <td></td>				
Rat       12565 mg/kg         Other       Mouse       9.6 g/kg         LD50       Mouse       2000 mg/kg         Rabbit       2000 mg/kg       7.7 g/kg         Rat       Complete toxicity data are not available for this spectformulation       7.7 g/kg         Other information       Complete toxicity data are not available for this spectformulation       Sectron         SECTION 12: Ecological information       Species       Test Results         Components       Species       Test Results         Aquatic       Species       Test Results         Product       Species       Test Results         Components       Species       Test Results         2-pyrrolidone (CAS 616-645-5):       Aquatic       Species       Test Results         Aquatic       Crustacea       EC50       Water flea (Daphnia pulex)       > 32000 mg/l, 96 hours         Storecol (CAS 516-61-5):       Aquatic       Species       Species       Species         Aquatic       Crustacea       EC50       Water flea (Daphnia pulex)       > 32000 mg/l, 96 hours         Storecol (CAS 56-61-5):       Aquatic       Species       Species       Species         Fish       LC50       Rainbow trout, donaldson trout (Oncorhynchus mykiss)       > 3200				
Other       LD50       Mouse       9.6 g/kg         LD50       Rabbit       2000 mg/kg         Rat       7700 mg/kg         Rat       7700 mg/kg         7.7 g/kg       Not available.         Noter versus substance       Not available.         Information       Complete toxicity data are not available for this specific formulation         SECTION 12: Ecological information       Complete toxicity data are not available for this specific formulation         SECTION 12: Ecological information       Species       Test Results         C3413Series       Aquatic       Acute         Acute       Fish       LC50       Fathead minnow (Pimephales promelas)       > 750 mg/l, 96 hours         Components       Species       Test Results       2000 mg/l, 96 hours         Components       Species       Test Results         2-pyrrolidone (CAS 616-45-5)       Aquatic       Test Results         Aquatic       Fish       LC50       Water flea (Daphnia pulex)       13.21 mg/l, 48 hours         Diethylene glycol (CAS 111-46-6)       Aquatic       Fish       LC50       Rainbow trout, donaldson trout (Oncorrhynchus mykiss)       51000 - 57000 mg/l, 96 hours         Slycerol (CAS 56-81-5)       Aquatic       Fish       LC50       Rainbow trout, donaldson				
LD50       Mouse       9.6 g/kg         Rabbit       2000 mg/kg         Rat       7700 mg/kg         7.7 g/kg       7.7 g/kg         Mixture versus substance mformation       Not available.         Dther information       Complete toxicity data are not available for this specific formulation         SECTION 12: Ecological information       Species         SECTION 12: Ecological information       Species         Aquatic       Acute         Fish       LC50         Fish       LC50         Consponents       Species         Aquatic       Crustacea         Aquatic       Ecological information         Fish       LC50       Rainbow trout, donaldson trout (Oncorhynchus mykiss)       > 32000 mg/l, 96 hours         Slogeradollity       Not available.       Site information       Site information         Aquatic       Ecological information       Site information       Site information         Aquatic       Not available.       Site information       Site informating information	<i>011</i>	Ral	1.	2000 1119/169
Rabbit     200 mg/kg       Rat     7700 mg/kg       .7.7 g/kg     .7.7 g/kg   Mixture versus substance information       Complete toxicity data are not available for this specific formulation   SECTION 12: Ecological information Complete toxicity data are not available for this specific formulation       SECTION 12: Ecological information   Complete toxicity data are not available for this specific formulation       SECTION 12: Ecological information   Complete toxicity data are not available for this specific formulation       SECTION 12: Ecological information   Complete toxicity data are not available for this specific formulation       SECTION 12: Ecological information   Complete toxicity data are not available for this specific formulation       Section 11: Formation   Components       Aquatic       Acute       Fish     LC50       Fish     LC50   Valuatic       Crustacea     EC50   Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours Glycenol (CAS 56-81-5) Aquatic Fish LC50 Rainbow trout,donaldson trout (Oncorrhynchus mykiss) 12.2. Persistence and Not available. Loss Fortion coefficient Protion coefficient Protion coefficient Proton coeffi		Mouro	0	6 alka
Rat     7700 mg/kg 7.7 g/kg       Mixture versus substance information     Not available.       Other information     Complete toxicity data are not available for this specific formulation       SECTION 12: Ecological information     Complete toxicity data are not available for this specific formulation       SECTION 12: Ecological information     Species       Product     Species       Aquatic Acute     Fish       LC50     Fathead minnow (Pimephales promelas)       Province     Species       Components     Species       Prish     LC50       Aquatic Acute     Fish       Crustacea     EC50       Water flea (Daphnia pulex)     13.21 mg/l, 48 hours       Diethylene glycol (CAS 111-46-6)     Aquatic       Aquatic     Fish       Fish     LC50       Rinbow trout,donaldson trout (Oncorhynchus mykiss)     51000 - 57000 mg/l, 96 hours       Silycerica (CAS 56-81-5)     Aquatic Concorhynchus mykiss)       Aquatic     Fish     LC50       Fish     LC50     Rainbow trout,donaldson trout (Oncorhynchus mykiss)       12.2. Persistence and degradability     Not available.       Partition coefficient m-octanol/water (log Kow)     -0.85 Glycerol       2pyrrolidone     -0.85 Glycerol	LDJU			
Tixture versus substance information       Not available.         Dther information       Complete toxicity data are not available for this specific formulation         SECTION 12: Ecological information         Species         Test Results         Species         Aquatic       Acute         Fish       LC50       Fathead minnow (Pimephales promelas)       > 750 mg/l, 96 hours         Components       Species       Test Results         Components       Species       Test Results         Components       Species       Test Results         Components       Species       Test Results         2-pyrrolidome (CAS 616-45-5)       Aquatic       Test Results       Crustacea       EC50       Water flea (Daphnia pulex)       13.21 mg/l, 48 hours         Diethylene glycol (CAS 111-46-6)         Aquatic       Fish       LC50       Rainbow trout, donaldson trout (Oncorhynchus mykiss)       > 32000 mg/l, 96 hours         Slycerol (CAS 56-81-5)       Aquatic       Internet were were were were were were were we				
Mixture versus substance information       Not available.         Other information       Complete toxicity data are not available for this specific formulatior         SECTION 12: Ecological information       Species       Test Results         Status       Aquatic       Acuate       Fish       LC50       Fathead minnow (Pimephales promelas)       > 750 mg/l, 96 hours         Components       Species       Test Results         Courstacea       EC50       Water flea (Daphnia pulex)       13.21 mg/l, 48 hours         Diethylene glycol (CAS 111-46-6)       Aquatic       Status       Status         Fish       LC50       Western mosquitofish (Gambusia affinis)       > 32000 mg/l, 96 hours         Glycerol (CAS 56-81-5)       Aquatic       Status       Status       Status         Aquatic       Not available.       Not available.       Status       Status         Colocorthynchus mykiss)       Not available.       Status       Status       Status         Aquatic       Not available.       Not available.       Stat		Rat		
information Other information Complete toxicity data are not available for this specific formulation SECTION 12: Ecological information I2.1. Toxicity Product Second Secon			7.	.7 g/kg
Other information       Complete toxicity data are not available for this specific formulation         SECTION 12: Ecological information       Species         Product       Species         C3913Series       Test Results         C3913Series       Species         Aquatic       Acuate         Fish       LC50         Components       Species         Components       Species         Aquatic       Constacea         Crustacea       EC50         Maquatic       Kates (Daphnia pulex)         Crustacea       EC50         Aquatic       Kates (Daphnia pulex)         Cistacea       EC50         Aquatic       Kates (Daphnia pulex)         Fish       LC50         Aquatic       Kates (Daphnia pulex)         Fish       LC50         Maguatic       Species         Fish       LC50         Rainbow trout, donaldson trout       Species         C12.2. Persistence and degradability       Not available.         L2.3. Bioaccumulative       Not available.         Acuatic       Not available.         Cayronolicone       -0.85         Cistacea       Species         Acuatic		Not available.		
SECTION 12: Ecological information 12.1. Toxicity Product Species Test Results C39413Series Aquatic Acute Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours Components Species Test Results 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours Diethylene glycol (CAS 111-46-6) Aquatic Fish LC50 Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours Slycerol (CAS 56-81-5) Aquatic Fish LC50 Rainbow trout, donaldson trout Slycerol (CAS 56-81-5) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 12.2. Persistence and Not available. degradability 12.3. Bioaccumulative Not available. degradability Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone (-0.85 Glycerol -1.76 Bioconcentration factor (BCF) Not available.		Complete tevi	sit, data are not available for this energies	formulation
Aquatic       Aquatic       Acute       Fish       LC50       Fathead minnow (Pimephales promelas)       > 750 mg/l, 96 hours         Components       Species       Test Results         Components       Species       Test Results         Components       Species       Test Results         Aquatic       Aquatic       > 750 mg/l, 96 hours         Components       Species       Test Results         Components       Species       Test Results         Components       Species       Test Results         Components       Coso       Species       Test Results         Components       EC50       Water flea (Daphnia pulex)       13.21 mg/l, 48 hours         Diethylene glycol (CAS 111-46-6)       Western mosquitofish (Gambusia affinis)       > 32000 mg/l, 96 hours         Aquatic       Rainbow trout, donaldson trout (Oncorhynchus mykiss)       Silou - 57000 mg/l, 96 hours         Silou - Solo - Sol	other mormation	Complete toxic		
Aquatic       Acute         Fish       LC50       Fathead minnow (Pimephales prome)a       > 750 mg/l, 96 hours         Comports       Species       Test Results         Comports       Species       Test Results         Courstacea       EC50       Water flea (Daphnia pulex)       13.21 mg/l, 48 hours         Diethylerus       Fish       LC50       Western mosquitofish (Gambusia affinis)       > 32000 mg/l, 96 hours         Aquatic       K       K       K       Species       Species         Aquatic       K       K       Species       Species         Aquatic       K       K       Species       Species         Fish       LC50       Mestern mosquitofish (Gambusia affinis)       > 32000 mg/l, 96 hours         Glycerol       Kot available:       Concorhynchus mykiss'       Species       Species         12.1. Proficient       Not available:       Species       Species       Species         Aguatic       Not available:       Species       Species       Species         Aguatic       Not available:       Species       Species       Species         Aguatic       Species       Species       Species       Species         Aguatic       Species	-	information		
Acute       Fish       LC50       Fathead minnow (Pimephales promelas)       > 750 mg/l, 96 hours         Comporents       Species       Test Results         2-pyrrolidone (CAS 616-45-5)       Aquatic       IS.21 mg/l, 48 hours         Crustacea       EC50       Water flea (Daphnia pulex)       13.21 mg/l, 48 hours         Diethylene glycol (CAS 111-46-6)       Kaquatic       Source (CAS 56-81-5)         Aquatic       Kaquatic       Source (CAS 56-81-5)         Aquatic       Kapatic       Source (CAS 56-81-5)         Agatic       Kapatic	12.1. Toxicity Product	information		Test Results
FishLC50Fathead minnow (Pimephales promeles)> 750 mg/l, 96 hoursComporentsSpeciesTest Results2-pyrrolidone (CAS 616-45-5)Aquatic CrustaceaI.3.21 mg/l, 48 hoursAquatic FishLC50Water flea (Daphnia pulex)13.21 mg/l, 96 hoursDiethylene glycol (CAS 111-46-6)LC50Western mosquitofish (Gambusia affinis)> 32000 mg/l, 96 hoursAquatic FishLC50Rainbow trout, donaldson trout (Oncorhynchus mykiss)51000 - 57000 mg/l, 96 hoursAquatic FishLC50Rainbow trout, donaldson trout (Oncorhynchus mykiss)51000 - 57000 mg/l, 96 hours12.2. Persistence and degradabilityNot available13.3. Bioaccumulative potentialNot availablePartition coefficient noctanol/water (log Kow) 2-pyrrolidone Glycerol2-pyrrolidone Glycerol-0.85 -1.76Bioconcentration factor (BCF)Not available	<b>12.1. Toxicity</b> Product C9413Series	information		Test Results
Components       Species       Test Results         2-pyrrolidone (CAS 616-45-5)       Aquatic       Image: Crustacea       EC50       Water flea (Daphnia pulex)       13.21 mg/l, 48 hours         Diethylene glycol (CAS 111-46-6)       Aquatic       Image: Crustacea       EC50       Western mosquitofish (Gambusia affinis)       > 32000 mg/l, 96 hours         Glycerol (CAS 56-81-5)       Aquatic       Image: Crustacea       Image: Crustacea       Image: Crustacea       Status         Aquatic       Fish       LC50       Rainbow trout, donaldson trout (Oncorhynchus mykiss)       S1000 - 57000 mg/l, 96 hours         12.2. Persistence and degradability       Not available.       Image: Crustacea       Ima	12.1. Toxicity Product C9413Series Aquatic	information		Test Results
2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours Diethylene glycol (CAS 111-46-6) Aquatic Fish LC50 Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours Glycerol (CAS 56-81-5) Aquatic Fish LC50 Rainbow trout,donaldson trout 51000 - 57000 mg/l, 96 hours (Oncorhynchus mykiss) 12.2. Persistence and Not available. degradability 12.3. Bioaccumulative Not available. potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone -0.85 Glycerol -1.76 Bioconcentration factor (BCF) Not available.	12.1. Toxicity Product C9413Series Aquatic Acute		Species	
AquaticImage: CrustaceaEC50Water flea (Daphnia pulex)13.21 mg/l, 48 hoursDiethylene glycol (CAS 111-46-6)AquaticSalve and the second secon	12.1. Toxicity Product C9413Series Aquatic Acute Fish		Species Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
CrustaceaEC50Water flea (Daphnia pulex)13.21 mg/l, 48 hoursDiethylereAquaticKaquaticSolon mg/l, 96 hoursFishLC50Western mosquitofish (Gambusia affinis)> 32000 mg/l, 96 hoursGlycerol (CAS 56-81-5)AquaticKaquaticSolon mg/l, 96 hoursAquaticKaquaticKainbow trout, donaldson troutSolon 57000 mg/l, 96 hoursFishLC50Rainbow trout, donaldson trout (Oncorhynchus mykiss)Solon - 57000 mg/l, 96 hours12.2. Persistence and degrad⇒bilityNot available.Solon - 57000 mg/l, 96 hours12.3. Bio-ccumulative potentialNot available.Solon - 57000 mg/l, 96 hoursPartition coefficient n-octa-bi/water (log Kow) 2-pyrrolidone GlycerolNot available.Solon - 57000 mg/l, 96 hoursBioconcentration factor (BCF)Not available.Solon - 57000 mg/l, 96 hoursSolon - 57000 mg/l, 96 hours	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components		Species Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Diethylene glycol (CAS 111-46-6) Aquatic Fish LC50 Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours Glycerol (CAS 56-81-5) Aquatic Fish LC50 Rainbow trout,donaldson trout 51000 - 57000 mg/l, 96 hours (Oncorhynchus mykiss) 12.2. Persistence and Not available. degradability 12.3. Bioaccumulative Not available. potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone -0.85 Glycerol -1.76 Bioconcentration factor (BCF) Not available.	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5)		Species Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Aquatic FishLC50Western mosquitofish (Gambusia affinis)> 32000 mg/l, 96 hoursGlycerol (CAS 56-81-5) Aquatic FishLC50Rainbow trout, donaldson trout (Oncorhynchus mykiss)51000 - 57000 mg/l, 96 hours12.2. Persistence and degradabilityNot available. Not available.Store available. FishStore available. Fish12.3. Bioaccumulative potentialNot available. Not available.Store available. FishStore available. Fish12.3. Bioaccumulative potentialNot available. FishStore available. FishStore available. FishPartition coefficient n-octanol/water (log Kow) 2-pyrrolidone Glycerol-0.85 Fish-0.85 FishBioconcentration factor (BCF)Not available0.85 Fish-0.85 Fish	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic	LC50	Species Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results
FishLC50Western mosquitofish (Gambusia affinis)> 32000 mg/l, 96 hoursGlycerol (CAS 56-81-5)AquaticFishLC50Rainbow trout, donaldson trout (Oncorhynchus mykiss)51000 - 57000 mg/l, 96 hours12.2. Persistence and degradabilityNot available.Not available.FishLC50Rainbow trout, donaldson trout (Oncorhynchus mykiss)51000 - 57000 mg/l, 96 hours12.3. Bioaccumulative potentialNot available.FishNot available.FishFishStatistical (Disconcentration factor (BCF)Not available.Bioconcentration factor (BCF)Not available.FishStatistical (Disconcentration factor (BCF)Not available.FishStatistical (Disconcentration factor (BCF)Statistical (Disconcentration factor (Disconcentration factor f	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea	LC50 EC50	Species Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results
Glycerol (CAS 56-81-5) Aquatic Fish LC50 Rainbow trout, donaldson trout 51000 - 57000 mg/l, 96 hours (Oncorhynchus mykiss) 12.2. Persistence and Not available. degradability 12.3. Bioaccumulative Not available. potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone -0.85 Glycerol -1.76 Bioconcentration factor (BCF) Not available.	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6)	LC50 EC50	Species Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results
AquaticFishLC50Rainbow trout, donaldson trout (Oncorhynchus mykiss)51000 - 57000 mg/l, 96 hours (Oncorhynchus mykiss)12.2. Persistence and degradabilityNot available.12.3. Bioaccumulative Not available.Not available.12.3. Bioaccumulative potentialNot available.12.3. Bioaccumulative Not available.12.3. Bioaccumulative Not available.12.3. Bioaccumulative Not available.Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Glycerol-0.85 -1.76-0.85 -1.76Bioconcentration factor (BCF)Not available0.85 -1.76-0.85 -1.76	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic	LC50 EC50	Species Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex)	> 750 mg/l, 96 hours <b>Test Results</b> 13.21 mg/l, 48 hours
(Oncorhynchus mykiss) 12.2. Persistence and Not available. degradability 12.3. Bioaccumulative Not available. potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone -0.85 Glycerol -1.76 Bioconcentration factor (BCF) Not available.	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish	LC50 EC50	Species Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex)	> 750 mg/l, 96 hours <b>Test Results</b> 13.21 mg/l, 48 hours
degradability       Not available.         12.3. Bioaccumulative potential       Not available.         Partition coefficient n-octanol/water (log Kow)       -0.85         2-pyrrolidone Glycerol       -0.85         6lycerol       -1.76         Bioconcentration factor (BCF)       Not available.	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5)	LC50 EC50	Species Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex)	> 750 mg/l, 96 hours <b>Test Results</b> 13.21 mg/l, 48 hours
potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Glycerol -0.85 -1.76 Bioconcentration factor (BCF) Not available.	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic	LC50 EC50 LC50	Species         Fathead minnow (Pimephales promelas)         Species         Water flea (Daphnia pulex)         Western mosquitofish (Gambusia affinis)         Rainbow trout,donaldson trout	<ul> <li>&gt; 750 mg/l, 96 hours</li> <li><b>Test Results</b></li> <li>13.21 mg/l, 48 hours</li> <li>&gt; 32000 mg/l, 96 hours</li> </ul>
n-octanol/water (log Kow) 2-pyrrolidone -0.85 Glycerol -1.76 Bioconcentration factor (BCF) Not available.	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and	LC50 EC50 LC50	Species         Fathead minnow (Pimephales promelas)         Species         Water flea (Daphnia pulex)         Western mosquitofish (Gambusia affinis)         Rainbow trout,donaldson trout	<ul> <li>&gt; 750 mg/l, 96 hours</li> <li><b>Test Results</b></li> <li>13.21 mg/l, 48 hours</li> <li>&gt; 32000 mg/l, 96 hours</li> </ul>
Bioconcentration factor (BCF) Not available.	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and degradability 12.3. Bioaccumulative	LC50 EC50 LC50 LC50 Not available.	Species         Fathead minnow (Pimephales promelas)         Species         Water flea (Daphnia pulex)         Western mosquitofish (Gambusia affinis)         Rainbow trout,donaldson trout	<ul> <li>&gt; 750 mg/l, 96 hours</li> <li><b>Test Results</b></li> <li>13.21 mg/l, 48 hours</li> <li>&gt; 32000 mg/l, 96 hours</li> </ul>
	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	LC50 EC50 LC50 LC50 Not available.	Species         Fathead minnow (Pimephales promelas)         Species         Water flea (Daphnia pulex)         Western mosquitofish (Gambusia affinis)         Rainbow trout,donaldson trout (Oncorhynchus mykiss)         -0.85	<ul> <li>&gt; 750 mg/l, 96 hours</li> <li><b>Test Results</b></li> <li>13.21 mg/l, 48 hours</li> <li>&gt; 32000 mg/l, 96 hours</li> </ul>
	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Glycerol	LC50 EC50 LC50 LC50 Not available. Not available.	Species         Fathead minnow (Pimephales promelas)         Species         Water flea (Daphnia pulex)         Western mosquitofish (Gambusia affinis)         Rainbow trout,donaldson trout (Oncorhynchus mykiss)         -0.85	<ul> <li>&gt; 750 mg/l, 96 hours</li> <li><b>Test Results</b></li> <li>13.21 mg/l, 48 hours</li> <li>&gt; 32000 mg/l, 96 hours</li> </ul>
	12.1. Toxicity Product C9413Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Glycerol	LC50 EC50 LC50 LC50 Not available. Not available.	Species         Fathead minnow (Pimephales promelas)         Species         Water flea (Daphnia pulex)         Western mosquitofish (Gambusia affinis)         Rainbow trout,donaldson trout (Oncorhynchus mykiss)         -0.85	<ul> <li>&gt; 750 mg/l, 96 hours</li> <li><b>Test Results</b></li> <li>13.21 mg/l, 48 hours</li> <li>&gt; 32000 mg/l, 96 hours</li> </ul>

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling

ung of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

#### SECTION 14: Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

IMDG

Not regulated as dangerous goods.

## Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

**Further information** 

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

### Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

#### Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

#### Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on mutagens at work	the protection of workers from the risks related to exposure to carcinogens and
Not regulated. Directive 92/85/EEC: on t are breastfeeding	he safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
Directive 96/82/EC (Seve	so II) on the control of major-accident hazards involving dangerous substances
Not regulated.	
Directive 98/24/EC on the agents at work	e protection of the health and safety of workers from the risks related to chemical
Diethylene glycol (CAS 11 Directive 94/33/EC on the	1-46-6) e protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.

## **SECTION 16: Other information**

References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Issue date	10-Mar-2015
<b>Revision information</b>	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

#### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists	
CAS	Chemical Abstracts Service	
CERCLA	Comprehensive Environmental Response Compensation and Liability Act	
CFR	Code of Federal Regulations	
COC	Cleveland Open Cup	
DOT	Department of Transportation	
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)	
IARC	International Agency for Research on Cancer	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
RCRA	Resource Conservation and Recovery Act	
REC	Recommended	
REL	Recommended Exposure Limit	
SARA	Superfund Amendments and Reauthorization Act of 1986	
STEL	Short-Term Exposure Limit	
TCLP	Toxicity Characteristics Leaching Procedure	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
VOC	Volatile Organic Compounds	
List of abbreviations	Not available.	

### Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
1	WB01 English.pdi