

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or	C9427Series
designation of the mixture	
Registration number	-
Synonyms	None.
Issue date	26-Jun-2013
Version number	03
Revision date	05-May-2016
Supersedes date	05-Sep-2015
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, Ethyl alkyldiol, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
Ethyl alkyldiol	<15	Proprietary	-	-	
Classification:	-	-			
2-pyrrolidone	<5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid me	asures
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.

6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.				
6.3. Methods and material for containment and cleaning up	Not available.				
6.4. Reference to other sections	Not available	2.			
SECTION 7: Handling and	l storage				
7.1. Precautions for safe handling	Avoid contac	t with skin, eyes and	d clothing.		
7.2. Conditions for safe storage, including any incompatibilities	Keep out of	the reach of childrer	n. Keep away from	excessive heat or c	old.
7.3. Specific end use(s)	Not available	2.			
SECTION 8: Exposure cor	ntrols/per	sonal protectio	on		
8.1. Control parameters	····/ P····	p			
Occupational exposure limits	No exposure	limits noted for ing	redient(s)		
Biological limit values	-	exposure limits not		ent(s)	
Recommended monitoring procedures	Not available	•			
Derived no-effect level (DNEL)					
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal Dermal Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term
Predicted no effect concentrati	ons (PNFCs)				-,
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Not applicable	Freshwater Intermittant Marine water Sediment Soil STP	0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Releases Freshwater Sewage Treatment Plant
Exposure guidelines	Exposure lim	its have not been e	stablished for this	product.	-
8.2. Exposure controls					
Appropriate engineering controls	Use in a well	ventilated area.			
Individual protection measures	s, such as pe	rsonal protective	equipment		
General information	•	•		osure to skin and e	ye.
Eye/face protection	Not available	2.			
Skin protection					
- Hand protection	Not available				
- Other	Not available	2.			
Respiratory protection	Not available				
Thermal hazards	Not available				
			industrial hvaiene	and safety practice.	
Hygiene measures					

9.1. Information on basic physical and chemical properties Appearance

Physical state	Not available.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
рН	7.3 - 8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	200.0 °F (93.3 °C) Setaflash Closed Tester
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC (Weight %)	< 60 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Acute toxicity Skin corrosion/irritation Serious eye damage/eye irritation	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Aspiration hazard	Based on available data, the classification criteria are not met.		
Components	Species Test Results		
2-pyrrolidone (CAS 616-45-5)			
Acute			
Oral			
LD50	Guinea pig	6	5500 mg/kg
	Rat	6	5500 mg/kg
Mixture versus substance information	Not available.		
Other information		ity data are not available for this specific n 2 for potential health effects and Section	
SECTION 12: Ecological in	nformation		
Aquatic toxicity	Static acute to	xicity (trout), survival (100 mg/L) = 97% xicity (trout), survival (10 mg/L) = 100%	
12.1. Toxicity	Information give	ven is based on data on the components	and the ecotoxicology of similar products
Product	5	Species	Test Results
C9427Series		•	
Aquatic			
Crustacea E	EC50	Daphnia	> 100 mg/l, 48 hr
Acute			
Algae E	EC50	Algae	> 100 mg/l, 72 hours
Crustacea E	EC50	Daphnia	> 100 mg/l, 48 hours
Fish L	.C50	Fathead minnow (Pimephales promelas)	< 400 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea E	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Ethyl alkyldiol (CAS Proprietary)			
Aquatic			
Crustacea E	EC50	Daphnia	102, 48 Hours
Fish L	.C50	Fish	1000, 96 Hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
	Not available.		
	Not available.		
12.5. Results of PBT and vPvB assessment		PvB substance or mixture.	
12.6. Other adverse effects	Not available.		

13.1. Waste treatment methods				
Residual waste Not available.				
Contaminated packaging	Not available.			

Containinateu packaying	NUL avaliable.
EU waste code	Not available.

Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the agents at work	protection of the health and safety of workers from the risks related to chemical
Not regulated.	
Directive 94/33/EC on the	protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Information on evaluation method leading to the classification of mixture	Not available. Not available.
Issue date	26-Jun-2013
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
сос	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions		
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading to inclusion into/onto article ERC8c-Widespread use leading to inclusion into/onto article (indoor)		
Additional information on prod		
	s on the label, the classification of the mixture is provided.	
Most of the water based inks are "not classified".		
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.	
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	