

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	-
1.1. Product identifier	
Trade name or	C9465Series
designation of the mixture	
Registration number	-
Synonyms	None.
Issue date	03-Jul-2013
Version number	05
Revision date	26-Jul-2016
Supersedes date	22-May-2016
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited
	Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)
	Bracknell, United Kingdom RG12 1HN
	Telephone 44 (0) 879 013 0790
	HP Inc. health effects line
	(Toll-free within the US) 1-800-457-4209
	(Direct) 1-760-710-0048
	HP Inc. Customer Care Line
	(Toll-free within the US) 1-800-474-6836
	(Direct) 1-208-323-2551 Email: hocustomer inquiries@hp.com
	Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, Alkyldiol, Carbon black, Diethylene glycol, Glycerol, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

eneral information Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
2-pyrrolidone	<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Alkyldiol	<5	Proprietary	01-2119987321-35-XXXX	-	
Classification :	Eye Irrit. 2;H319				
Diethylene glycol	<5	111-46-6 203-872-2	-	603-140-00-6	
Classification:	Acute Tox. 4;H302, STC	DT RE 2;H373			
Glycerol	<5	56-81-5 200-289-5	-	-	
Classification:	Eye Irrit. 2;H319				
Carbon black	<2.5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:	-				
mposition comments	This ink supply co	ontains an aqueous i	ink formulation.		
	Carbon black is p	resent only in a bou	nd form in this preparation.		
ECTION 4: First aid					
eneral information	Not available.				
1. Description of first aid Inhalation		If symptoms persis	t, get medical attention.		
Skin contact			mild soap and water. If irritation	on persists get me	dical
Eye contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for least 15 minutes or until particles are removed. If irritation persists get medical attention.			
Ingestion	If material is inge	sted, immediately o	ontact a physician or poison co	ntrol center.	
2. Most important mptoms and effects, bo ute and delayed	Not available. th				
3. Indication of any mediate medical attent d special treatment eded	Not available. ion				
ECTION 5: Firefight	ing measures				
eneral fire hazards	Not available.				
1. Extinguishing media					

5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.
SECTION 6: Accidental re	elease measures
6.1. Personal precautions, prot	tective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Not available.
6.4. Reference to other sections	Not available.
SECTION 7: Handling and	d storage
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any	Keep out of the reach of children. Keep away from excessive heat or cold.

SECTION 8: Exposure controls/personal protection

Not available.

8.1. Control parameters

7.3. Specific end use(s)

incompatibilities

Occupational exposure limits

UK. EH40 Workplace Exposure	Limits	(WELs)
-----------------------------	--------	--------

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
-	TWA	3.5 mg/m3	
Diethylene glycol (CAS 111-46-6)	TWA	101 mg/m3	
-		23 ppm	
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
logical limit values	No biological exposure limits noted	for the ingredient(s).	
commended monitoring	Not available.		

```
Recommended monitoring
```

procedures

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Alkyldiol (CAS Proprietary)	Worker	Inhalation	123 mg/m3	Systemic long term
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term

Components		Туре	Route	Value	Form
			Inhalation	1 mg/m3	Systemic long term
Diethylene glycol (CAS 111-46-6)		Consumers	Dermal	53 mg/kg	Systemic long term
			Inhalation	12 mg/m3	Local long term
		Workers	Dermal	106 mg/kg	Systemic long term
			Inhalation	60 mg/m3	Local long term
Predicted no effect concentra	tions (PNECs				
Components	•	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
			Intermittant	0.5 mg/l	Releases
			Marine water	0.05 mg/l	
			Sediment	0.4205 mg/kg	Freshwater
			Soil	0.0612 mg/kg	
			STP	10 mg/l	Sewage Treatment Plant
Carbon black (CAS 1333-86-	1)	Not applicable	Freshwater	5 mg/l	
			Marine water	5 mg/l	
Diethylene glycol (CAS 111-4	6-6)	Not applicable	Freshwater	10 mg/l	
			Intermittant	10 mg/l	Releases
			Marine water	1 mg/l	
			Sediment	20.9 mg/kg	Freshwater
			Soil	1.53 mg/kg	
			STP	199.5 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure lir	nits have not been es	stablished for this	product.	
8.2. Exposure controls					
Appropriate engineering controls	Use in a we	ll ventilated area.			
Individual protection measur	es, such as p	ersonal protective	equipment		
General information	Use persona	al protective equipme	ent to minimize exp	osure to skin and	eye.
Eye/face protection	Not required	Not required under intended use.			
Skin protection					
- Hand protection	Not availabl	e.			
- Other	Protected a	oves not required un	der intended use.		
Respiratory protection	For use other than intended use (such as in the event of a large spill), goggles and respirators ma be required.				
Thermal hazards	Not available.				
Hygiene measures	Handle in a	ccordance with good	industrial hygiene	and safety practic	e.
Environmental exposure controls	Not availabl	5			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	9.3
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	200.0 °F (93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined

Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not determined
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
Specific gravity	1 - 1.1
VOC (Weight %)	< 192 g/L

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen fluoride, fluorinated hydrocarbons

SECTION 11: Toxicological information

General informationNot available.11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification crit	eria are not met.
Skin corrosion/irritation	Based on available data, the classification crit	eria are not met.
Serious eye damage/eye irritation	Based on available data, the classification crit	eria are not met.
Respiratory sensitization	Based on available data, the classification crit	eria are not met.
Skin sensitization	Based on available data, the classification crit	eria are not met.
Germ cell mutagenicity	Based on available data, the classification crit	eria are not met.
Carcinogenicity	Based on available data, the classification crit	eria are not met.
IARC Monographs. Overal	Evaluation of Carcinogenicity	
Carbon black (CAS 1333-	86-4) 2B Possibly ca	arcinogenic to humans.
Reproductive toxicity	Based on available data, the classification crit	eria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification crit	eria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification crit	eria are not met.
Aspiration hazard	Based on available data, the classification crit	eria are not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg

	Species	T	est Results
Carbon black (CAS 1333-86-4)			
Acute			
Oral			
LD50	Rat	>	8000 mg/kg
Diethylene glycol (CAS 111-46-6)			
Acute			
Dermal	Datati		1000
LD50	Rabbit	1.	1890 mg/kg
Oral	Cat		200
LD50	Cat		300 mg/kg
	Dog		000 mg/kg
	Guinea pig		700 mg/kg
	Mouse	1	3.3 g/kg
	Rabbit	20	6.9 g/kg
	Rat	12	2565 mg/kg
Other			
LD50	Mouse	9.	.6 g/kg
	Rabbit	20	000 mg/kg
	Rat	7.	700 mg/kg
		7.	.7 g/kg
Mixture versus substance	Not available.		
nformation			
Other information	Complete toxic	city data are not available for this specific f	formulation
roduct		Species	Tost Posults
		Species	Test Results
C9465Series		Species	Test Results
C9465Series Aquatic		Species	Test Results
C9465Series Aquatic <i>Acute</i>	1 C 50	-	
C9465Series Aquatic <i>Acute</i> Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
C9465Series Aquatic <i>Acute</i> Fish Components	LC50	-	
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5)	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
C9465Series Aquatic <i>Acute</i> Fish Components	LC50 EC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea	EC50	Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6)	EC50	Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea	EC50	Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish	EC50	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex)	> 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish	EC50	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex)	> 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5)	EC50	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex)	> 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and	EC50 LC50	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Western mosquitofish (Gambusia affinis) Rainbow trout,donaldson trout	 > 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours > 32000 mg/l, 96 hours
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and degradability 12.3. Bioaccumulative	EC50 LC50 LC50	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Western mosquitofish (Gambusia affinis) Rainbow trout,donaldson trout	 > 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours > 32000 mg/l, 96 hours
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	EC50 LC50 LC50 Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Western mosquitofish (Gambusia affinis) Rainbow trout,donaldson trout (Oncorhynchus mykiss)	 > 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours > 32000 mg/l, 96 hours
C9465Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Glycerol	EC50 LC50 LC50 Not available. Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Western mosquitofish (Gambusia affinis) Rainbow trout,donaldson trout (Oncorhynchus mykiss)	 > 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours > 32000 mg/l, 96 hours
Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Diethylene glycol (CAS 111-46-6) Aquatic Fish Glycerol (CAS 56-81-5) Aquatic Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	EC50 LC50 LC50 Not available. Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Western mosquitofish (Gambusia affinis) Rainbow trout,donaldson trout (Oncorhynchus mykiss)	 > 750 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours > 32000 mg/l, 96 hours

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling

ung of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Not regulated as dangerous goods.

IMDG

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work	
Not regulated. Directive 92/85/EEC: on t are breastfeeding	he safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
Directive 96/82/EC (Seve	so II) on the control of major-accident hazards involving dangerous substances
Not regulated.	
Directive 98/24/EC on the agents at work	e protection of the health and safety of workers from the risks related to chemical
Diethylene glycol (CAS 11	,
	e protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Issue date	03-Jul-2013
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	is conclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
1	WB01 English.pdi