

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier                     |   |
|---|---|
| Trade name or<br>designation of the mixture | CB316Eseries  |
| Registration number                         | -   |
| Synonyms                                    | None.   |
| Issue date                                  | 14-Jun-2015   |
| Version number                              | 03  |
| Revision date                               | 30-May-2016   |
| Supersedes date                             | 22-Aug-2015   |
| 1.2. Relevant identified uses o             | f the substance or mixture and uses advised against   |
| Identified uses                             | Inkjet printing   |
| Uses advised against                        | None known.   |
| Company identification                      | HP Inc UK Limited<br>Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)<br>Bracknell, United Kingdom RG12 1HN<br>Telephone 44 (0) 879 013 0790  |
|   | HP Inc. health effects line<br>(Toll-free within the US) 1-800-457-4209<br>(Direct) 1-760-710-0048<br>HP Inc. Customer Care Line<br>(Toll-free within the US) 1-800-474-6836<br>(Direct) 1-208-323-2551<br>Email: hpcustomer.inquiries@hp.com<br>Poison Information Center 0207771 5307 |

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

| Laber according to Regulation     |  |
|-----------------------------------|--|
| Contains:                         | 1,5-pentanediol, 2-pyrrolidone, Carbon black, Water  |
| Hazard pictograms                 | None.  |
| Signal word                       | None.  |
| Hazard statements                 | The mixture does not meet the criteria for classification.   |
| Precautionary statements          |  |
| Prevention                        | Not available.   |
| Response                          | Not available.   |
| Storage                           | Not available.   |
| Disposal                          | Not available.   |
| Supplemental label<br>information | Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.   |
| 2.3. Other hazards                | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. |

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## **General information**

| General information  |                      |                        |   |                   |        |
|--|----------------------|------------------------|---|-------------------|--------|
| Chemical name  | %                    | CAS-No. / EC<br>No.    | <b>REACH Registration No.</b>   | Index No.         | Notes  |
| Water  | 70-80                | 7732-18-5<br>231-791-2 | -   | -                 |        |
| Classification:  | -                    |                        |   |                   |        |
| 1,5-pentanediol  | <7.5                 | 111-29-5<br>203-854-4  | 01-2119449341-44-XXXX   | -                 |        |
| Classification:  | -                    |                        |   |                   |        |
| 2-pyrrolidone  | <7.5                 | 616-45-5<br>210-483-1  | 01-2119475471-37-XXXX   | -                 |        |
| Classification:  | Eye Irrit. 2;H319    |                        |   |                   |        |
| Carbon black   | <5                   | 1333-86-4<br>215-609-9 | 01-2119384822-32-XXXX   | -                 |        |
| Classification:  | -                    |                        |   |                   |        |
| Composition comments   | This ink supply co   | ontains an aqueous     | ink formulation.  |                   |        |
|  | Carbon black is p    | resent only in a bou   | nd form in this preparation.  |                   |        |
| SECTION 4: First aid r   | neasures             |                        |   |                   |        |
| General information  | Not available.       |                        |   |                   |        |
| 4.1. Description of first aid  |                      |                        |   |                   |        |
| Inhalation   |                      |                        | t, get medical attention.   |                   |        |
| Skin contact   | attention.           | eas thoroughly with    | mild soap and water. If irritatio                                     | n persists get me | edical |
| Eye contact  |                      |                        | vith large amounts of clean, war<br>removed. If irritation persists g |                   |        |
| Ingestion  | If ingestion of a la | arge amount does o     | ccur, seek medical attention.   |                   |        |
| 4.2. Most important<br>symptoms and effects, both<br>acute and delayed                   | Not available.<br>h  |                        |   |                   |        |
| 4.3. Indication of any<br>immediate medical attention<br>and special treatment<br>needed | Not available.<br>on |                        |   |                   |        |
| SECTION 5: Firefightin   | ng measures          |                        |   |                   |        |
| General fire hazards   | Not available.       |                        |   |                   |        |
| 5.1. Extinguishing media<br>Suitable extinguishing<br>media                              | CO2, water, dry c    | hemical, or foam       |   |                   |        |
| Unsuitable extinguishi<br>media  | ng None known.       |                        |   |                   |        |
| 5.2. Special hazards arising<br>from the substance or<br>mixture                         | Not available.       |                        |   |                   |        |
| 5.3. Advice for firefighters<br>Special protective<br>equipment for<br>firefighters      | Not available.       |                        |   |                   |        |
| Special fire fighting procedures   | Not available.       |                        |   |                   |        |
| Specific methods   | None established.    |                        |   |                   |        |

# **SECTION 6: Accidental release measures**

| 6.1. Personal precautions, prot   | tective equipment and emergency procedures   |  |  |
|---|--|--|--|
| For non-emergency<br>personnel  | Wear appropriate personal protective equipment.  |  |  |
| For emergency<br>responders   | Not available.   |  |  |
| 6.2. Environmental<br>precautions   | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. |  |  |
| <b>6.3. Methods and material for</b> Dike the spilled material, where this is possible. Absorb with inert absorbent such as dr <b>containment and cleaning up</b> or diatomaceous earth, commercial sorbents, or recover using pumps. |  |  |  |
| 6.4. Reference to other sections  | Not available.   |  |  |
| SECTION 7: Handling and   | d storage  |  |  |
| 7.1. Precautions for safe<br>handling   | Avoid contact with skin, eyes and clothing.  |  |  |
| 7.2. Conditions for safe storage, including any   | Keep out of the reach of children. Keep away from excessive heat or cold.                  |  |  |

# SECTION 8: Exposure controls/personal protection

Not available.

Not available.

### 8.1. Control parameters

7.3. Specific end use(s)

incompatibilities

#### **Occupational exposure limits**

| UK. EH40 Workplace Exposure Limits (WELs) |                                     |                        |  |  |
|---|-------------------------------------|------------------------|--|--|
| Components                                | Туре                                | Value                  |  |  |
| Carbon black (CAS<br>1333-86-4)           | STEL                                | 7 mg/m3                |  |  |
| -   | TWA                                 | 3.5 mg/m3              |  |  |
| <b>Biological limit values</b>            | No biological exposure limits noted | for the ingredient(s). |  |  |

### Recommended monitoring

#### procedures

## Derived no-effect level (DNEL)

| Components                         | Туре                            | Route             | Value           | Form                      |
|------------------------------------|---------------------------------|-------------------|-----------------|---------------------------|
| 2-pyrrolidone (CAS 616-45-5)       | Consumers                       | Dermal            | 6 mg/kg bw/d    | Systemic long term        |
|                                    |                                 | Dermal            | 167 mg/kg bw/d  | Systemic acute short term |
|                                    |                                 | Inhalation        | 17.1 mg/m3      | Systemic long term        |
|                                    |                                 | Oral              | 5.2 mg/kg bw/d  | Systemic long term        |
|                                    |                                 | Oral              | 33.3 mg/kg bw/d | Systemic acute short term |
|                                    | Workers                         | Dermal            | 277 mg/kg bw/d  | Systemic acute short term |
|                                    |                                 | Dermal            | 10 mg/kg bw/d   | Systemic long term        |
|                                    |                                 | Inhalation        | 57.8 mg/m3      | Systemic long term        |
| Carbon black (CAS 1333-86-4)       | Consumers                       | Inhalation        | 1.75 mg/m3      | Local long term           |
|                                    |                                 | Inhalation        | 0.06 mg/m3      | Systemic long term        |
|                                    | Workers                         | Inhalation        | 2 mg/m3         | Local long term           |
|                                    |                                 | Inhalation        | 1 mg/m3         | Systemic long term        |
| Predicted no effect concentrations | (PNECs)                         |                   |                 |                           |
| Components                         | Туре                            | Route             | Value           | Form                      |
| 2-pyrrolidone (CAS 616-45-5)       | Not applicable                  | Freshwater        | 0.5 mg/l        |                           |
|                                    |                                 | Intermittant      | 0.5 mg/l        | Releases                  |
|                                    |                                 | Marine water      | 0.05 mg/l       |                           |
|                                    |                                 | Sediment          | 0.4205 mg/kg    | Freshwater                |
|                                    |                                 | Soil              | 0.0612 mg/kg    |                           |
|                                    |                                 | STP               | 10 mg/l         | Sewage Treatment Plant    |
| Carbon black (CAS 1333-86-4)       | Not applicable                  | Freshwater        | 5 mg/l          | -                         |
|                                    |                                 | Marine water      | 5 mg/l          |                           |
| Exposure guidelines Exp            | osure limits have not been esta | ablished for this | product.        |                           |

### 8.2. Exposure controls

| Appropriate engineering controls   | Use in a well ventilated area.  |
|------------------------------------|---|
| Individual protection measure      | es, such as personal protective equipment                               |
| General information                | Use personal protective equipment to minimize exposure to skin and eye. |
| Eye/face protection                | Not available.  |
| Skin protection                    |   |
| - Hand protection                  | Not available.  |
| - Other                            | Not available.  |
| <b>Respiratory protection</b>      | Not available.  |
| Thermal hazards                    | Not available.  |
| Hygiene measures                   | Handle in accordance with good industrial hygiene and safety practice.  |
| Environmental exposure<br>controls | Not available.  |

# **SECTION 9: Physical and chemical properties**

| 9.1. Information on basic physical and chemical properties |  |  |
|--|--|--|
| Appearance   |  |  |
| Physical state   | Not available.                                   |  |
| Color  | Black.   |  |
| Odor   | Not available.                                   |  |
| Odor threshold   | Not available.                                   |  |
| рН   | 7 - 8  |  |
| Melting point/freezing point                               | Not available.                                   |  |
| Initial boiling point and<br>boiling range                 | Not determined                                   |  |
| Flash point  | > 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup |  |
| Evaporation rate   | Not determined                                   |  |
| Flammability (solid, gas)                                  | Not available.                                   |  |
| Upper/lower flammability or e                              | -  |  |
| Flammability limit - lower<br>(%)                          | Not determined                                   |  |
| Flammability limit -<br>upper (%)                          | Not available.                                   |  |
| Vapor pressure   | Not determined                                   |  |
| Solubility(ies)  |  |  |
| Solubility (water)   | Soluble in water                                 |  |
| Solubility (other)   | Not available.                                   |  |
| Partition coefficient<br>(n-octanol/water)                 | Not available.                                   |  |
| Auto-ignition temperature                                  | Not available.                                   |  |
| Decomposition temperature                                  | Not available.                                   |  |
| Viscosity  | >= 2 cp  |  |
| Explosive properties                                       | Not available.                                   |  |
| Oxidizing properties                                       | Not determined                                   |  |
| 9.2. Other information                                     |  |  |
| Specific gravity   | 1 - 1.2  |  |
| VOC (Weight %)   | < 146 g/L  |  |
|  |  |  |

# **SECTION 10: Stability and reactivity**

| 10.1. Reactivity                          | Not available.  |
|---|---|
| 10.2. Chemical stability                  | Stable under recommended storage conditions.  |
| 10.3. Possibility of hazardous reactions  | Will not occur.   |
| 10.4. Conditions to avoid                 | Not available.  |
| 10.5. Incompatible materials              | Incompatible with strong bases and oxidizing agents.  |
| 10.6. Hazardous<br>decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

Material name: CB316Eseries

# SECTION 11: Toxicological information

| SECTION 11: TOXICOLOGIC                               | cal mormat  |   |  |  |
|---|---|---|--|--|
| General information                                   | Not available.  |   |  |  |
| <b>11.1. Information on toxicolog</b>                 | gical effects   |   |  |  |
| Acute toxicity  | Based on avai   | Based on available data, the classification criteria are not met.                             |  |  |
| Skin corrosion/irritation                             | Based on available data, the classification criteria are not met. |   |  |  |
| Serious eye damage/eye<br>irritation                  | Based on available data, the classification criteria are not met. |   |  |  |
| Respiratory sensitization                             | Based on avai   | lable data, the classification criteria are no  | ot met.                                    |  |
| Skin sensitization                                    | Based on avai   | lable data, the classification criteria are no  | ot met.                                    |  |
| Germ cell mutagenicity                                | Based on avai   | lable data, the classification criteria are no  | ot met.                                    |  |
| Carcinogenicity                                       | Based on avai   | lable data, the classification criteria are no  | ot met.                                    |  |
|   | 2B) and by the<br>organizations<br>bound within a                 | indicate that exposure to carbon black, pe  | In their evaluations of carbon black, both |  |
| IARC Monographs. Overal                               | ll Evaluation of  | Carcinogenicity   |  |  |
| Carbon black (CAS 1333-                               | -86-4)  | 2B Possibly carcinogenic  | to humans.                                 |  |
| Reproductive toxicity                                 | Based on avai   | lable data, the classification criteria are no  | ot met.                                    |  |
| Specific target organ toxicity<br>- single exposure   | Based on avai   | lable data, the classification criteria are no  | ot met.                                    |  |
| Specific target organ toxicity<br>- repeated exposure | Based on avai   | Based on available data, the classification criteria are not met.                             |  |  |
| Aspiration hazard                                     | Based on avai   | lable data, the classification criteria are no  | ot met.                                    |  |
| Components  | Species   | т   | est Results                                |  |
| 2-pyrrolidone (CAS 616-45-5)                          |   |   |  |  |
| Acute   |   |   |  |  |
| Oral  | <b>.</b>  |   | "  |  |
| LD50  | Guinea pig  |   | 500 mg/kg                                  |  |
|   | Rat   | 6   | 500 mg/kg                                  |  |
| Carbon black (CAS 1333-86-4)                          |   |   |  |  |
| Acute   |   |   |  |  |
| <i>Oral</i><br>LD50                                   | Dat   |   | 9000 mg/kg                                 |  |
|   | Rat   | 2   | • 8000 mg/kg                               |  |
| Mixture versus substance<br>information               | Not available.  |   |  |  |
| Other information                                     |   | city data are not available for this specific<br>on 2 for potential health effects and Sectio |  |  |
| SECTION 12: Ecological                                | information   |   |  |  |
| Aquatic toxicity                                      | Not expected  | to be harmful to aquatic organisms.   |  |  |
| 12.1. Toxicity  |   |   |  |  |
| Product   |   | Species   | Test Results                               |  |
| CB316Eseries  |   |   |  |  |
| Aquatic   |   |   |  |  |
| Acute   |   |   |  |  |
| Fish  | LC50  | Fathead minnow (Pimephales promelas)  | > 750 mg/l, 96 hours                       |  |
| Components  |   | Species   | Test Results                               |  |
| 2-pyrrolidone (CAS 616-45-5)                          |   |   |  |  |
| Aquatic   |   |   |  |  |
| Crustacea   | EC50  | Water flea (Daphnia pulex)  | 13.21 mg/l, 48 hours                       |  |
| 12.2. Persistence and degradability                   | Not available.  |   |  |  |

| 12.3. Bioaccumulative<br>potential                                  | Not available.                          |
|---|---|
| Partition coefficient<br>n-octanol/water (log Kow)<br>2-pyrrolidone | -0.85                                   |
| <b>Bioconcentration factor (BCF)</b>                                | Not available.                          |
| 12.4. Mobility in soil  | Not available.                          |
| 12.5. Results of PBT<br>and vPvB<br>assessment                      | Not a PBT or vPvB substance or mixture. |
| 12.6. Other adverse effects   | Not available.                          |
| SECTION 13: Disposal co   | nsiderations                            |
| 13.1. Waste treatment method  | ls                                      |

| 13.1. Waste treatment meth      | 003  |
|---------------------------------|--|
| Residual waste                  | Not available.   |
| Contaminated packaging          | Not available.   |
| EU waste code                   | Not available.   |
| Disposal<br>methods/information | Do not allow this material to drain into sewers/water supplies.<br>Dispose of waste material according to Local, State, Federal, and Provincial Environmental<br>Regulations.  |
|                                 | HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle. |

## **SECTION 14: Transport information**

### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

### ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

| 15.1. Safety, health and environmenta | al regulations/legislation specific for the substance or m | ixture |
|---------------------------------------|--|--------|
|---------------------------------------|--|--------|

### EU regulations

**Further information** 

| Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I<br>Not listed.                                       |
|--|
| Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II<br>Not listed.                                      |
| Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended<br>Not listed.                                       |
| Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended                       |
| Not listed.<br>Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended        |
| Not listed.<br>Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended        |
| Not listed.<br>Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended<br>Not listed. |
| Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry<br>Not listed.   |
| Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA<br>Not listed.                        |
|  |

#### Authorizations

### Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

### **Restrictions on use**

| Restrictions on use  |  |  |
|--|--|--|
| Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as<br>amended |  |  |
| Not listed.  |  |  |
| Directive 92/85/EEC: on<br>are breastfeeding   | the safety and health of pregnant workers and workers who have recently given birth or   |  |
| Not regulated.   |  |  |
| Other EU regulations   |  |  |
| Directive 96/82/EC (Sev  | reso II) on the control of major-accident hazards involving dangerous substances   |  |
| Not regulated.   |  |  |
| Other regulations  | All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.   |  |
| Other information  | This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.   |  |
|  | Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments). |  |
| National regulations   | Not available.   |  |
| 15.2. Chemical safety<br>assessment  | See attached SUMI or GEIS document, if applicable.   |  |

# **SECTION 16: Other information**

| References<br>Information on evaluation<br>method leading to the<br>classification of mixture | Not available.<br>Not available.  |
|---|---|
| Issue date  | 14-Jun-2015   |
| <b>Revision information</b>   | None.   |
| Training information  | Not available.  |
| Disclaimer  | This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. |
| Manufacturer information  | HP Inc.<br>1501 Page Mill Road<br>Palo Alto, CA 94304-1112 US<br>Direct 1-650-857-5020  |

### **Explanation of abbreviations**

| ACGIH                 | American Conference of Governmental Industrial Hygienists           |
|-----------------------|---|
| CAS                   | Chemical Abstracts Service  |
| CERCLA                | Comprehensive Environmental Response Compensation and Liability Act |
| CFR                   | Code of Federal Regulations   |
| COC                   | Cleveland Open Cup  |
| DOT                   | Department of Transportation  |
| EPCRA                 | Emergency Planning and Community Right-to-Know Act (aka SARA)       |
| IARC                  | International Agency for Research on Cancer                         |
| NIOSH                 | National Institute for Occupational Safety and Health               |
| NTP                   | National Toxicology Program   |
| OSHA                  | Occupational Safety and Health Administration                       |
| PEL                   | Permissible Exposure Limit  |
| RCRA                  | Resource Conservation and Recovery Act                              |
| REC                   | Recommended   |
| REL                   | Recommended Exposure Limit  |
| SARA                  | Superfund Amendments and Reauthorization Act of 1986                |
| STEL                  | Short-Term Exposure Limit   |
| TCLP                  | Toxicity Characteristics Leaching Procedure                         |
| TLV                   | Threshold Limit Value   |
| TSCA                  | Toxic Substances Control Act  |
| VOC                   | Volatile Organic Compounds  |
| List of abbreviations | Not available.  |

# Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

| , , , , , , , , , , , , , , , , , , ,  | 3, where upplicable, completes an extended product 3D3.  |  |  |
|--|--|--|--|
| Operational conditions   |  |  |  |
| Maximum duration   | Up to 8 hours per day  |  |  |
| Frequency of exposure  | < 240 days per year  |  |  |
| Process conditions   | Covers use at ambient temperatures.<br>Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides<br>guidelines to ensure acceptable air quality in the workspace.<br>Avoid direct contact.<br>Regular cleaning of equipment and work area.<br>Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions |  |  |
|  | followed.  |  |  |
| Risk management measures   |  |  |  |
| Conditions and measures  | Wear safety glasses with side shields (or goggles), if splashing is possible.  |  |  |
| related to Personal Protection   |  |  |  |
|  | Wear appropriate chemical resistent gloves: see section 8 of the SDS.  |  |  |
| Equipment, hygiene and   | Wear appropriate chemical resistent clothing.  |  |  |
| health evaluation  | In case of inadequate ventilation wear respiratory protection.   |  |  |
|  | Eye wash fountain and emergency showers are recommended.   |  |  |
|  | Avoid breathing mist/vapours.  |  |  |
|  | Avoid contact with skin, eyes and clothing.  |  |  |
|  | Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.  |  |  |
|  |  |  |  |
| Good practice advice   |  |  |  |
| Use personal protective equipme  | ent as required.   |  |  |
| Wash hands before breaks and a   | after work.  |  |  |
| Keep good industrial hygiene and   | d safety practice.   |  |  |
| Use only with adequate ventilati   |  |  |  |
| Do no eat, drink or smoke when   |  |  |  |
| Wash contaminated clothing be  |  |  |  |
| Store at room temperature.   |  |  |  |
| Environmental measures   |  |  |  |
|  | in intercourse/unitercourselies  |  |  |
| Do not allow this material to dra  |  |  |  |
| -  | ding to Local, State, Federal and Provincial Environmental Regulations.  |  |  |
|  | ith appropriately licenced waste contractor.   |  |  |
| Use descriptors  |  |  |  |
| IS-Use at industrial sites   |  |  |  |
| PW-Widespread use by profession  |  |  |  |
| SU7-Printing and reproduction n  | nedia  |  |  |
| PC18-Inks and Toners   |  |  |  |
| PROC1-Chemical production or r   | refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.   |  |  |
| PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions |  |  |  |
| condition<br>PROC8a-Transfer of substance o  | tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment<br>r mixture (charging and discharging) at non-dedicated facilities<br>r mixture (charging and discharging) at dedicated facilities   |  |  |
| ERC5-Use at industrial site leading to inclusion into/onto article   |  |  |  |
| ERC8c-Widespread use leading to inclusion into/onto article (indoor)   |  |  |  |
| Additional information on product composition  |  |  |  |
|  |  |  |  |
|  | In section 2 of the SDS as well as on the label, the classification of the mixture is provided.  |  |  |
| Most of the water based inks are "not classified".   |  |  |  |
| The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.                                       |  |  |  |
| All ingredients contributing to the classification are stated in Section 3 of the SDS.   |  |  |  |
| Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.  |  |  |  |
|  | he product may contain sensitizing ingredients that may cause allergic reaction to certain people.   |  |  |
| Section 2 of the SDS states these  |  |  |  |
| 1  | WB01 English.pdi   |  |  |