

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	CE018Series
Registration number	-
Synonyms	None.
Issue date	11-Jul-2013
Version number	03
Revision date	23-May-2016
Supersedes date	20-Aug-2015
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol, Glycerol, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1-Aza-5-ethyl-3,5-dioxabicyclo(3,3,0)octane. May produce an allergic reaction. Contains 1,2-Benzisothiazolin-3-one, 2-Methyl-2H-isothiazol-3-one, and 7a-ethyldihydro-1H,3H,5H-oxazolo[3,4-c]oxazole.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

eneral information Chemical name	%	CAS-No. / EC	REACH Registration No.	Index No.	Notes	
		No.				
Water	50-60	7732-18-5 231-791-2	-	-		
Classification: -						
Glycerol	<40	56-81-5 200-289-5	-	-		
Classification: E	ye Irrit. 2;H319					
2-pyrrolidone	<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-		
Classification:	ye Irrit. 2;H319					
ethoxylated 2,4,7,9-tetramethyl-5-decy	<2.5 n-4,7-diol	9014-85-1 500-022-5	-	-		
Classification:	Eye Dam. 1;H318, Aqu	atic Chronic 3;H412				
mposition comments	This ink supply c	ontains an aqueous	ink formulation.			
ECTION 4: First aid m	neasures					
eneral information	Not available.					
1. Description of first aid	measures					
Inhalation	Move to fresh air	r. If symptoms persis	t, get medical attention.			
Skin contact	Wash affected ar attention.	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.				
Eye contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.				
Ingestion	If ingestion of a	If ingestion of a large amount does occur, seek medical attention.				
2. Most important mptoms and effects, both ute and delayed	Not available.					
3. Indication of any mediate medical attentio	Not available. n					

SECTION 5: Firefighting measures

and special treatment

needed

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, prot	tective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Not available.
6.4. Reference to other sections	Not available.
SECTION 7: Handling and	d storage

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exp	osure Limits (WELs)			
Components	Туре	Value	Form	
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.	
Biological limit values	No biological exposure limits noted	for the ingredient(s).		
Recommended monitoring	Not available.			

procedures

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short ter
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short terr
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short terr
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol (CAS 9014-85-1)	Consumers	Dermal	0.75 mg/kg	Systemic short term
,		Dermal	0.25 mg/kg	Systemic long term
		Inhalation	1.29 mg/m3	Systemic short term
		Inhalation	0.43 mg/m3	Systemic long term
		Oral	0.25 mg/g	Systemic long term
		Oral	0.75 mg/kg	Systemic short term
	Workers	Dermal	1.5 mg/kg	Systemic short term
		Dermal	0.5 mg/kg	Systemic long term
		Inhalation	5.28 mg/m3	Systemic short term
		Inhalation	1.76 mg/m3	Systemic long term
dicted no effect concentrations (PNECs	;)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	

Components		Туре	Route	Value	Form
			STP	10 mg/l	Sewage Treatment Plant
ethoxylated		Not applicable	Freshwater	0.04 mg/l	
2,4,7,9-tetramethyl-5-decyn- 9014-85-1)	4,7-diol (CAS				
, , , , , , , , , , , , , , , , , , ,			Intermittant	0.4 mg/l	Releases
			Marine water	0.004 mg/l	
			Sediment	0.32 mg/kg	Freshwater
			Sediment	0.032 mg/kg	Marine water
			Soil	0.028 mg/kg	
			STP	7 mg/l	Sewage Treatment Plant
posure guidelines	Exposure lim	iits have not been es	tablished for this	product.	
2. Exposure controls					
propriate engineering ntrols	Use in a wel	ventilated area.			
dividual protection measure	es, such as pe	rsonal protective	equipment		
General information	Use persona	l protective equipme	nt to minimize exp	oosure to skin and	eye.
Eye/face protection	Not available	2			
Skin protection					
- Hand protection	Not available	2.			
- Other	Not available	2.			
Respiratory protection	Not available	2.			
Thermal hazards	Not available	2.			
giene measures	Handle in ac	cordance with good	industrial hygiene	and safety practic	e.
vironmental exposure ntrols	Not available	2.			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Color	Clear.
Odor	Not available.
Odor threshold	Not available.
рН	8.8 - 9.1
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	3.2 - 3.3 cP
Explosive properties	Not available.
Oxidizing properties	Not available.
Material name: CE018Series	

Material name: CE018Series

9.2. Other information	
Specific gravity	1 - 1.1
VOC (Weight %)	< 445 g/L

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Not available.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

Not available.

11.1. Information on toxicological effects

General information

Acute toxicity	Based on available data, the classification criteria and	e not met.
Skin corrosion/irritation	Based on available data, the classification criteria are	e not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are	e not met.
Respiratory sensitization	Based on available data, the classification criteria and	e not met.
Skin sensitization	Based on available data, the classification criteria are	e not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are	e not met.
Reproductive toxicity	Based on available data, the classification criteria are	e not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are	e not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are	e not met.
Aspiration hazard	Based on available data, the classification criteria are	e not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Mixture versus substance information	Not available.	
Other information	Complete toxicity data are not available for this specific formulation	

SECTION 12: Ecological information

12.1. Toxicity

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Glycerol (CAS 56-81-5)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/l, 96 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		

Partition coefficient n-octanol/water (log Kow)	
2-pyrrolidone	-0.85
Glycerol	-1.76
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods		
Residual waste	Not available.	
Contaminated packaging	Not available.	
EU waste code	Not available.	
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.	

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.	
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II	
Not listed.	
Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended	
Not listed.	
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended	
Not listed.	
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended	
Not listed.	
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended	
Not listed.	
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended	
Not listed.	
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry	
Not listed.	
Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA	
Not listed.	
Authorizations	
Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization	
Not listed.	
Material name: CE018Series SD	5

Restrictions on use

Restrictions on use	
Regulation (EC) No. 190 amended	7/2006, REACH Annex XVII Substances subject to restriction on marketing and use as
Not listed.	
Directive 2004/37/EC: o mutagens at work	on the protection of workers from the risks related to exposure to carcinogens and
Not regulated.	
Directive 92/85/EEC: or are breastfeeding	n the safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
Directive 96/82/EC (Sev	veso II) on the control of major-accident hazards involving dangerous substances
Not regulated.	
5	he protection of the health and safety of workers from the risks related to chemical
agents at work	
Not regulated.	
Directive 94/33/EC on t	he protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety	See attached SUMI or GEIS document, if applicable.

assessment SECTION 16: Other information

SECTION 10: Other mild	
References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Issue date	11-Jul-2013
Revision information	1. Product and Company Identification: Alternate Trade Names
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf