

### MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

Identification of the

preparation

CE044Series

**Product use** Inkjet printing. For use only in inkjet printing

Version # 01

**Revision date** 16-Dec-2010 CAS# Mixture

**Company identification Hewlett-Packard Company** 

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

### 2. Hazards Identification

**Emergency overview** 

Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact Cyclo Amide

Contact with skin may result in irritation.

Eye contact Cyclo Amide

Contact with eyes may result in irritation.

**Inhalation** Cvclo Amide

Inhalation may result in respiratory irritation.

Ingestion Cvclo Amide

Swallowing large amounts may cause digestive discomfort.

**Potential health effects** 

**Routes of exposure** Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk.

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

### 3. Composition / Information on Ingredients

Components	CAS #	Percent
Cyclo Amide	Proprietary	< 10
Carbon black	Proprietary	< 1
Megaface F-444	N/A	< 0.1

Material name: CE044Series MSDS US

12162 Version #: 01 Revision date: 16-Dec-2010 Print date: 16-Dec-2010

Water 7732-18-5 >80

**Composition comments** 

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Carbon black is present only in a bound form in this preparation.

#### 4. First Aid Measures

First aid procedures

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

### 5. Fire Fighting Measures

Flammable properties Hydrogen fluoride, a corrosive and toxic gas, and other potentially hazardous fluorine-containing

compounds may be released upon combustion.

**Extinguishing media** 

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Specific methods
Hazardous combustion

products

None established. Refer to section 10.

### 6. Accidental Release Measures

**Personal precautions**Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Methods for containment**Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Other information

Soak up with inert absorbent material.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

## 7. Handling and Storage

**Handling** Avoid contact with skin, eyes and clothing.

**Storage** Keep out of the reach of children. Keep away from excessive heat or cold.

Keep at temperatures between 15 and 35°C.

### 8. Exposure Controls / Personal Protection

#### **Occupational exposure limits**

#### **ACGIH**

Components	Туре	Value	
Carbon black (Proprietary)	TWA	3.5000 mg/m3	

#### **U.S.** - Tennessee

0.5. Telliessee		
Components	Туре	Value
Carbon black (Proprietary)	TWA	3.5000 mg/m3

Material name: CE044Series MSDS US

12162 Version #: 01 Revision date: 16-Dec-2010 Print date: 16-Dec-2010

**Exposure guidelines** Exposure limits have not been established for this product.

Personal protective equipment

**General hygiene** considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

### 9. Physical & Chemical Properties

Not available. **Appearance** 

Color Grey

Odor Not available. **Odor threshold** Not available.

**Physical state** Liquid

**Form** Not available.

8 - 10 pН

**Melting point** Not available. Freezing point Not available. **Boiling point** Not available.

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. Flammability limits in air, Not available. upper, % by volume

Flammability limits in air,

lower, % by volume

Not available.

Vapor pressure Not available. Not available. Vapor density Specific gravity 1 - 1.1

Not available. Relative density Not available. Solubility (water) **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. VOC < 141 g/l

Other information VOC content (less water, less exempt compounds) = < 1088 q/L (U.S. requirement, not for

emissions)

### 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen

fluoride.

Possibility of hazardous

reactions

None known.

#### 11. Toxicological Information

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group

2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it

remains bound within a product matrix, specifically, rubber, ink, or paint.

Serious eye damage/eye

irritation

Not available.

Skin sensitization Not available.

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Material name: CE044Series MSDS US

## 12. Ecological Information

Persistence and degradability Not available.

## 13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

## 14. Transport Information

**Further information** 

Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

**DOT** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

#### 15. Regulatory Information

**US TSCA** 12(b): Does not contain listed chemicals.

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

#### **CERCLA (Superfund) reportable quantity**

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical

No

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

chemical

No

**Regulatory information** 

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

## 16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**HMIS**® ratings Health: 1

Flammability: 1 Physical hazard: 0

**NFPA ratings** Health: 1

Flammability: 1 Instability: 0

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 16-Dec-2010

Material name: CE044Series MSDS US

### Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CE044Series MSDS US

12162 Version #: 01 Revision date: 16-Dec-2010 Print date: 16-Dec-2010