

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or	CH566Series
designation of the mixture	Choosenes
Registration number	-
Synonyms	None.
Issue date	17-Jun-2013
Version number	04
Revision date	23-Mar-2016
Supersedes date	28-Aug-2015
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Eaber according to Regulation	
Contains:	1,5-pentanediol, 2-pyrrolidone, Alkyldicarboxylic acid, Substituted phthalocyanine salt #3, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water		65-75	7732-18-5 231-791-2	-	-	
Classification:	-					
1,5-pentanediol		< 15	111-29-5 203-854-4	01-2119449341-44-XXXX	-	
Classification:	-					
2-pyrrolidone		< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H	1319				
Alkyldicarboxylic acid		< 7.5	Proprietary	01-2119896114-34-XXXX	-	
Classification:	Eye Dam. 1;	H318				
Substituted phthalocyar	nine salt #3	< 2.5	Proprietary	-	-	
Classification:	Eye Dam. 1;	H318				
nposition comments	This in	ik supply co	ntains an aqueous	ink formulation.		

S

General information	Not available.
4.1. Description of first aid me	asures
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. (Control	parameters
--------	---------	------------

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring	Not available.
procedures	

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Predicted no effect concentration	ions (PNECs)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
xposure guidelines	Exposure limits have not been es	tablished for this	product.	
8.2. Exposure controls				
oppropriate engineering	Use in a well ventilated area.			
ndividual protection measures	s, such as personal protective e	equipment		
General information	Use personal protective equipment to minimize exposure to skin and eye.			
Eye/face protection	Not available.			
Skin protection				
Skin protection - Hand protection	Not available.			

Material name: CH566Series

Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance		
Physical state	Liquid.	
Color	Cyan	
Odor	Not available.	
Odor threshold	Not available.	
рН	3.8 - 4.2	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not determined	
Flash point	> 200.0 °F (> 93.3 °C) Setaflash Closed Cup	
Evaporation rate	Not determined	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not determined	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Solubility(ies)		
Solubility (water)	Soluble in water	
Solubility (other)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	>= 2 cp	
Explosive properties	Not available.	
Oxidizing properties	Not determined	
9.2. Other information		
VOC (Weight %)	197.61 g/l	
CECTION 10. Chability an	ما يتم مداريات	

SECTION 10: Stability and reactivity

-	-
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information

Not available.

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Material name: CH566Series		SDS

Skin sensitization	Based on avail	ilable data, the classification criteria are no	t met.
Germ cell mutagenicity	Based on avail	ilable data, the classification criteria are no	t met.
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on avail	ilable data, the classification criteria are no	t met.
Specific target organ toxicity - repeated exposure	Based on avai	ilable data, the classification criteria are no	t met.
Aspiration hazard	Based on avail	ilable data, the classification criteria are no	t met.
Components	Species	Т	est Results
2-pyrrolidone (CAS 616-45-5)	-		
Acute			
Oral			
LD50	Guinea pig	65	500 mg/kg
	Rat	6	500 mg/kg
Alkyldicarboxylic acid (CAS Proprie	etary)		
Acute			
Oral			
LD50	Rat	22	260 mg/kg
Mixture versus substance information	Not available.		
Other information		icity data are not available for this specific f on 2 for potential health effects and Sectio	
SECTION 12: Ecological	information		
-			
Aquatic toxicity		oxicity (trout), survival (100 mg/L) = 100% oxicity (trout), survival (10 mg/L) = 100%)
12.1. Toxicity			
Product		Species	Test Results
Product CH566Series		Species	Test Results
		Species	Test Results
CH566Series Aquatic <i>Acute</i>			
CH566Series Aquatic <i>Acute</i> Fish	LC50	Fathead minnow (Pimephales promelas)	461 mg/l, 96 hours
CH566Series Aquatic Acute Fish Components	LC50		
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5)	LC50	Fathead minnow (Pimephales promelas)	461 mg/l, 96 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic		Fathead minnow (Pimephales promelas) Species	461 mg/l, 96 hours Test Results
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5)	LC50 EC50	Fathead minnow (Pimephales promelas)	461 mg/l, 96 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie	EC50	Fathead minnow (Pimephales promelas) Species	461 mg/l, 96 hours Test Results
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea	EC50	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex)	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie	EC50	Fathead minnow (Pimephales promelas) Species	461 mg/l, 96 hours Test Results
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic	EC50 etary)	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex)	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and	EC50 etary) EC50	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish	EC50 etary) EC50 LC50	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative	EC50 etary) EC50 LC50 Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)	EC50 etary) EC50 LC50 Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	EC50 etary) EC50 LC50 Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish -0.85	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Alkyldicarboxylic acid	EC50 etary) EC50 LC50 Not available. Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish -0.85 -0.59	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Alkyldicarboxylic acid Bioconcentration factor (BCF)	EC50 etary) EC50 LC50 Not available. Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish -0.85 -0.59	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Alkyldicarboxylic acid Bioconcentration factor (BCF) 12.4. Mobility in soil	EC50 etary) EC50 LC50 Not available. Not available. Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish -0.85 -0.59	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Alkyldicarboxylic acid Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB	EC50 etary) EC50 LC50 Not available. Not available. Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish -0.85 -0.59	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours
CH566Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea Alkyldicarboxylic acid (CAS Proprie Aquatic Crustacea Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Alkyldicarboxylic acid Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT	EC50 etary) EC50 LC50 Not available. Not available. Not available.	Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) Water flea (Daphnia magna) Fish -0.85 -0.59 vPvB substance or mixture.	461 mg/l, 96 hours Test Results 13.21 mg/l, 48 hours 350 - 400 mg/l, 48 hours

SECTION 13: Disposal considerations

13.1. Waste treatment meth	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I	
Not listed.	
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II	
Not listed.	

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations Directive 96/82/EC (Se Not regulated.	eveso II) on the control of major-accident hazards involving dangerous substances
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	Not available.

SECTION 16: Other information

References Information on evaluation method leading to the classification of mixture	Not available. Not available.
Issue date	17-Jun-2013
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf