

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	CZ130Series
Registration number	-
Synonyms	None.
Issue date	22-Aug-2015
Version number	02
Revision date	30-May-2016
Supersedes date	22-Aug-2015
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Laber according to Regulation	
Contains:	1-(2-hydroxyethyl)-2-pyrrolidone, 2-pyrrolidone, Aliphatic diol, Substituted phthalocyanine salt # 4, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:					
1-(2-hydroxyethyl)-2-pyrrolidone	< 10	3445-11-2 222-359-4	01-2119977089-21-XXXX	-	
Classification:					
Aliphatic diol	< 10	Proprietary	01-2119449814-31-XXXX	-	
Classification: -					
2-pyrrolidone	< 5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
<b>Classification:</b> Eye Irrit. 2;	H319				
Substituted phthalocyanine salt # 4	< 5	Proprietary	01-0000017445-69-XXXX	-	
Classification: Eye Dam. 1	;H318				
nposition comments This i	nk supply co	ontains an aqueous i	ink formulation.		
CTION 4: First aid measure	5				
neral information Not a	vailable.				

# S

General information	Not available.
4.1. Description of first aid me	asures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

## SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	Not available.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

### SECTION 8: Exposure controls/personal protection

8.1. Control	parameters
--------------	------------

Occupational exposure limits	No exposure limits noted for ingredient(s).
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
Recommended monitoring	Not available.
procedures	

### Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Predicted no effect concentrat	ions (PNECs)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
xposure guidelines	Exposure limits have not been est	tablished for this	product.	
<b>3.2. Exposure controls</b>				
Appropriate engineering controls	Use in a well ventilated area.			
ndividual protection measure	s, such as personal protective e	equipment		
General information	Use personal protective equipmer	nt to minimize exp	osure to skin and e	ye.
-		nt to minimize exp	oosure to skin and e	ye.
General information	Use personal protective equipmer	nt to minimize exp	oosure to skin and e	ye.
General information Eye/face protection	Use personal protective equipmer	nt to minimize exp	oosure to skin and e	ye.

Material name: CZ130Series

<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance		
Physical state	Not available.	
Color	Cyan	
Odor	Not available.	
Odor threshold	Not available.	
рН	7.1 - 7.7	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not determined	
Flash point	> 200.0 °F (> 93.3 °C) Setaflash Closed Tester	
Evaporation rate	Not determined	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not determined	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not determined	
Solubility(ies)		
Solubility (water)	Soluble in water	
Solubility (other)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	>= 2 cp	
Explosive properties	Not available.	
Oxidizing properties	Not determined	
9.2. Other information		
VOC (Weight %)	< 221 g/L EPA Method 24	
SECTION 10, Stability an	d reactivity	

### **SECTION 10: Stability and reactivity**

10.1. Reactivity 10.2. Chemical stability 10.3. Possibility of hazardous	Not available. Stable under recommended storage conditions. Will not occur.
reactions 10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

### **SECTION 11: Toxicological information**

General information

Not available.

### 11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Material name: CZ130Series		SDS L

Skin sensitization	Based on avail	able data, the classification criteria are no	t met.
Germ cell mutagenicity	Based on avail	able data, the classification criteria are no	t met.
Carcinogenicity	Based on avail	able data, the classification criteria are no	t met.
Reproductive toxicity	Based on avail	able data, the classification criteria are no	t met.
Specific target organ toxicity - single exposure	Based on avail	able data, the classification criteria are no	t met.
Specific target organ toxicity - repeated exposure	Based on avail	able data, the classification criteria are no	t met.
Aspiration hazard	Based on avail	able data, the classification criteria are no	t met.
Components	Species	т	est Results
2-pyrrolidone (CAS 616-45-5)	-		
Acute			
Oral			
LD50	Guinea pig	6	500 mg/kg
	Rat	6	500 mg/kg
Aliphatic diol (CAS Proprietary)			5. 5
Acute			
Dermal			
LD50	Rabbit	>	10000 mg/kg
Oral			
LD50	Rat	3	730 mg/kg
Other			
LD50	Mouse	1	738 mg/kg
Mixture versus substance	Not available.		
information	NUL avaliable.		
Other information	Complete toxic	city data are not available for this specific	formulation
		on 2 for potential health effects and Sectio	
SECTION 12: Ecological	information		
SECTION 12: Ecological			
Aquatic toxicity		to be harmful to aquatic organisms.	
Aquatic toxicity 12.1. Toxicity			
Aquatic toxicity 12.1. Toxicity Product		to be harmful to aquatic organisms. <b>Species</b>	Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series			Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic			Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute	Not expected t	Species	
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish		Species Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components	Not expected t	Species	
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5)	Not expected t	Species Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic	Not expected t	Species Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea	Not expected t	Species Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic	Not expected t	Species Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and	Not expected t	Species Fathead minnow (Pimephales promelas) Species	> 750 mg/l, 96 hours Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	Not expected t LC50 EC50 Not available.	Species Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) -0.85	> 750 mg/l, 96 hours Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Aliphatic diol	Not expected t LC50 EC50 Not available. Not available.	Species   Fathead minnow (Pimephales promelas)   Species   Water flea (Daphnia pulex)	> 750 mg/l, 96 hours Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Aliphatic diol Bioconcentration factor (BCF)	Not expected to LC50 EC50 Not available. Not available.	Species Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) -0.85	> 750 mg/l, 96 hours Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Aliphatic diol Bioconcentration factor (BCF) 12.4. Mobility in soil	Not expected to LC50 EC50 Not available. Not available. Not available. Not available.	Species   Fathead minnow (Pimephales promelas)   Species   Water flea (Daphnia pulex)   -0.85   -0.106	> 750 mg/l, 96 hours Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Aliphatic diol Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB	Not expected to LC50 EC50 Not available. Not available. Not available. Not available.	Species Fathead minnow (Pimephales promelas) Species Water flea (Daphnia pulex) -0.85	> 750 mg/l, 96 hours Test Results
Aquatic toxicity 12.1. Toxicity Product CZ130Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Aliphatic diol Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT	Not expected to LC50 EC50 Not available. Not available. Not available. Not available.	Species   Fathead minnow (Pimephales promelas)   Species   Water flea (Daphnia pulex)   -0.85   -0.106	> 750 mg/l, 96 hours Test Results

### **SECTION 13: Disposal considerations**

13.1. Waste treatment meth	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

**Further information** 

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I	
Not listed.	
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II	
Not listed.	

#### **Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended** Not listed.

# Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

#### Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

#### Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

#### Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended** Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

### Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

### Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

### Not listed.

### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

#### Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on are breastfeeding	the safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
Directive 96/82/EC (Sev	eso II) on the control of major-accident hazards involving dangerous substances
Not regulated.	
Directive 98/24/EC on t agents at work	ne protection of the health and safety of workers from the risks related to chemical
Not regulated. Directive 94/33/EC on tl	ne protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations 15.2. Chemical safety assessment	Not available. See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Issue date	22-Aug-2015
<b>Revision information</b>	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

#### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

### Safe Use of Mixture Information (SUMI)

### Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ntion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading to inclusion into/onto article ERC8c-Widespread use leading to inclusion into/onto article (indoor)	
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.	
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf