

## SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Trade name or** F9J98Series

designation of the mixture

Registration number -

**Synonyms** None.

**Issue date** 12-Jun-2016

Version number 03

**Revision date** 27-Jul-2016 **Supersedes date** 26-Jul-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printing.Uses advised againstNone known.Company identificationHP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Carbon black, Diethylene glycol, Water

Hazard pictograms None.

Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

**Supplemental label** Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic

**information** reaction.

**2.3. Other hazards** Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and

ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Material name: F9J98Series SDS UK

12163 Version No.: 03 Revision date: 27-Jul-2016 Print date: 27-Jul-2016

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
Carbon black	<5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:	-				
Diethylene glycol	<5	111-46-6 203-872-2	-	603-140-00-6	
Classification:	Acute Tox. 4;H302, STO	OT RE 2;H373			

**Composition comments** This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

#### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

**Inhalation** Remove to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Not available.

Not available.

## **SECTION 5: Firefighting measures**

**General fire hazards** Not available.

5.1. Extinguishing media

Suitable extinguishing

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

media

None known.

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

**Special fire fighting** 

procedures

Not available.

Specific methods

None established.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency Not available.

responders

Material name: F9J98Series SDS UK

12163 Version No.: 03 Revision date: 27-Jul-2016 Print date: 27-Jul-2016 2 / 8

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Not available. 7.3. Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Occupational exposure limits**

## **UK. EH40 Workplace Exposure Limits (WELs)**

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
•	TWA	3.5 mg/m3	
Diethylene glycol (CAS 111-46-6)	TWA	101 mg/m3	
,		23 ppm	

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Not available.

### **Derived no-effect level (DNEL)**

Components	Туре	Route	Value	Form
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
Diethylene glycol (CAS 111-46-6)	Consumers	Dermal	53 mg/kg	Systemic long term
		Inhalation	12 mg/m3	Local long term
	Workers	Dermal	106 mg/kg	Systemic long term
		Inhalation	60 mg/m3	Local long term

### Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
Carbon black (CAS 1333-86-4)	Not applicable	Freshwater	5 mg/l	
		Marine water	5 mg/l	
Diethylene glycol (CAS 111-46-6)	Not applicable	Freshwater	10 mg/l	
		Intermittant	10 mg/l	Releases
		Marine water	1 mg/l	
		Sediment	20.9 mg/kg	Freshwater
		Soil	1.53 mg/kg	
		STP	199.5 mg/l	Sewage Treatment Plant

**Exposure guidelines** 

Exposure limits have not been established for this product.

8.2. Exposure controls

**Appropriate engineering** controls

Not available.

#### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Use protective gloves made of: Nitrile rubber.

Material name: F9J98Series SDS UK

Wear appropriate chemical resistant clothing. - Other

Respiratory protection Not available. Thermal hazards Not available.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene measures** 

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

**Physical state** Liquid. Black. Color Not available. Odor **Odor threshold** Not available. 8 - 10 рH

Not available. Melting point/freezing point Initial boiling point and Not available.

boiling range

Flash point > 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Vapor pressure Not available.

Solubility(ies)

Solubility (water) Not available. Solubility (other) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** Not available. **Explosive properties Oxidizing properties** Not determined

9.2. Other information

Specific gravity 1 - 1.1VOC (Weight %) < 180 g/l

### **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous None known.

reactions

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon decomposition products dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen

fluoride.

### **SECTION 11: Toxicological information**

**General information** Not available. 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met.

Material name: F9J98Series

12163 Version No.: 03 Revision date: 27-Jul-2016 Print date: 27-Jul-2016 Serious eye damage/eye Based on available data, the classification criteria are not met. irritation **Respiratory sensitization** Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. IARC Monographs. Overall Evaluation of Carcinogenicity Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Specific target organ toxicity - single exposure Specific target organ toxicity Based on available data, the classification criteria are not met. - repeated exposure **Aspiration hazard** Based on available data, the classification criteria are not met. **Components Species Test Results** Carbon black (CAS 1333-86-4) **Acute** Oral LD50 Rat > 8000 mg/kg Diethylene glycol (CAS 111-46-6) **Acute** Dermal LD50 Rabbit 11890 mg/kg Oral LD50 Cat 3300 mg/kg Dog 9000 mg/kg 8700 mg/kg Guinea pig Mouse 13.3 g/kg Rabbit 26.9 g/kg Rat 12565 mg/kg Other LD50 Mouse 9.6 g/kg Rabbit 2000 mg/kg Rat 7700 mg/kg 7.7 g/kg Mixture versus substance Not available. information Other information Complete toxicity data are not available for this specific formulation **SECTION 12: Ecological information Aquatic toxicity** No information available. 12.1. Toxicity No information available. **Product Species Test Results** F9J98Series Aquatic Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 Hours **Test Results** Components **Species** Diethylene glycol (CAS 111-46-6) **Aquatic** LC50 Fish Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours 12.2. Persistence and Not available.

Material name: F9J98Series SDS UK

12163 Version No.: 03 Revision date: 27-Jul-2016 Print date: 27-Jul-2016

Not available.

degradability

potential

12.3. Bioaccumulative

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Residual waste** Not available. Not available. Contaminated packaging Not available. **EU** waste code

**Disposal** Do not allow this material to drain into sewers/water supplies. Dispose of waste material according

methods/information to Local, State, Federal, and Provincial Environmental Regulations.

## **SECTION 14: Transport information**

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

#### **Authorizations**

### Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Material name: F9J98Series 6/8

12163 Version No.: 03 Revision date: 27-Jul-2016 Print date: 27-Jul-2016

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

#### Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Diethylene glycol (CAS 111-46-6)

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Specific

> Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

and amendments).

**National regulations** 

15.2. Chemical safety

assessment

Not available.

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

References Information on evaluation

method leading to the classification of mixture Not available. Not available.

**Issue date** 12-Jun-2016

**Revision information** SECTION 15: Regulatory information: Other information

**Training information** Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Manufacturer information** HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Material name: F9J98Series SDS UK

12163 Version No.: 03 Revision date: 27-Jul-2016 Print date: 27-Jul-2016

### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

List of abbreviations Not available.

SDS UK Material name: F9J98Series 8/8

12163 Version No.: 03 Revision date: 27-Jul-2016 Print date: 27-Jul-2016

## Safe Use of Mixture Information (SUMI)

#### Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









#### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.