

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or	C6656Series
designation of the mixture	
Registration number	-
Synonyms	None.
Issue date	08-May-2015
Version number	02
Revision date	20-Aug-2015
Supersedes date	08-May-2015
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Eaber according to Regulatio	
Contains:	2-pyrrolidone, Carbon black, Isopropyl alcohol, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.
2.3. Other hazards	Complete toxicity data are not available for this specific formulation.
	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.
	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

neral information Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	75-85	7732-18-5 231-791-2	-	-	
Classification: -					
2-pyrrolidone	<15	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Ey	e Irrit. 2;H319				
Carbon black	<5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification: -					
Isopropyl alcohol	<2.5	67-63-0 200-661-7	01-2119457558-25-XXXX	603-117-00-0	
Classification: Fla	am. Liq. 2;H225, Eye		SE 3;H336		
mposition comments	This ink supply co	ntains an aqueous i	nk formulation.		
	Carbon black is p	resent only in a bou	nd form in this preparation.		
CTION 4: First aid me	easures				
neral information	Nata sustants				
	Not available.				
. Description of first aid m	leasures				
. Description of first aid m Inhalation	leasures Move to fresh air.		t, get medical attention.		
. Description of first aid m Inhalation Skin contact	Move to fresh air. Wash affected are attention.	eas thoroughly with	mild soap and water. If irritation		
. Description of first aid m Inhalation Skin contact Eye contact	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes	eas thoroughly with Immediately flush w or until particles are	mild soap and water. If irritation with large amounts of clean, wa removed. If irritation persists	rm water (low pre	ssure) fo
. Description of first aid m Inhalation Skin contact Eye contact Ingestion	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes If ingestion of a la	eas thoroughly with Immediately flush w or until particles are arge amount does o	mild soap and water. If irritation with large amounts of clean, wa removed. If irritation persists ccur, seek medical attention.	rm water (low pre	ssure) fo
Description of first aid m Inhalation Skin contact Eye contact Ingestion Most important nptoms and effects, both	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes If ingestion of a la	eas thoroughly with Immediately flush w or until particles are	mild soap and water. If irritation with large amounts of clean, wa removed. If irritation persists ccur, seek medical attention.	rm water (low pre	ssure) fo
. Description of first aid m Inhalation Skin contact Eye contact Ingestion 2. Most important	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available.	eas thoroughly with Immediately flush w or until particles are arge amount does o	mild soap and water. If irritation with large amounts of clean, wa removed. If irritation persists ccur, seek medical attention.	rm water (low pre	ssure) foi
. Description of first aid m Inhalation Skin contact Eye contact Ingestion 2. Most important mptoms and effects, both ute and delayed 3. Indication of any	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available.	eas thoroughly with Immediately flush w or until particles are arge amount does o	mild soap and water. If irritation with large amounts of clean, wa removed. If irritation persists ccur, seek medical attention.	rm water (low pre	ssure) foi
Description of first aid m Inhalation Skin contact Eye contact Ingestion 2. Most important mptoms and effects, both ute and delayed 3. Indication of any mediate medical attention d special treatment	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available.	eas thoroughly with Immediately flush w or until particles are arge amount does o	mild soap and water. If irritation with large amounts of clean, wa removed. If irritation persists ccur, seek medical attention.	rm water (low pre	ssure) for
. Description of first aid m Inhalation Skin contact Eye contact Ingestion 2. Most important mptoms and effects, both ute and delayed 3. Indication of any mediate medical attention d special treatment eded	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available.	eas thoroughly with Immediately flush w or until particles are arge amount does o and eyes may resul	mild soap and water. If irritation with large amounts of clean, water removed. If irritation persists of ccur, seek medical attention. t in irritation.	rm water (low pre get medical attent	ssure) foi ion.
Description of first aid m Inhalation Skin contact Eye contact Ingestion 2. Most important mptoms and effects, both ute and delayed 3. Indication of any mediate medical attention d special treatment eded CTION 5: Firefighting	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available. 9 measures No ignition, susta (method in US 49	eas thoroughly with Immediately flush w or until particles are arge amount does o and eyes may resul	flashing detected using the Sus	rm water (low pre get medical attent	ssure) foi ion.
Description of first aid m Inhalation Skin contact Eye contact Ingestion Most important mptoms and effects, both ute and delayed Indication of any mediate medical attention d special treatment eded CTION 5: Firefighting tes neral fire hazards . Extinguishing media	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available. g measures No ignition, susta (method in US 49 Contact with skin	eas thoroughly with Immediately flush w or until particles are arge amount does o and eyes may resul ined combustion or CFR173, Appendix H and eyes may resul	flashing detected using the Sus	rm water (low pre get medical attent	ssure) foi ion.
Description of first aid m Inhalation Skin contact Eye contact Ingestion Most important mptoms and effects, both ate and delayed Indication of any mediate medical attention d special treatment eded CTION 5: Firefighting tes neral fire hazards Extinguishing media Suitable extinguishing media	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available. 9 measures No ignition, susta (method in US 49 Contact with skin CO2, water, dry co	eas thoroughly with Immediately flush w or until particles are arge amount does o and eyes may resul ined combustion or CFR173, Appendix H and eyes may resul	flashing detected using the Sus	rm water (low pre get medical attent	ssure) foi ion.
Description of first aid m Inhalation Skin contact Eye contact Ingestion 2. Most important mptoms and effects, both ute and delayed 3. Indication of any mediate medical attention d special treatment eded CTION 5: Firefighting tes neral fire hazards Extinguishing media Suitable extinguishing media	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available. g measures No ignition, susta (method in US 49 Contact with skin CO2, water, dry contact with skin	eas thoroughly with Immediately flush w or until particles are arge amount does o and eyes may resul ined combustion or CFR173, Appendix H and eyes may resul	flashing detected using the Sus	rm water (low pre get medical attent	ssure) foi ion.
Description of first aid m Inhalation Skin contact Eye contact Ingestion 2. Most important mptoms and effects, both ite and delayed 3. Indication of any mediate medical attention d special treatment eded CCTION 5: Firefighting tes neral fire hazards Extinguishing media Suitable extinguishing media Unsuitable extinguishing	Move to fresh air. Wash affected are attention. Do not rub eyes. least 15 minutes of If ingestion of a la Contact with skin Not available. 9 measures No ignition, susta (method in US 49 Contact with skin CO2, water, dry co	eas thoroughly with Immediately flush w or until particles are arge amount does o and eyes may resul ined combustion or CFR173, Appendix H and eyes may resul	flashing detected using the Sus	rm water (low pre get medical attent	ssure) foi

SECTION 6: Accidental release measures

6.1. Personal precautions, prot	tective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations.
6.4. Reference to other sections	Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value		
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3		
	TWA	3.5 mg/m3		
Isopropyl alcohol (CAS 67-63-0)	STEL	1250 mg/m3		
	TWA	500 ppm 999 mg/m3 400 ppm		
ological limit values	No biological exposure limits noted for	r the ingredient(s).		
commended monitoring ocedures	Not available.			
erived no-effect level NEL)	Not available.			
edicted no effect ncentrations (PNECs)	Not available.			
posure guidelines	Exposure limits have not been established for this product.			
2. Exposure controls				
propriate engineering ntrols	Use in a well ventilated area.			
dividual protection measur	es, such as personal protective equi	ipment		
General information	Use personal protective equipment to	minimize exposure to skin and eye.		
Eye/face protection	Not available.	Not available.		
Skin protection				
- Hand protection	Not available.			
- Other	Not available.			
Respiratory protection	Not available.			
Thermal hazards	Not available.			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7.8 - 8.4
Melting point/freezing point	Not available.
Initial boiling point and boiling range	200 °F (93.33 °C)
Flash point	131.0 - 136.0 °F (55.0 - 57.8 °C)
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not determined
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	> 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
Bulk density	1 - 1.2 gm/ml
Specific gravity	1 - 1.2
VOC (Weight %)	< 116.6 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity 10.2. Chemical stability 10.3. Possibility of hazardous reactions	Not available. Stable under recommended storage conditions. Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Material name: C6656Series	

Material name: C6656Series

	Pacad on ave	ilable data the classification criteria are r	act mot	
Germ cell mutagenicity Carcinogenicity	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria are not met.			
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.			
IARC Monographs. Overa	ll Evaluation o	f Carcinogenicity		
Carbon black (CAS 1333	-86-4)	2B Possibly carcinogen	ic to humans.	
Reproductive toxicity	Based on ava	ilable data, the classification criteria are r	not met.	
Specific target organ toxicity - single exposure	Based on ava	ilable data, the classification criteria are r	not met.	
Specific target organ toxicity - repeated exposure	Based on ava	ilable data, the classification criteria are r	not met.	
Aspiration hazard	Based on ava	ilable data, the classification criteria are r	not met.	
Components	Species		Test Results	
2-pyrrolidone (CAS 616-45-5)				
Acute				
Oral				
LD50	Guinea pig		6500 mg/kg	
	Rat		6500 mg/kg	
Carbon black (CAS 1333-86-4)				
Acute				
Oral	_			
LD50	Rat		> 8000 mg/kg	
Isopropyl alcohol (CAS 67-63-0) Acute Dermal				
LD50	Rabbit		12800 mg/kg	
Oral				
LD50	Dog		4797 mg/kg	
	Mouse		3600 mg/kg	
	Rabbit		5.03 g/kg	
	Rat		4.7 g/kg	
Other	i de			
LD50	Mouse		1509 mg/kg	
	Rat		1099 mg/kg	
Mixture versus substance information	Not available.		1000 mg/mg	
Other information		icity data are not available for this specifi ion 2 for potential health effects and Sect		
SECTION 12 Ecological				
SECTION 12: Ecological				
Aquatic toxicity	Not expected	to be harmful to aquatic organisms.		
12.1. Toxicity				
Product		Species	Test Results	
C6656Series (CAS Mixture) Aquatic				
Acute				
Fish	LC50	Fathead minnow (Pimephales promelas		
Components		Species	Test Results	
2-pyrrolidone (CAS 616-45-5)				
Aquatic	ECEO	Water flee (Destation and and	12.21 mg// 49 hours	
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
Material name: C6656Series			SDS UK	

Components		Species	Test Results
Isopropyl alcohol (CAS 67-63-0)			
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Acute			
Algae	EC50	Algae	> 1000 mg/l, 72 hours
Crustacea	EC50	Daphnia	13299 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	9460 mg/l, 96 hours
12.2. Persistence and degradability	No data is ava	ilable on the degradability of this product.	
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow)			
2-pyrrolidone Isopropyl alcohol		-0.85 0.05	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or v	vPvB substance or mixture.	
12.6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment meth	nods
Residual waste	Not available.
Contaminated packaging	No special precautions.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous Goods Regulations Section 3.3.1.3.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed. Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Isopropyl alcohol (CAS 67-63-0)

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments). Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).
National regulations	Not available.
15.2. Chemical safety assessment	Not available.

SECTION 16: Other information

References

Not available.

Information on evaluation method leading to the classification of mixture	Not available.
Issue date	08-May-2015
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists					
CAS	Chemical Abstracts Service					
CERCLA	Comprehensive Environmental Response Compensation and Liability Ac					
CFR	Code of Federal Regulations					
COC	Cleveland Open Cup					
DOT	Department of Transportation					
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)					
IARC	International Agency for Research on Cancer					
NIOSH	National Institute for Occupational Safety and Health					
NTP	National Toxicology Program					
OSHA	Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit					
RCRA	Resource Conservation and Recovery Act					
REC	Recommended					
REL	Recommended Exposure Limit					
SARA	Superfund Amendments and Reauthorization Act of 1986					
STEL	Short-Term Exposure Limit					
TCLP	Toxicity Characteristics Leaching Procedure					
TLV	Threshold Limit Value					
TSCA	Toxic Substances Control Act					
VOC	Volatile Organic Compounds					
List of abbreviations	Not available.					

C6657 Series[Y][3]-SDS_UK-English-41.pdf

C6657 Series[M][3]-SDS_UK-English-40.pdf

C6657 Series[C][3]-SDS_UK-English-40.pdf



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Trade name or designation of the mixture	C6657 Series[Y][3]			
Registration number	-			
Synonyms	None.			
Issue date	15-May-2015			
Version number	03			
Revision date	26-May-2016			
Supersedes date	24-Sep-2015			
1.2. Relevant identified uses of	f the substance or mixture and uses advised against			
Identified uses	Not available.			
Uses advised against	None known.			
Company identification	HP Inc UK Limited Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03) Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790			
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Eaber according to Regulatio					
Contains:	1,5-pentanediol, 2-pyrrolidone, Ammonium nitrate, Magnesium nitrate hexahydrate, naphthalenesulfonate salt #12, Water				
Hazard pictograms	None.				
Signal word	None.				
Hazard statements	The mixture does not meet the criteria for classification.				
Precautionary statements					
Prevention	Not available.				
Response	Not available.				
Storage	Not available.				
Disposal	Not available.				
Supplemental label information	None.				
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		65-75	7732-18-5 231-791-2	-	-	
Classification:	-					
1,5-pentanediol		<10	111-29-5 203-854-4	01-2119449341-44-XXXX	-	
Classification:	-					
2-pyrrolidone		< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
Magnesium nitrate hexal	nydrate	< 7.5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
naphthalenesulfonate sal	lt #12	< 5	Proprietary	-	-	
Classification:	-		-			
Ammonium nitrate		< 2.5	6484-52-2 229-347-8	01-2119490981-27-XXXX	-	
Classification:	Skin Irrit. 2	;H315, Eye I	rrit. 2;H319, STOT	SE 3;H335		
mposition comments	This i	nk supply co	ntains an aqueous	ink formulation.		
CTION 4: First aid	measure	5				
neral information	Not a	vailable.				
. Description of first aid	d measures	;				
Inhalation	Move	to fresh air.	If symptoms persis	t, get medical attention.		
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.					
Eye contact	least	15 minutes o	or until particles are	vith large amounts of clean, war removed. If irritation persists g		
Ingestion	If ing	estion of a la	irge amount does o	ccur, seek medical attention.		
2. Most important nptoms and effects, bo ite and delayed		vailable.				
· · ·						

4.3. Indication of any Not available. immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.

5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

6.1. Personal precautions, protective equipment and emergency procedures For non-emergency Wear appropriate personal protective equipment.

personnel	
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Not available.
6.4. Reference to other sections	Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits	No exposure limits noted for ingredient(s).			
Biological limit values	No biological exposure limits noted for the ingredient(s).			
Recommended monitoring	Not available.			
procedures				

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form	
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term	
		Dermal	167 mg/kg bw/d	Systemic acute short term	
		Inhalation	17.1 mg/m3	Systemic long term	
		Oral	5.2 mg/kg bw/d	Systemic long term	
		Oral	33.3 mg/kg bw/d	Systemic acute short term	
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term	
		Dermal	10 mg/kg bw/d	Systemic long term	
		Inhalation	57.8 mg/m3	Systemic long term	
Magnesium nitrate hexahydrate (CAS 10377-60-3)	Consumers	Dermal	12.5 mg/kg bw/d	Systemic long term	
-		Inhalation	10.9 mg/m3	Systemic long term	
		Oral	12.5 mg/kg bw/d	Systemic long term	
	Workers	Dermal	20.8 mg/kg bw/d	Systemic long term	
		Inhalation	36.7 mg/m3	Systemic long term	
edicted no effect concentrations (PNECs)					

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

Components		Туре	Route	Value	Form
Magnesium nitrate hexahydrat 10377-60-3)	te (CAS	Not applicable	Freshwater	0.45 mg/l	
			Intermittant	4.5 mg/l	Releases
			Marine water	0.045 mg/l	
			STP	18 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure lir	nits have not been est	ablished for this	product.	
8.2. Exposure controls					
Appropriate engineering controls	Use in a we	ll ventilated area.			
Individual protection measure	s, such as p	ersonal protective e	quipment		
General information	Use persona	al protective equipmer	nt to minimize exp	oosure to skin and e	ye.
Eye/face protection	Not availabl	e.			
Skin protection					
- Hand protection	Not availabl	e.			
- Other	Not availabl	e.			
Respiratory protection	Not availabl	e.			
Thermal hazards	Not availabl	e.			
Hygiene measures	Handle in a	ccordance with good in	ndustrial hygiene	and safety practice.	
Environmental exposure controls	Not availabl	e.			

SECTION 9: Physical and chemical properties

Jili information on busic phys	ical and chemical properties
Appearance	Not available.
Physical state	Liquid.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
рН	6.2 - 6.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined.
9.2. Other information	
Specific gravity	1 - 1.2
VOC (Weight %)	< 340 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
SECTION 11, Toxicologic	and information

SECTION 11: Toxicological information

General information	Not available.	
11.1. Information on toxicolog	jical effects	
Acute toxicity	Based on available data, the classification criteria are	e not met.
Skin corrosion/irritation	Based on available data, the classification criteria are	e not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are	e not met.
Respiratory sensitization	Based on available data, the classification criteria are	e not met.
Skin sensitization	Based on available data, the classification criteria are	e not met.
Germ cell mutagenicity	Based on available data, the classification criteria are	e not met.
Carcinogenicity	Based on available data, the classification criteria are	e not met.
Reproductive toxicity	Based on available data, the classification criteria are	e not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are	e not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are	e not met.
Aspiration hazard	Based on available data, the classification criteria are	e not met.
Components	Species	Test Results
Components 2-pyrrolidone (CAS 616-45-5)	Species	Test Results
-	Species	Test Results
2-pyrrolidone (CAS 616-45-5) Acute Oral	Species	
2-pyrrolidone (CAS 616-45-5) Acute	Species Guinea pig	Test Results 6500 mg/kg
2-pyrrolidone (CAS 616-45-5) Acute Oral	•	
2-pyrrolidone (CAS 616-45-5) Acute Oral	Guinea pig Rat	6500 mg/kg
2-pyrrolidone (CAS 616-45-5) Acute Oral LD50	Guinea pig Rat	6500 mg/kg
2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2	Guinea pig Rat	6500 mg/kg
2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute	Guinea pig Rat	6500 mg/kg
2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation	Guinea pig Rat 2)	6500 mg/kg 6500 mg/kg
2-pyrrolidone (CAS 616-45-5) Acute Ora/ LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation LC50	Guinea pig Rat 2)	6500 mg/kg 6500 mg/kg
2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation LC50 Oral	Guinea pig Rat 2) Rat	6500 mg/kg 6500 mg/kg > 88.8 mg/l, 4 Hours

SECTION 12: Ecological information				
12.1. Toxicity				
Product		Species	Test Results	
Yellow ink				
Aquatic				
Acute				
Fish	LC50	Fathead minnow (Pimephales promelas)	< 400 mg/l, 96 hours	
Components		Species	Test Results	
2-pyrrolidone (CAS 616-45-5))			
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
Material name: C6657 Series[Y]	[3]			SDS UK

Components		Species	Test Results
Ammonium nitrate (CAS 6484-52-2	2)		
Aquatic			
Crustacea	EC50	Daphnia	100, 48 Hours
Fish	LC50	Fish	100, 96 Hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	No data available on bioaccumulation.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or	vPvB substance or mixture.	
12.6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

AMMONIUM NITRATE (AN) (CAS 6484-52-2)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Information on evaluation method leading to the classification of mixture	Not available. Not available.
Issue date	15-May-2015
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities		
ERC5-Use at industrial site leading to inclusion into/onto article ERC8c-Widespread use leading to inclusion into/onto article (indoor)		
Additional information on prod		
	s on the label, the classification of the mixture is provided.	
Most of the water based inks are		
	is based on the individuel ingredients and their concentration within the mixture.	
	ne classification are stated in Section 3 of the SDS.	
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.	
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or	C6657 Series[M][3]	
designation of the mixture		
Registration number	-	
Synonyms	None.	
Issue date	15-May-2015	
Version number	03	
Revision date	26-May-2016	
Supersedes date	24-Sep-2015	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Inkjet printing	
Uses advised against	None known.	
Company identification	HP Inc UK Limited	
	Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)	
	Bracknell, United Kingdom RG12 1HN	
	Telephone 44 (0) 879 013 0790	
	HP Inc. health effects line	
	(Toll-free within the US) 1-800-457-4209	
	(Direct) 1-760-710-0048	
	HP Inc. Customer Care Line	
	(Toll-free within the US) 1-800-474-6836	
	(Direct) 1-208-323-2551	
	Email: hpcustomer.inquiries@hp.com	
	Poison Information Center 0207771 5307	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, Ammonium nitrate, Magnesium nitrate hexahydrate, Water		
Hazard pictograms	None.		
Signal word	None.		
Hazard statements	The mixture does not meet the criteria for classification.		
Precautionary statements			
Prevention	Not available.		
Response	Not available.		
Storage	Not available.		
Disposal	Not available.		
Supplemental label information	None.		
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water		65-75	7732-18-5 231-791-2	-	-	
Classification:	-					
2-pyrrolidone		< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
Magnesium nitrate hexa	ahydrate	< 7.5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
Ammonium nitrate		< 2.5	6484-52-2 229-347-8	01-2119490981-27-XXXX	-	
Classification:	Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335					
nposition comments	This i	nk supply co	ntains an aqueous i	nk formulation.		

SECTION 4: First aid measures

General information	Not available.
4.1. Description of first aid me	asures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	Wear appropriate personal protective equipment.			
For emergency responders	Not available.			
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.			
6.3. Methods and material for containment and cleaning up	Not available.			
6.4. Reference to other sections	Not available.			
SECTION 7: Handling and	d storage			
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.			

Keep out of the reach of children. Keep away from excessive heat or cold.

storage, including anyincompatibilities7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.

Derived no-effect level (DNEL)

7.2. Conditions for safe

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short terr
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short terr
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Magnesium nitrate hexahydrate (CAS 10377-60-3)	Consumers	Dermal	12.5 mg/kg bw/d	Systemic long term
		Inhalation	10.9 mg/m3	Systemic long term
		Oral	12.5 mg/kg bw/d	Systemic long term
	Workers	Dermal	20.8 mg/kg bw/d	Systemic long term
		Inhalation	36.7 mg/m3	Systemic long term
licted no effect concentrations (PNE	Cs)	Inhalation	36.7 mg/m3	Systemic long term
licted no effect concentrations (PNE) Components	Cs) Type	Inhalation Route	36.7 mg/m3 Value	Systemic long term
	-			
Components	Туре	Route	Value	
Components	Туре	Route Freshwater	Value 0.5 mg/l	Form
Components	Туре	Route Freshwater Intermittant	Value 0.5 mg/l 0.5 mg/l	Form
Components	Туре	Route Freshwater Intermittant Marine water	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l	Form Releases
Components	Туре	Route Freshwater Intermittant Marine water Sediment	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg	Form Releases Freshwater
Components	Туре	Route Freshwater Intermittant Marine water Sediment Soil	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg	Form Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Magnesium nitrate hexahydrate (CAS	Type Not applicable	Route Freshwater Intermittant Marine water Sediment Soil STP	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Form Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Magnesium nitrate hexahydrate (CAS	Type Not applicable	Route Freshwater Intermittant Marine water Sediment Soil STP Freshwater	Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l 0.45 mg/l	Form Releases Freshwater Sewage Treatment Plant

Exposure guidelines

Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering controls	Use in a well ventilated area.
Individual protection measure	es, such as personal protective equipment
General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

been of the second and chemical properties			
9.1. Information on basic physical and chemical properties			
Appearance	Not available.		
Physical state	Liquid.		
Color	Magenta		
Odor	Not available.		
Odor threshold	Not available.		
рН	6.2 - 6.8		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not determined		
Flash point	>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup		
Evaporation rate	Not determined		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or e	-		
Flammability limit - lower (%)	Not determined		
Flammability limit - upper (%)	Not available.		
Vapor pressure	Not determined		
Solubility(ies)			
Solubility (water)	Soluble in water		
Solubility (other)	Not available.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	>= 2 cp		
Explosive properties	Not available.		
Oxidizing properties	Not determined.		
9.2. Other information			
Specific gravity	1 - 1.2		
VOC (Weight %)	< 349 g/l		

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

-		
Acute toxicity	Based on available data, the classification crite	eria are not met.
Skin corrosion/irritation	Based on available data, the classification crite	eria are not met.
Serious eye damage/eye irritation	Based on available data, the classification crite	eria are not met.
Respiratory sensitization	Based on available data, the classification crite	eria are not met.
Skin sensitization	Based on available data, the classification crite	eria are not met.
Germ cell mutagenicity	Based on available data, the classification crite	eria are not met.
Carcinogenicity	Based on available data, the classification crite	eria are not met.
Reproductive toxicity	Based on available data, the classification crite	eria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification crite	eria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification crite	eria are not met.
Aspiration hazard	Based on available data, the classification crite	eria are not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
2-pyrrolidone (CAS 616-45-5) Acute		
., . ,		
Acute	Guinea pig	6500 mg/kg
Acute Oral	Guinea pig Rat	6500 mg/kg 6500 mg/kg
Acute Oral	Rat	
Acute Oral LD50	Rat	
Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation	Rat 2)	
Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute	Rat	
Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation	Rat 2)	6500 mg/kg
Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation LC50	Rat 2)	6500 mg/kg
Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation LC50 Oral	Rat 2) Rat	6500 mg/kg > 88.8 mg/l, 4 Hours

SECTION 12: Ecological information

12.1. Toxicity			
Product		Species	Test Results
Magenta ink			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	< 400 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Ammonium nitrate (CAS 6484	-52-2)		
Aquatic			
Crustacea	EC50	Daphnia	100, 48 Hours
Fish	LC50	Fish	100, 96 Hours
12.2. Persistence and degradability	Not availa	ble.	
12.3. Bioaccumulative potential	No data a	vailable on bioaccumulation.	

Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	-0.85
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.

SECTION 13: Disposal considerations

.

13.1. Waste treatment metho	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

.

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/ Not listed.	2011 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907 amended	7/2006, REACH Annex XVII Substances subject to restriction on marketing and use as
AMMONIUM NITRATE (Directive 2004/37/EC: or mutagens at work	AN) (CAS 6484-52-2) n the protection of workers from the risks related to exposure to carcinogens and
Not regulated. Directive 92/85/EEC: on are breastfeeding	the safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
Directive 96/82/EC (Sev	eso II) on the control of major-accident hazards involving dangerous substances
Not regulated. Directive 98/24/EC on th agents at work	ne protection of the health and safety of workers from the risks related to chemical
Not regulated.	
	ne protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other info	ormation
References	Not available.
Information on evaluation	Not available.

References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Issue date	15-May-2015
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	io inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
I	WB01 English.pdf



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	C6657 Series[C][3]
-	
Registration number	-
Synonyms	None.
Issue date	15-May-2015
Version number	03
Revision date	26-May-2016
Supersedes date	24-Sep-2015
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited
	Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)
	Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790
	HP Inc. health effects line
	(Toll-free within the US) 1-800-457-4209
	Direct) 1-760-710-0048
	HP Inc. Customer Care Line
	(Toll-free within the US) 1-800-474-6836
	(Direct) 1-208-323-2551
	Email: hpcustomer.inquiries@hp.com
	Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Eaber according to Regulation	
Contains:	1,5-pentanediol, 2-pyrrolidone, Ammonium nitrate, Cyan colorant, Magnesium nitrate hexahydrate, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Complete toxicity data are not available for this specific formulation.
	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water	65-75	7732-18-5 231-791-2	-	-	
Classification:	-				
1,5-pentanediol	<10	111-29-5 203-854-4	01-2119449341-44-XXXX	-	
Classification:	-				
2-pyrrolidone	< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Magnesium nitrate hexa	hydrate < 7.5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Ammonium nitrate	<2.5	6484-52-2 229-347-8	01-2119490981-27-XXXX	-	
Classification:	Skin Irrit. 2;H315, Eye	Irrit. 2;H319, STOT	SE 3;H335		
Cyan colorant	< 2.5	Proprietary	01-0000016309-68-XXXX	-	
Classification:	Acute Tox. 4;H302, ST	- OT RE 2;H373, Aqua	atic Chronic 2;H411		
position comments	This ink supply c	ontains an aqueous	ink formulation.		

SECTION 4: First aid measures

General information	Not available.
4.1. Description of first aid me	asures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, prot	tective equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	d storage

5ECIION /: Handling and storage 7.1. Precautions for safe Avoid contact with skin, eves and clothing.

handling	Avoid conduct with skin, cycs dna clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring	Not available.
procedures	

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Magnesium nitrate hexahydrate (CAS 10377-60-3)	Consumers	Dermal	12.5 mg/kg bw/d	Systemic long term
-		Inhalation	10.9 mg/m3	Systemic long term
		Oral	12.5 mg/kg bw/d	Systemic long term
	Workers	Dermal	20.8 mg/kg bw/d	Systemic long term
		Inhalation	36.7 mg/m3	Systemic long term
dicted no effect concentrations (PNE	Cs)			

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

Components		Туре	Route	Value	Form
Magnesium nitrate hexahydra 10377-60-3)	te (CAS	Not applicable	Freshwater	0.45 mg/l	
			Intermittant	4.5 mg/l	Releases
			Marine water	0.045 mg/l	
			STP	18 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure li	mits have not been es	tablished for this	product.	
8.2. Exposure controls					
Appropriate engineering controls	Use in a we	ell ventilated area.			
Individual protection measure	s, such as p	ersonal protective	equipment		
General information	Use person	al protective equipme	nt to minimize exp	posure to skin and e	eye.
Eye/face protection	Not availab	le.			
Skin protection					
- Hand protection	Not availab	le.			
- Other	Not availab	le.			
Respiratory protection	Not availab	le.			
Thermal hazards	Not availab	le.			
Hygiene measures	Handle in a	ccordance with good	industrial hygiene	and safety practice	<u>.</u>
Environmental exposure controls	Not availab	le.			

SECTION 9: Physical and chemical properties

Appearance	Not available.
Physical state	Liquid.
Color	Cyan
Odor	Not available.
Odor threshold	Not available.
рН	6.2 - 6.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	>= 200.0 °F (>= 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined.
9.2. Other information	
Specific gravity	1 - 1.2
VOC (Weight %)	< 338 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
SECTION 11, Toxicologic	al information

SECTION 11: Toxicological information

SECTION 11: Toxicologic	cal information		
General information	Not available.		
11.1. Information on toxicolog	jical effects		
Acute toxicity	Based on available data, the classification criteria ar	e not met.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria ar	e not met.	
Respiratory sensitization	Based on available data, the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria ar	e not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.		
		c not met.	
Components	Species	Test Results	
-	·		
Components	·		
Components 2-pyrrolidone (CAS 616-45-5)	·		
Components 2-pyrrolidone (CAS 616-45-5) Acute	·		
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral	Species	Test Results	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral	Species Guinea pig Rat	Test Results 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50	Species Guinea pig Rat	Test Results 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2	Species Guinea pig Rat	Test Results 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-3 Acute	Species Guinea pig Rat	Test Results 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Ora/ LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation	Species Guinea pig Rat 2)	Test Results 6500 mg/kg 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52- Acute Inhalation LC50	Species Guinea pig Rat 2)	Test Results 6500 mg/kg 6500 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Ammonium nitrate (CAS 6484-52-2 Acute Inhalation LC50 Oral	Species Guinea pig Rat 2) Rat	Test Results 6500 mg/kg 6500 mg/kg > 88.8 mg/l, 4 Hours	

SECTION 12: Ecological information 12.1. Toxicity Product **Test Results** Species Cyan ink Aquatic Acute Fathead minnow (Pimephales promelas) < 400 mg/l, 96 hours Fish LC50 Components **Species Test Results** 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours Material name: C6657 Series[C][3] SDS UK

Ammonium nitrate (CAS 6484-52-2) Aquatic)		
Aquatic			
Crustacea E	EC50	Daphnia	100, 48 Hours
Fish L	_C50	Fish	100, 96 Hours
Cyan colorant (CAS Proprietary)			
Aquatic			
Crustacea E	EC50	Daphnia	50 - 100 mg/l, 48 Hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	No data availal	ble on bioaccumulation.	
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.		
12.6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment metho	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/ amended	/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as
Not listed. Regulation (EC) No. 689/ amended	/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as
Not listed. Regulation (EC) No. 689 Not listed.	/2008 concerning the export and import of dangerous chemicals, Annex V as amended
	2006 Annex II Pollutant Release and Transfer Registry
	7/2006, REACH Article 59(1) Candidate List as currently published by ECHA
Not listed. Authorizations	
	(2011 Annoy VIV Sylastances Sylicates Authorization
Not listed.	2011 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907 amended	7/2006, REACH Annex XVII Substances subject to restriction on marketing and use as
AMMONIUM NITRATE (Directive 2004/37/EC: of mutagens at work	AN) (CAS 6484-52-2) n the protection of workers from the risks related to exposure to carcinogens and
Not regulated.	
-	the safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
Directive 96/82/EC (Sev	eso II) on the control of major-accident hazards involving dangerous substances
Not regulated. Directive 98/24/EC on th agents at work	ne protection of the health and safety of workers from the risks related to chemical
Not regulated.	
Directive 94/33/EC on the	ne protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other info	ormation
References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.

classification of mixtureIssue date15-May-2015Revision informationNone.Training informationNot available.

Disclaimer Manufacturer information	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	is conclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
1	WB01 English.pdi