



InfoPrint Solutions Company

MATERIAL SAFETY DATA SHEET

1 PRODUCT AND COMPANY IDENTIFICATION

Product Name: InfoPrint 1540 MFP, 1560 MFP, 1580 MFP Toner Cartridge; InfoPrint 1585 Toner Cartridge

Product No.: 39V0529, 75P6877

Synonyms: Company Chemical No.: 940216890

Manufacturer Name:

-

Emergency Telephone:

1-303-739-1111

Supplier:

InfoPrint Solutions Company, LLC
6300 Diagonal Highway
Boulder, Colorado 80301-9270
U.S.A.
www.infoprint.com

Intended Use: Toner for use in InfoPrint
printers

Contact Person:

msdsinfo@us.ibm.com or
msdsinfo@infoprint.com

2 HAZARDS IDENTIFICATION

Emergency Overview

Physical State: Powder

Color: Black

Odor: Faint

Low hazard for usual industrial or commercial handling by trained personnel.

Potential Health Effects

Inhalation: Short Term Effects: Respiratory tract irritation may occur with exposure to large amounts of dust. Long Term Effects: Chronic exposure may cause potential risk of irreversible pulmonary effects. Chronic exposure is highly unlikely when this product is used as intended.

Eye Contact: Mechanical irritation of eyes.

Skin Contact: Not known to InfoPrint Solutions Company as a dermal irritant or dermal sensitizer.

Ingestion: No harmful effects expected in amounts likely to be ingested by accident.

Chronic Health Effects: Carbon black has been classified by IARC in group 2B: Possibly carcinogenic to humans. Titanium dioxide: Possibly carcinogenic to humans (IARC). Possible cancer hazard - may cause cancer based on animal data. For further information, please refer to section 11 of the MSDS.

Target Organ(s): | Respiratory system | Eye | Skin |

Potential Physical / Chemical Effects: This product is not flammable. Fine particles may form explosive mixtures with air.

OSHA Regulatory Status: This product is hazardous according to OSHA 29CFR 1910.1200.

Environment: No data available.

3	COMPOSITION / INFORMATION ON INGREDIENTS
----------	---

Chemical Name	CAS-No.	Concentration*
Styrene butylacrylate copolymer	Trade Secret	70 - 90%
Amorphous silica	Trade Secret	1 - 10%
Polyethylene	Trade Secret	1 - 10%
†Carbon black	1333-86-4	1 - 10%
†Titanium dioxide	Trade Secret	1 - 10%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

† This chemical is hazardous according to OSHA/WHMIS criteria.

However, Carbon black is not classified as hazardous when bound in toner polymers.

4	FIRST AID MEASURES
----------	---------------------------

Inhalation: If symptomatic, move to fresh air. Dust irritates the respiratory system, and may cause coughing and difficulties in breathing. Get medical attention if symptoms persist.

Eye Contact: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention promptly if symptoms occur after washing.

Skin Contact: Wash with soap and water. Not known to InfoPrint Solutions Company as a dermal irritant or dermal sensitizer. Should dermal irritation or dermal sensitization occur, seek medical attention.

Ingestion: If swallowed, rinse mouth with water (only if the person is conscious). Drink a few glasses of water or milk. Seek medical advice.

5	FIRE-FIGHTING MEASURES
----------	-------------------------------

Extinguishing Media: Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable Extinguishing Media: None.

Special Fire Fighting Procedures: Avoid dust formation.

Unusual Fire & Explosion Hazards: Dust may form explosive mixture with air.

Hazardous Combustion Products: Carbon Oxides, Unidentified organic compounds

Protective Measures: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

Flammability Class: NFPA Rating Fire = 1. Materials that must be preheated before ignition can occur.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment.

Spill Cleanup Methods: Sweep or scoop up and remove. Avoid dust formation. Avoid sparks and prevent accumulation of electrostatic charges. Collect and dispose of spillage as indicated in section 13 of the MSDS.

Environmental Precautions: Avoid discharge into drains, water courses or onto the ground.

Notification Procedures: Inform authorities if large amounts are involved.

7 HANDLING AND STORAGE

Handling: Avoid inhalation of dust. Avoid exposure to eyes, skin or clothing (will stain). Use with adequate ventilation. Wear appropriate personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment.

Storage: Store in a cool and well-ventilated place. Keep container closed when not in use. Store away from incompatible materials.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

Chemical Name	Source	Type	Exposure Limits	Notes
Carbon black	CA. Alberta OELs	TWA	3.5 mg/m ³	
Carbon black	CA. British Columbia OELs	TWA	3.5 mg/m ³	
Carbon black	CA. Ontario OELs	TWA	3.5 mg/m ³	
Carbon black	CA. Quebec OELs	TWA	3.5 mg/m ³	
Carbon black	MEX. OELs	TWA	3.5 mg/m ³	
Carbon black	MEX. OELs	STEL	7 mg/m ³	
Carbon black	US. ACGIH TLV	TWA	3.5 mg/m ³	
Carbon black	US. NIOSH Guide	IDLH	1750 mg/m ³	
Carbon black	US. OSHA Z-1 PEL	TWA	3.5 mg/m ³	
Titanium dioxide	CA. Alberta OELs	TWA	10 mg/m ³	
Titanium dioxide (Total dust.)	CA. British Columbia OELs	TWA	10 mg/m ³	

Titanium dioxide (Respirable fraction.)	CA. British Columbia OELs	TWA	3 mg/m ³	
Titanium dioxide (Total dust.)	CA. Ontario OELs	TWA	10 mg/m ³	
Titanium dioxide	MEX. OELs	STEL	20 mg/m ³	as Ti
Titanium dioxide	MEX. OELs	TWA	10 mg/m ³	as Ti
Titanium dioxide	US. ACGIH TLV	TWA	10 mg/m ³	
Titanium dioxide	US. NIOSH Guide	IDLH	5000 mg/m ³	
Titanium dioxide (Total dust.)	US. OSHA Z-1 PEL	TWA	15 mg/m ³	

Engineering Controls: Provide adequate ventilation. Where there is a potential for eye exposure to this substance, an eye wash fountain should be provided within the immediate work area for emergency use.

Respiratory Protection: No protection is ordinarily required under normal conditions of use and with adequate ventilation. During dust-raising work: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Dust mask/respirator.

Eye Protection: If significant eye exposure is anticipated, the use of chemical safety goggles is recommended.

Hand Protection: If significant skin exposure is anticipated, appropriate gloves should be worn to prevent skin contact with this substance.

Skin Protection: Protective clothing is not required under normal conditions.

Hygiene Measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental Exposure Controls: Environmental manager must be informed of all major spillages.

9	PHYSICAL AND CHEMICAL PROPERTIES
----------	---

Color: Black

Odor: Faint

Odor Threshold: No data available.

Physical State: Powder

pH: Not applicable

Melting Point: No data available.

Freezing Point: Not applicable.

Boiling Point: Not applicable.

Flash Point: Not applicable.

Evaporation Rate: Not applicable.

Flammability (Solid): No data available.

Flammability Limit - Upper (%): No data available.

Flammability Limit - Lower (%): No data available.

Vapor Pressure: Not applicable.

Vapor Density (Air=1): Not applicable.
Specific Gravity: No data available.
Solubility in Water: Not soluble in water.
Solubility (Other): No data available.
Partition Coefficient (n-Octanol/water): Not applicable.
Autoignition Temperature: Not applicable.
Decomposition Temperature: No data available.
Viscosity: Not applicable.
Explosive Properties: No data available

10	STABILITY AND REACTIVITY
-----------	---------------------------------

Stability: Stable under normal temperature conditions.

Conditions to Avoid: Heat, sparks, flames.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products:

At Elevated Temperatures:	Unidentified organic compounds
---------------------------	--------------------------------

Possibility of Hazardous Reactions: Will not occur.

11	TOXICOLOGICAL INFORMATION
-----------	----------------------------------

Specified Substance(s)

Acute Toxicity:

Chemical Name	Test Results
Carbon black	Dermal LC50 (Rabbit): >3000 mg/kg
Carbon black	Oral LD50 (Rat): >15400 mg/kg

Other Acute: Low acute inhalation toxicity. As with exposure to high concentrations of any dust, irritation of the respiratory tract may occur. Pure carbon black, a minor component of this product, has been listed by IARC as a group 2B (possible carcinogen). This classification is based on rat "lung particulate overload" studies performed with airborne particulate carbon black. Toner is not listed by IARC, NTP, or OSHA. Carbon black: Predicted to be mildly irritating to the upper respiratory tract. Not known to be a dermal irritant or sensitizer. Toxic overexposure may affect the respiratory system, skin, and mucous membranes. Persons with certain pre-existing upper respiratory disorders, such as bronchitis or asthma have an increased risk of irritation.

Chronic Toxicity: Industry tests on similar toner formulations showed no signs of overt toxicity. Microscopic examination of the lungs of rats exposed to high levels of toner showed a chronic inflammatory response and a mild to moderate degree of lung fibrosis. At airborne concentrations more relevant to potential human exposure, no evidence of toxicity to the respiratory tract were found. Carbon black: In 1996 the International Agency for Research on Cancer (IARC) reevaluated carbon black as a Group 2B carcinogen based upon the development of lung tumors in rats receiving chronic inhalation exposures of free carbon black. The effects were observed only in rats exposed to high concentrations of carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats (i.e., mice, hamsters) have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation

containing carbon black demonstrated no association between toner exposure and tumor development in rats.

In contrast to the IARC assessment, neither the Occupational Safety and Health Administration (OSHA) nor the American Conference of Governmental Industrial Hygienists (ACGIH) nor the National Toxicology Program (NTP) has listed carbon black as a carcinogen.

Epidemiology studies of workers in the carbon black producing industries of North America and Western Europe do not demonstrate an association between carbon black and cancer, even in high exposure occupational settings. In addition, in its reevaluation of carbon black, IARC concluded that "there is inadequate evidence in humans for the carcinogenicity of carbon black". Chronic overexposure to many dusts, including carbon black dust, may result in respiratory tract irritation and slight changes in pulmonary function.

Collectively, the available data from animal and human epidemiology studies suggest that carbon black, as contained in this product, does not present a cancer risk to the end user if the handling and personal protective measures contained within this MSDS are understood and followed.

Listed Carcinogens:

Chemical Name	IARC	NTP	OSHA	ACGIH
Titanium dioxide	2B	Not Listed	Not Listed	A4
Carbon black	2B	Not Listed	Not Listed	A4

IARC: 1 = Carcinogenic to Humans; 2A = Probably Carcinogenic to Humans; 2B = Possibly Carcinogenic to Humans; 3 = Not classifiable as to carcinogenicity to humans; 4 = Probably not carcinogenic to humans; Not listed = Not evaluated by IARC.

ACGIH: A1 = Confirmed Human Carcinogen; A2 = Suspected Human Carcinogen; A3 = Confirmed Animal Carcinogen; A4 = Not classifiable as a human carcinogen; A5 = Not suspected to be a human carcinogen; Not listed = Not evaluated by ACGIH.

Product Information

Acute Toxicity:

Test Results: No test data available for the product.

Other Acute: Low acute inhalation toxicity. As with exposure to high concentrations of any dust, irritation of the respiratory tract may occur. Pure carbon black, a minor component of this product, has been listed by IARC as a group 2B (possible carcinogen). This classification is based on rat "lung particulate overload" studies performed with airborne particulate carbon black. Toner is not listed by IARC, NTP, or OSHA.

Chronic Toxicity: Industry tests on similar toner formulations showed no signs of overt toxicity. Microscopic examination of the lungs of rats exposed to high levels of toner showed a chronic inflammatory response and a mild to moderate degree of lung fibrosis. At airborne concentrations more relevant to potential human exposure, no evidence of toxicity to the respiratory tract were found. Similar toner formulations were not mutagenic in a battery of in vitro genotoxicity assays including the Ames Salmonella/mammalian microsome mutation assay.

12	ECOLOGICAL INFORMATION
-----------	-------------------------------

Ecotoxicity: No data available.

Mobility: The product is insoluble in water.

Persistence and Degradability: No data available.

Bioaccumulation Potential: No data available.

13	DISPOSAL CONSIDERATIONS
-----------	--------------------------------

General Information: Dispose in accordance with applicable federal, state, and local regulations.

Disposal Methods: No specific disposal method required.

Container: Since emptied containers retain product residue, follow label warnings even after container is emptied.

14	TRANSPORT INFORMATION
-----------	------------------------------

DOT Not regulated.

TDG Not regulated.

IATA Not regulated.

IMDG Not regulated.

15	REGULATORY INFORMATION
-----------	-------------------------------

Canadian Controlled Products Regulations: This product has been classified according to the hazard criteria of the Canadian Controlled Products Regulations, Section 33, and the MSDS contains all required information.

WHMIS Classification: Exempt (manufactured article).

Mexican Dangerous Statement: This product is dangerous according to Mexican regulations.

Inventory Status

This product or all components are listed or exempt from listing on the following inventory: DSL, TSCA

US Regulations

CERCLA Hazardous Substance List (40 CFR 302.4): Not regulated.

SARA Title III

Section 302 Extremely Hazardous Substances (40 CFR 355, Appendix A): Not regulated.

Section 311/312 (40 CFR 370):

Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating

Section 313 Toxic Release Inventory (40 CFR 372): Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):
Not regulated.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3): Not regulated.

Drug Enforcement Act: Not regulated.

TSCA

TSCA Section 4(a) Final Test Rules & Testing Consent Orders: Not regulated.

TSCA Section 5(a)(2) Final Significant New Use Rules (SNURs) (40CFR 721, Subpt. E): Not regulated.

TSCA Section 5(e) PMN-Substance Consent Orders: Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.

State Regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): Carbon black: This product contains no known material requiring warning under California Proposition 65. Pure carbon black is on the State of California's list of chemicals known to cause cancer or reproductive toxicity, but the California Office of Environmental Health Hazard Assessment (OEHHA) exempted carbon black bound in product formulations such as toner from the Proposition 65 warning requirements.

Massachusetts Right-To-Know List: Carbon black; Titanium dioxide

Michigan Critical Materials List (Michigan Natural Resources and Environmental Protection Act (Act. 451 of 1994)): Not regulated.

Minnesota Hazardous Substances List: Carbon black; Titanium dioxide

New Jersey Right-To-Know List: Carbon black; Titanium dioxide

Pennsylvania Right-To-Know List: Carbon black; Titanium dioxide

Rhode Island Right-To-Know List: Carbon black; Titanium dioxide

16	OTHER INFORMATION
-----------	--------------------------

HAZARD RATINGS

	Health Hazard	Fire Hazard	Instability	Special Hazard
NFPA	1	1	0	0

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

NFPA Label colored diamond code: Blue - Health; Red - Flammability; Yellow - Instability; White - Special Hazards

	Health Hazard	Flammability	Physical Hazard	Personal Protection
--	----------------------	---------------------	------------------------	----------------------------

HMIS	1*	1	0	E
-------------	-----------	----------	----------	----------

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe *- Chronic Health Effect

Personal Protection codes: E - Safety Glasses, Gloves, Dust Respirator

HMIS Label colored bar code: Blue - Health; Red - Flammability; Orange - Physical Hazards; White - Special

Issue Date: 28-Apr-2008

Supersedes Date:

SDS No.: 1011307

Disclaimer: The information provided on this MSDS is correct to the best of InfoPrint Solutions Company's knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty, either express or implied, regarding the accuracy of the data or information contained herein. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Ricoh and the RICOH logo are registered trademarks of Ricoh Co., Ltd. in Japan, other countries or both. IBM and the IBM logo are registered trademarks of International Business Machines Corporation in the United States, other countries, or both. The Ricoh and IBM trademarks are used under license from their respective trademark owners.

InfoPrint Solutions Company is a tradename of InfoPrint Solutions Company, LLC, in the United States, other countries, or both. InfoPrint is a registered trademark of Ricoh Co., Ltd., in the United States, other countries, or both. InfoPrint is used under license from the trademark owner.