ΓΟSΗΙΒΑ **MATERIAL SAFETY DATA SHEET**

Date of Preparation Date of Revised

: October 29, 2003

: December 1, 2005

MSDS No. : T3520KUU4W Page 1 of 6

Product Name	: T-3520 Black Toner
Used for	: Toshiba Copiers, e-STUDIO 350, 352, 450 and 452
Company Name	: Toshiba TEC Corporation
Address	: 2-17-2, Higashigotanda, Shinagawa-ku, Tokyo, 141-8664, Japan
Telephone Number	: +81-3-6422-7753
Manufacturer Name	: (1) Toshiba America Business Solutions, Inc.
	Toner Products Division (Mitchell Plant)

901 North Foster Street, Mitchell, SD. 57301-0070 U.S.A.

Contact : (1) Toshiba America Business Solutions, Inc. Emergency Telephone. No. : +1-800-424-9300 For calls within the U.S. only. (2) Toshiba of Canada Limited : +1-905-405-3500 Telephone. No. For calls within Canada only.

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS No.	<u>wt.%</u>	
Styrene acrylate copolymer		90-95	
Carbon black	1333-86-4	4-6	
Organic Pigment		<5	

Trade Secret -----

SECTION 3 HAZARDS IDENTIFICATION

Emergency Overview	: If used as intended, the product does not present acute or chronic
	health hazard.
Physical Hazards	: This product is not classified as flammable or combustible.
	It will burn in case of fire.
	Avoid contact with strong oxidizers such as chromate, bromate and nitrates.
Routes of Exposure	: Inhalation, dermal contact, incidental ingestion

Product Identity

: T-3520 Black Toner

MSDS No. : T3520KUU4W Page 2 of 6

: Excessive inhalation may cause irritation of the nose,
throat and respiratory tract.
: Non-irritant.
: Non-irritant, non-sensitiser.
: Not currently known.
: See Section 11 Supplemental Health Information.
: See Section 11 Supplemental Health Information.
: Not identified.
: Prolonged breathing of high concentrations may cause
adverse effects on the respiratory system.
DSURE
: Prolonged exposure to dusts of this product may irritate the respiratory system.
ed by Exposure to This Product
: Respiratory disorders, such as asthma, may be aggravated

by prolonged exposure to high concentrations of this product.

SECTION 4 FIRST AID MEASURES

Eye Contact	: Immediately flush eyes with plenty of water for at least 15 minutes.
	If irritation persists, call a physician.
Skin Contact	: Wash with soap and water. Wash clothing before reuse.
	If irritation occurs or is persistent, seek medical attention.
Ingestion	: Dilute stomach contents with several glasses of water.
Inhalation	: Remove from exposure area to fresh air immediately.
	Contact a physician if there is any difficulty in breathing or other signs of distress.

SECTION 5 FIRE FIGHTING MEASURES

General I	Hazard	: Product will burn in case of fire.
Flash Po	int	: Not applicable
Flammab	le Limits	: Not applicable
Autoigniti	on Temperature	: Not applicable
Flammab	ility classification	: Not applicable
Extinguis	hing Media	: Foam, halon, carbon dioxide, dry chemical & water fog.
Unusual	Fire & Explosion Ha	zard
		: Combustible powder. Dust of this product at sufficient
		concentrations can form explosive mixtures with air.
Fire Fight	ting Procedures	: None
Hazardous Combustion Products		
		Carbon manavida, carbon diavida and amaka

[:] Carbon monoxide, carbon dioxide and smoke.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Spills or Leaks

: Vacuum-clean spilled toner and carefully transfer into sealable waste container. If no vacuum-cleaner is available, sweep slowly to minimize generation of dust during clean-up. Residue can be removed with soap and cold water.

Product Identity

: T-3520 Black Toner

MSDS No. : T3520KUU4W Page 3 of 6

SECTION 7	HANDLING A	AND STORAGE
Handling	:	Avoid dust, keep away from ignition sources.
Prevention of	Fire and Explosio	n
	:	This material is capable of creating a dust explosion.
		Keep away from heat, sparks & flame.
Storage	:	Keep container in cool and dry area.
Hygienic Prac	tices :	Avoid inhalation and ingestion. Avoid getting in eyes, on skin or clothing.
		Wash hands thoroughly after handling, and before eating, drinking,
		or smoking.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits		
OSHA PELs (TWA)		
as the product	:	15mg/m ³ (Total dust)
		5mg/m ³ (Respirable fraction)
Carbon black	:	3.5 mg/m ³
Other substances	:	Not listed
ACGIH TLVs (TWA)		
as the product	:	10mg/m ³ (Total dust)
		3mg/m ³ (Respirable fraction)
Carbon black	:	3.5 mg/m ³
Other substances	:	Not listed
DFG-MAK (TWA)		
as the product	:	4mg/m ³ (Inhalable fraction)
		1.5mg/m ³ (Respirable fraction)
All substances	:	Not listed
NOHSC (TWA)		
All substances	:	Not listed
Engineering Controls	:	Maintain adequate ventilation.
Eye Protection	:	Not required under intended use.
Skin Protection	:	Not required under intended use.
Respiratory Protection	:	Not required under intended use.
		•

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Fine solid powder
Color	: Black
Scent	: Odorless
Melting Point	: 110 - 150 degree (Softening point)
Specific Gravity(H2O=1)	: 1.1 - 1.5
Vapor Pressure	: Not applicable
Vapor Density (Air=1) :	: Not applicable
Evaporation Rate	: Not applicable
Solubility in Water	: Negligible
pH Value	: Not a water-based product, therefore not applicable.

Product Identity

: T-3520 Black Toner

MSDS No. : T3520KUU4W Page 4 of 6

SECTION 10 STABILITY AND REACTIVITY

Stability	: Stable			
Incompatibility	: Not identified.			
Hazardous Decomposition Products				
	: Carbon monoxide and carbon dioxide.			
Hazardous Polymerization:	: Will not occur.			

SECTION 11 SUPPLEMENTAL HEALTH INFORMATION

Acute oral toxicity	: LD50 is greater than 5,000mg/kg.
	(This was the highest attainable mass.)
Acute inhalation	: LC50(4H) is in excess of 5.31mg/l.
	(This was the highest attainable concentration.)
Eye irritation	: Non-irritant.
Skin irritation	: Non-irritant.
Skin sensitization	: Non-sensitiser.
Mutagenicity	: Negative in the Ames test.
Carcinogenicity :	 In 1996, the IARC classified carbon black as a Group 2B carcinogen (possible human carcinogen).
Chronic Effects:	: In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m ³)exposure group, and a minimal to mild
	degree of fibrosis was noted in 22% of the animals in the middle (4 mg/m ³) exposure group. These findings are attributed to "lung overloading", a general response to excessive amounts of any dust retained in the lungs for a prolonged period.

SECTION 12 ECOLOGICAL INFORMATION

This material has not been tested concerning environmental effects (fish toxicity, bird toxicity, invertebrate toxicity, phyto-toxicity and environmental fate).

SECTION 13 DISPOSAL CONSIDERATION

Dispose of in accordance with local, state and federal regulation. Empty plastic container may be recycled.

SECTION 14 TRANSPORTATION INFORMATION

Special Precautions		None		
International Transport Information				
UN Classification Number	:	Not applicable		
DOT Identification Number	:	Not applicable		

DOT Identification Number	:	Not applicable
Domestic Transportation	:	Not applicable
Other Information	:	Not applicable

Product Identity	: T-3520	Black Toner	MSDS No. : T3520KUU4W Page 5 of 6
SECTION 15 REGULAT	ORY INFO	RMATION	
IARC	: See secti	on 11.	
US/Canada Information			
OSHA Hazard Communic	ation Standar	d, 29CFR 1910. 1200	
	: Not regul	ated.	
Toxic Substance Control	Act (TSCA)		
	: All chemi	cal substances in this p	roduct comply with
	all applica	able rules or orders und	er TSCA.
RCRA (40 CFR 261)	: Product c	or components not listed	1.
CERCLA/SARA Information	o : Not regul	ated.	
NTP Annual Report on Ca	arcinogens		
	: Not listed	as an NTP carcinogen	
California Proposition 65	: Neither to	oner, or any of the comp	oonents, are listed as chemicals known
	to the Sta	te of California to caus	e cancer or reproductive system effects.
Controlled Products Regu	lations(Canac	la)	
	: This prod of the CP		in accordance with the hazard criteria
Workplace Hazardous Ma	aterials Inform	ation System(Canada)	
	: No toxico	logy information availal	ble
Other State Regulations			Jersey Right to Know List, ance List, and Massachusetts Substance List.
U.S./Canada Label State	•		
			NDED HANDLING. Minimize dust
	generatio	n and accumulation. U	se with adequate ventilation.
EU Information			
Label Information According	ng to Directive	es 67/548 EEC & 1999/	45 EC
Symbol & Indication	: Not requi	red	
Risk Phrase	: Not requi	red	
Safety Advise Phrase	: Not requi	red	
76/769/EEC		cal substances in this p e rules or order under 7	
National requirement :		ic regulations or restric	

SECTION 16 OTHER INFORMATION

National Fire Protection As	soc	ciation (NFPA) Classification :
Flammability	:	1
Reactivity	:	0
Health	:	0
		(0 = insignificant, 1 = slight)
Hazardous Materials Inform	nat	tion Systems (HMIS) :
Red (Flammability)	:	1
Yellow (Reactivity)	:	0
Blue (Acute Effects)	:	0
		(0 = insignificant, 1 = slight)

Product Identity	: T-3520 Black Toner	MSDS No. : T3520KUU4W Page 6 of 6
Notice	-	er's responsibility. are has been taken in the preparation c ation extends no warranties, makes no responsibility as to the accuracy or application to purchaser's
References	 IARC (1996) IARC Monographs of Carcinogenic Risks of Chemicals of Processes and Printing Inks, Carb Compounds, Lyon, pp. 149-261. H. Muhle, B. Bellmann, O. Creutze H. Ernst, R. Kilpper, J. C. MacKen S. Takenaka, and R. Mermelstein Pulmonary Response to Toner up in Rats, Fundamental and Applied 	to Humans, Vol. 65, Printing oon Black and Some Nitro enberg, C. Dasenbrock, azie, P. Morrow, U. Mohr, (1991). on Chronic Inhalation Exposure
Abbreviation	 Deutsche Forschungsgemeins (4) TWA stands for Time Weighter (5) IARC stands for International A (6) NTP stands for National Toxico (7) NIOSH stands for National Inst Health (USA). (8) DOT stands for Department of 	th Administration (USA). old Limit Value under American Industrial Hygienists (USA). e Arbeitsplatzkonzentrationen under schaft. d Average. Agency for Research on Cancer. ology Program (USA). titute for Occupational Safety and
Prepared by	: Toshiba TEC Corporation Quality Assurance Department 6-78 Minami-cho, Mishima-shi, Sh 411-8520 Japan	izuoka-ken,

