Revision Date 14/11/2011

Revision 2

Supersedes date 21/06/2007

# SAFETY DATA SHEET XPE5 PLANET EARTH GLASS + MIRROR CLEANER 500ML

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name XPE5 PLANET EARTH GLASS + MIRROR CLEANER 500ML

Product No. XPE5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Supplier James Briggs Limited

Salmon Fields, Royton, Oldham, Lancashire, OL2 6HZ, England 0161 627 0101 sds@jamesbriggs.co.uk

#### 1.4. Emergency telephone number

# **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards Not classified. Human health Not classified. Environment Not classified.

Classification (1999/45/EEC) Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### 2.2. Label elements

Label In Accordance With (EC) No. 1272/2008

No pictogram required.

**Precautionary Statements** 

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

#### 2.3. Other hazards

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

2-BUTOXYETHANOL 1-5%

CAS-No.: 111-76-2 EC No.: 203-905-0

Classification (EC 1272/2008) Classification (67/548/EEC)

Acute Tox. 4 - H302 Xn;R20/21/22 Acute Tox. 4 - H312 Xi;R36/38

Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

PROPAN-2-OL 5-10%

CAS-No.: 67-63-0 EC No.: 200-661-7

Classification (EC 1272/2008) Classification (67/548/EEC)

 Flam. Liq. 2 - H225
 F;R11

 Eye Irrit. 2 - H319
 Xi;R36

 STOT SE 3 - H336
 R67

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inaestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

Skin contact

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

## 4.3. Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for firefighters

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.2. Environmental precautions

## 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

## 6.4. Reference to other sections

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

## 7.3. Specific end use(s)

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
2-BUTOXYETHANOL	WEL	25 ppm(Sk)		50 ppm(Sk)		
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	

WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

Protective equipment





Engineering measures

Provide adequate general and local exhaust ventilation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves.

Eye protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid
Colour Typical
Odour Characteristic.

9.2. Other information

#### **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

## 10.2. Chemical stability

Stable under normal temperature conditions.

# 10.3. Possibility of hazardous reactions

# 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Inhalation

Gas or vapour may irritate respiratory system.

Ingestion

Gastrointestinal symptoms, including upset stomach.

Skin contact

Prolonged contact may cause dryness of the skin.

Eve contact

Irritating to eyes.

Health Warnings

No specific health warnings noted.

Route of entry

Ingestion. Inhalation. Skin and/or eye contact.

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Not regarded as dangerous for the environment.

#### 12.1. Toxicity

## 12.2. Persistence and degradability

#### 12.3. Bioaccumulative potential

## 12.4. Mobility in soil

## 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

## **SECTION 14: TRANSPORT INFORMATION**

General The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA,

ADR/RID).

Rail Transport Notes Not classified.

Sea Transport Notes Not classified.

Air Transport Notes Not classified.

# 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

Transport Labels

No transport warning sign required.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.

The Control of Substances Hazardous to Health Regulations 2002.

Statutory Instruments

The Control of Substances Hazardous to Health Regulations 2002.

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.

**Guidance Notes** 

Workplace Exposure Limits EH40.

Introduction to Local Exhaust Ventilation HS(G)37.

CHIP for everyone HSG(108).

#### 15.2. Chemical Safety Assessment

#### **SECTION 16: OTHER INFORMATION**

Information Sources

Dangerous Properties of Industrial Materials Report, N.Sax et.al.

Revision Date 14/11/2011

Revision 2

Supersedes date 21/06/2007

Risk Phrases In Full

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R11 Highly flammable

R36/38 Irritating to eyes and skin.

R36 Irritating to eyes.

NC Not classified.

R67 Vapours may cause drowsiness and dizziness.

Hazard Statements In Full

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.