Page 1 of 6 MSDS No.: TK875Y-KME-01



# MATERIAL SAFETY DATA SHEET

Date/ Revision: June 9, 2009

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name	: Yellow Toner for TASKalfa 550c, 650c, 750c
Manufacturer	
Name	: KYOCERA MITA CORPORATION
Address	: 2-28, 1-Chome, Tamatsukuri, Chuo-ku, Osaka, Japan, 540-8585
Supplier	
Name	: KYOCERA MITA Europe B.V
Address	: Hoeksteen 40, 2132 MS Hoofddorp, Netherlands
Telephone Number	: +31(0)20-6540000

## 2. COMPOSITION/ INFORMATION ON INGREDIENTS

Substance or preparation ; Preparation

Major Ingredients;

Chemical Name(Common Name)	CAS No.	Weight %
Polyester resin	Confidential	60-80
Organic Pigment	Confidential	< 10
Wax	Confidential	< 10
Amorphous Silica	7631-86-9	< 5

## 3. HAZARDS IDENTIFICATION

Emergency Overview	: If used as intended, the product does not present acute or chronic health hazard.
Physical Hazards	<ul> <li>This product is not classified as flammable or combustible.</li> <li>It will burn in case of fire.</li> <li>Avoid contact with strong oxidizers such as chromate, bromate and nitrates.</li> </ul>
Routes of Exposure	: Inhalation, dermal contact, incidental ingestion
Inhalation	: Excessive inhalation may cause irritation of the nose, throat and respiratory tract.
Eye Contact	: Non-irritant.
Dermal Contac	: Non-irritant, non-sensitiser.
Ingestion	: Not currently known.
Chronic Effects	: See Section 11 Supplemental Health Information.
Carcinogenicity	: See Section 11 Supplemental Health Information.

#### Page 2 of 6 MSDS No.: TK875Y-KME-01

Reproductive/Developmental : Not identified.

: Prolonged breathing of high concentrations may cause adverse effects on the respiratory system.

Signs and Symptoms of Exposure

**Target Organs** 

: Prolonged exposure to dusts of this product may irritate the respiratory system. Medical Conditions Aggravated by Exposure to This Product

: Respiratory disorders, such as asthma, may be aggravated

by prolonged exposure to high concentrations of this product.

## 4. FIRST-AID MEASURES Eye Contact : Immediately flush eyes with plenty of water for at least 15 minutes.

	If irritation persists, call a physician.
Skin Contact	: Wash with soap and water. Wash clothing before reuse.
	If irritation occurs or is persistent, seek medical attention.
Ingestion	: Dilute stomach contents with several glasses of water.
Inhalation	: Remove from exposure area to fresh air immediately.
	Contact a physician if there is any difficulty in breathing or other signs of
	distress.

## **5. FIRE-FIGHTING MEASURES**

General Hazard	: Product will burn in case of fire.
Flash Point	: Not applicable
Flammable Limits	: Not applicable
Autoignition Temperature	: Not applicable
Flammability classification	: Not applicable
Extinguishing Media	: Foam, halon, carbon dioxide, dry chemical & water fog.
Unusual Fire & Explosion H	lazard
	: Combustible powder. Dust of this product at sufficient concentrations can form
	explosive mixtures with air.
Fire Fighting Procedures	: None
Hazardous Combustion Pro	oducts
	: Carbon monoxide, carbon dioxide and smoke.

: Carbon monoxide, carbon dioxide and smoke.

#### 6. ACCIDENTAL RELEASE MEASURES

 Spills or Leaks
 : Vacuum-clean spilled toner and carefully transfer into sealable waste container. If no vacuum-cleaner is available, sweep slowly to minimize generation of dust during clean-up. Residue can be removed with soap and cold water.

7. HANDLING AND ST	TORAGE	
Handling	: Avoid dust, keep away from ignition sources.	
Prevention of Fire and Explosion		
	: This material is capable of creating a dust explosion.	
	Keep away from heat, sparks & flame.	
Storage	: Keep container in cool and dry area.	
Hygienic Practices	: Avoid inhalation and ingestion. Avoid getting in eyes, on skin or clothing.	
	Wash hands thoroughly after handling, and before eating, drinking,	
	or smoking.	
8. EXPOSURE CONTR	ROLS/PERSONAL PROTECTION	
Exposure Limits		
OSHA PELs (TWA)		
as the product	: 15mg/m <sup>3</sup> (Total dust)	
	5mg/m <sup>3</sup> (Respirable fraction)	
Other substances	: Not listed	
ACGIH TLVs (TWA)		
as the product	: 10mg/m <sup>3</sup> (Total dust)	
	3mg/m <sup>3</sup> (Respirable fraction)	
Other substances	: Not listed	
DFG-MAK (TWA)		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

as the product

All substances

**Engineering Controls** 

**Respiratory Protection** 

NOHSC (TWA) All substances

Eye Protection

Skin Protection

Appearance	: Fine solid powder
Color	: Yellow
Scent	: Odorless
Melting Point	: 110 - 150 degree (Softening point)
Specific Gravity(H2O=1)	: 1.1 - 1.5
Vapor Pressure	: Not applicable
Vapor Density (Air=1)	: Not applicable
Evaporation Rate	: Not applicable
Solubility in Water	: Negligible
pH Value	: Not a water-based product, therefore not applicable.

: 4mg/m<sup>3</sup> (Inhalable fraction)

: Not listed

: Not listed

1.5mg/m<sup>3</sup> (Respirable fraction)

: Maintain adequate ventilation.

: Not required under intended use.

: Not required under intended use.

: Not required under intended use.

## **10. STABILITY AND REACTIVITY**

Stability	: Stable	
Incompatibility	: Not identified.	
Hazardous Decomposition Products		
	: Carbon monoxide and carbon dioxide.	
Hazardous Polymerization	: Will not occur.	

## **11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity	: LD50 is greater than	2,000mg/kg.
	(This was the highest attaina	able mass.)
Acute inhalation	: LC50(4H) is in excess of	5.30mg/l.
	(This was the highest attaina	able concentration.)
Eye irritation	: Non-irritant.	
Skin irritation	: Non-irritant.	
Skin sensitization	: Non-sensitiser.	
Mutagenicity	: Negative in the Ames test.	
Carcinogenicity	: None known	
Chronic Effects	: None known	

### **12. ECOLOGICAL INFORMATION**

Aquatic environment

: LC50 is greater than1000mg/L (fish): EC50 is greater than1000mg/L (daphnia): EbC50 is greater than1000mg/L (Algal)(This was the highest attainable mass.)

## **13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local, state and federal regulation. Empty plastic container may be recycled.

#### **14. TRANSPORT INFORMATION**

Special Precautions	: None
International Transport Inform	nation
UN Classification Number	: Not applicable
DOT Identification Number	: Not applicable
Domestic Transportation	: Not applicable
Other Information	: Not applicable

15. REGULATORY INFO	RMATION	
IARC	: See section 11.	
US/Canada Information		
OSHA Hazard Communi	cation Standard, 29CFR 1910. 1200	
	: Not regulated.	
Toxic Substance Control	Act (TSCA)	
	: All chemical substances in this product comply with all applicable rules	
	or orders under TSCA.	
RCRA (40 CFR 261)	: Product or components not listed.	
CERCLA/SARA Informat	•	
NTP Annual Report on C	-	
	: Not listed as an NTP carcinogen.	
California Proposition 65	: Neither toner, or any of the components, are listed as chemicals known to	
	the State of California to cause cancer or reproductive system effects.	
Controlled Products Reg		
5	: This product has been classified in accordance with the hazard criteria of	
	the CPR.	
Workplace Hazardous M	aterials Information System(Canada)	
·	: No toxicology information available.	
Other State Regulations	: Not listed in the New Jersey Right to Know List,	
	Pennsylvania Hazardous Substance List, and Massachusetts Substance List.	
U.S./Canada Label Statements		
	: LOW HAZARD FOR RECOMMENDED HANDLING. Minimize dust	
	generation and accumulation. Use with adequate ventilation.	
EU Information	č i	
Label Information Accord	ling to Directives 67/548 EEC & 1999/45 EC	
Symbol & Indication	: Not required	
Risk Phrase	: Not required	
Safety Advise Phrase	: Not required	
76/769/EEC	: All chemical substances in this product comply with all applicable rules or order	
	under 76/769/EEC.	
National requirement :	: No specific regulations or restrictions.	
Regulation (EC) No. 190		
,	: All chemical substances in this product comply with all applicable rules or order	
	under 1907/2006	

## **16. OTHER INFORMATION**

To the best of our knowledge, the information contained herein is accurate.

However, we cannot assume any liability whatsoever for the accuracy or completeness of the

information contained herein.

National Fire Protection Association (NFPA) Classification : Flammability : 1 Reactivity :0 Health : 0 (0 = insignificant, 1 = slight)Hazardous Materials Information Systems (HMIS) : Red (Flammability) : 1 Yellow (Reactivity) : 0 Blue (Acute Effects) : 0 (0 = insignificant, 1 = slight)Abbreviation : (1) OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA). (2) ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA). (3) DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft. (4) TWA stands for Time Weighted Average. (5) NTP stands for National Toxicology Program (USA). (6) NIOSH stands for National Institute for Occupational Safety and Health (USA). (7) DOT stands for Department of Transportation (USA). (8) NOHSC stands for National Occupational Heath and Safety Commission (Australia).