

MATERIAL SAFETY DATA SHEET

Date/ Revision: May 26, 2008

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : Magenta Toner for FS-C8100DN,

Manufacturer

Name : KYOCERA MITA CORPORATION

Address : 2-28, 1-Chome, Tamatsukuri, Chuo-ku, Osaka, Japan, 540-8585

Supplier

Name : KYOCERA MITA AUSTRALIA Pty.Ltd.

Address : Level 3, 6-10 Talavera Road, North Ryde, New South Wales 2113,

Australia

Telephone Number : +61-2-9888-9999

Emergency Telephone: 131 126 (24 hours) Poison Information Centre.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or preparation; Preparation

Major Ingredients;

| Chemical Name(Common Name) | CAS No. | Weight % |
|----------------------------|--------------|----------|
| Polyester resin | Confidential | 80-90 |
| Organic pigment | Confidential | 1-5 |
| Wax 1 | Confidential | 1-5 |
| Wax 2 | Confidential | 1-5 |
| Silica | 7631-86-9 | 1-5 |

3. HAZARDS IDENTIFICATION

Most Important Hazards : None Specific Hazards : None

Other Information on Hazards : Potential Health Effects

Ingestion : Ingestion is not applicable route of entry for intended use.

Inhalation : Prolonged inhalation of excessive dusts may cause lung damage.

Use of this product, as intended, does not result in inhalation of

excessive dusts.

Eye Contact : May cause eye irritation.

Skin Contact : Unlikely to cause skin irritation.

4. FIRST-AID MEASURES

Inhalation : Remove from exposure to fresh air and gargle with plenty of water.

Consult a doctor in case of such a symptoms as coughing.

Skin Contact : Wash with soap and water.

Eye Contact : Flush with water immediately and see a doctor if irritating.

Ingestion : Rinse out the mouth. Drink one or two glasses of water to dilute.

Seek medical treatment if necessary.

5. FIRE-FIGHTING MEASURES

Extinguishing Media : Water (Sprinkle with Water), Foam, Powder, CO₂ or

Dry Chemical Extinguisher

Fire-Fighting Procedure: Pay attention not to blow away toner powder. Drain water off

around and decrease the atmosphere temperature to

extinguish the fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions : Avoid inhalation, ingestion, eye and skin contact in case of

accidental toner release.

Environmental Precautions : No special precaution

Method for Cleaning Up : Gather the released toner not to blowing away and

wipe up with a wet cloth.

7. HANDLING AND STORAGE

Handling: Never open the toner container.

Storage : Keep the toner container tightly closed and store in a cool, dry and

dark place keeping away from fire.

Keep away from children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters<Reference Data>:

ACGIH TLV(2000) : Silica 10mg/m³, Total Dust 10mg/m³

OSHA PEL(2006) : Silica 80mg/m³/%SiO₂ , Total Dust 15mg/m³

Protective Equipment : Respiratory protection, eye protection, hand protection, skin and

body protection are not required under normal use.

Ventilation : Ventilator is not required under normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state: Solid Form: Fine powder Color: Magenta Odor: Odorless

pH : N.A. Melting Point : 115 °C

Explosion Properties : Dust explosion is improbable under normal use.

Experimental explosiveness of toner is classified into the same rank such kind of powder as flour, dry milk and resin powder

according to the pressure rising speed.

Density : 1.2-1.4 g/cm³

Solubility : Almost insoluble in water

10. STABILITY AND REACTIVITY

Stability/ Reactivity : Stable under normal use.

Hazardous Decomposition Products : None

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : No data available
Acute dermal toxicity : No data available
Acute inhalation toxicity : No data available
Acute eye irritation : No data available
Acute skin irritation : No data available
Skin sensitization : No data available

Mutagenicity : Ames Test is Negative.

Reproductive Toxicity : No reproductive toxicant, according to MAK, California

Proposition 65, TRGS905 and EU Directive(67/548/EEC).

Carcinogenicity: No carcinogen or potential carcinogen, according to IARC,

Japan Association on Industrial Health, ACGIH, EPA, OSHA, NTP,

ILO, MAK, California Proposition 65, TRGS 905 and

EU Directive(67/548/EEC).

Chronic effects:

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration(16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle(4mg/m³) exposure group. But no pulmonary change was reported in the lowest(1mg/m³) exposure group, the most relevant level to potential human exposures.

Other information : None

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Do not incinerate toner and toner containers. Dangerous sparks may cause burn.

Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

14. TRANSPORT INFORMATION

UN No. : None
UN Shipping Name : None
UN Classification : None
UN Packing Group : None
Special Precautions : None

15. REGULATORY INFORMATION

EU Information

Label information according to the Directives 67/548/EEC and 1999/45/EEC.

Symbol and Indication : Not required
R-Phrase : Not required
S-Phrase : Not required
Special markings : Not required
Hazardous ingredients for labeling: None

US Information

All components in this product comply with order under TSCA.

16. OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate.

However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.

<Abbreviation>

ACGIH : American Conference of Governmental Industrial Hygienists

PEL : Permissible Exposure Limit

OSHA : Occupational Safety and Health Administration

TLV : Threshold Limit Value

MAK : MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche

Forschungsgemeinschaft

TRGS : Technische Regeln für Gefahrstoffe(Deutsche)
IARC : International Agency for Research on Cancer

EPA : Environmental Protection Agency(USA)

NTP : National Toxicology Program
ILO : International Labour Office

UN : Nnited Nations

TSCA : Toxic Substances Control Act(USA)

<Reference>

- ISO 11014-1 Safety data sheet for chemical products
- Commission Directive 91/155/EEC and 2001/58/EC
- Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats H.Muhle et.al

Fundamental and Applied Toxicology 17.280-299(1991)

 Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats

B.Bellmann

Fundamental and Applied Toxicology 17.300-313(1991)