# Safety Data Sheet According to Regulation (EC) No 1907/2006

Ball pen ink Red

Version 1.0	
Issue date: 16/03/2015	
Revision date: 16/03/2015	SDS Record Number: CSSS-TCO-010-116369
Section 1 Identification of the subst	ance/mixture and of the company/undertaking
1.1 Product identifier:	
Identification on the label/Trade name:	Ball pen ink Red
Additional identification:	-
Identification of the product:	See section 3
Index Number:	Not available
REACH registration No .:	Not available
1.2 Relevant identified uses of the subs	stance and uses advised against:
1.2.1 Identified uses:	
Not available.	
1.2.2 Uses advised against:	
Not available.	
1.3 Details of the supplier of the safety	data sheet:
Supplier(Only representative):	-
Supplier(Manufacturer):	Suzhou Xiongying pensink Technology Co., Ltd.
Address:	NO.539, Yunli Road, Wujiang City, Jiangsu Province
Contact person(E-mail):	zhangshenghong001@126.com
Telephone:	+86 15962550010
Fax:	-
1.4 Emergency telephone Number:	
+86 512 63338058 Only available during	office hours (8:30a.m17:30p.m. Beijing Time Zone)
Available outside office hours?	YES NO X

## **Section 2 Hazards Identification**

### 2.1 Classification of the substance/mixture:

### 2.1.1 Classification:

The mixture is classified as following according to 1999/45/EC and REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008			
Hazard classes/Hazard categorie	Hazard statement		
Acute Tox.4	H302		
Skin Irrit. 2	H315		
Eye Irrit.2	H319		
Aquatic Chronic 3	H412		
For full text of H_ phrases: see section 2.2			

For full text of H- phrases: see section 2.2.

1999/45/EC	
Hazards characteristics	R-Phrases
Xn	R22

Xi	R36/38
N	R52/53
For full text of R- phrases: see section	16.
label elements:	
Hazard Pictograms:	
	·
Signal Word(S):	Warning
Hazard Statement:	H302: Harmful if swallowed
	H315: Causes skin irritation
	H319: Causes serious eye irritation
	H412: Harmful to aquatic life with long lasting effects
Precautionary statement:	P264 Wash hands thoroughly after handling.
-	P270 Do not eat, drink or smoke when using this product.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face protectio
	P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physicia
	you feel unwell.
	P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several min
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P330 Rinse mouth.
	P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
	P337 + P313: If eye irritation persists: Get medical advice/attention.
	P362: Take off contaminated clothing and wash before reuse.

P501: Dispose of contents/container in accordance with local regulations.

### 2.3 Other hazards:

Not applicable.

## Section 3 Composition/information on ingredients

### Substance/Mixture:

Mixture

### Ingredient(s):

Chemical Name	Registration No.	CAS No.	EC No.	Concentration
Solvent Red49		509-34-2	208-096-8	30%
2-Phenoxy Ethanol		122-99-6	204-589-7	25%
Benzyl alcohol		100-51-6	202-859-9	20%
Keton resin		25054-06-2		14%
Epoxy resin		24969-06-0		6%
Triethanolamine		102-71-6	203-049-8	4%

Phosphoric acid ester	90506-69-7	291-933-4	1%

### Section 4 First aid measures

### 4.1 Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

### 4.1.1 In case of inhalation:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention. If not breathing, give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask, etc). If breathing is difficult, oxygen should be administered by qualified personnel.

#### 4.1.2 In case of skin contact:

Wash thoroughly with soap and water.

### 4.1.3 In case of eyes contact:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

### 4.1.4 In case of ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

### 4.2 Most important symptoms and effects, both acute and delayed:

The product is harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed:

If skin irritation or rash occurs, get medical advice/attention.

Section 5 Fire-Fighting measures				
5.1 Extinguishing media:				
Suitable extinguishing media:	Water, dry extinguishing media, carbon dioxide, alcohol resistant foams.			
Unsuitable extinguishing media:	Direct water stream.			
5.2 Special hazards arising from the substance or mixture	None Special hazards.			
5.3 Special fire fighting methods and special protective actions for fire-fighters:	Wear a self-contained breathing apparatus.			

### Section 6 Accidental release measures

6.1 Personal precautions, protective equipm	nent and emergency procedures:
6.1.1 For non-emergency personnel:	Ensure good ventilation/exhaustion at the workplace.
6.1.2 For emergency responders:	Not available.
6.2 Environmental Precautions:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
6.3 Methods for Containment and Cleaning	For large amounts: Pump off product.
up:	For residues: Pick up with suitable absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dispose of absorbed material in accordance with regulations.
Product name: Ball pen ink Red	SDS EU

6.4 Reference to other sections:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.		
	See Section 13 for information on disposal.		
6.5 Additional information:	Not applicable.		
Section 7 Handling and storage			
7.1 Precautions for safe handling:			
7.1.1 Protective measures:	Do not swallow. Avoid contact with eyes, skin, and clothing. Wash thoroughly after		
	handling. Keep container closed. Use with adequate ventilation.		
7.1.2 Advice on general occupational	Prevent contact with air/oxygen (formation of peroxide).		
hygiene:			
7.2 Conditions for safe storage, including	Store in cool place. Keep container tightly closed in a dry and well-ventilated place.		
any incompatibilities:	Containers which are opened must be carefully resealed and kept upright to prevent		

7.3 Specific end use(s):

Store in cool place. Keep container tightly closed in a dry and well-ventilated place Containers which are opened must be carefully resealed and kept upright to prever leakage. Not applicable.

## **Section 8 Exposure Controls/Personal Protection**

#### 8.1 Control parameters:

8.1.1 Occupational exposure limits:	Substance		Limit Value (8-hour		Occupational Exposure Limit Value (15-minute reference period)	
		CAS No.	ppm	mg/ m <sup>3</sup>	ppm	mg/ m <sup>3</sup>
	Benzyl alcohol	100-51-6	10	45	-	-
	2-Phenoxy	122-99-6	20	110	50	290
	Ethanol					
	Triethanolamine	102-71-6	-	5	-	-

## **8.1.2 Additional exposure limits under the** Not available.

conditions of use:

8.1.3 DNEL/DMEL and PNEC-Values:

Not available.

## 8.2 Exposure controls:

8.2.1Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

## 8.2.2 Individual protection measures, such as personal protective equipment:

Eye/face protection:	Safety glasses with side shields. Chemical goggles.
Hand protection:	Wear chemical protective gloves, e.g. PVC.
Body protection:	Not available.
Respiratory protection:	Wear appropriate protective mask.
Thermal hazards:	Not available.
8.2.3 Environmental exposure controls:	Avoid discharge into the environment.
	According to local regulations, Federal and official regulations.

## **Section 9 Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties:

	Appearance:	Liquid
	Colour:	Red
	Odour:	Not available
	Odour threshold:	Not available
	pH:	Not available
	Melting point/range (°C):	11.8 °C ( CAS#122-99-6)
	Boiling point/range (°C):	244.3 °C ( CAS#122-99-6)
	Flash point (°C):	126 °C ( CAS#122-99-6)
	Evaporation rate:	Not available
	Flammability limit - lower (%):	Not available
	Flammability (solid, gas):	Not available
	Ignition temperature (°C):	Not available
	Upper/lower flammability/explosive limits:	Not available
	Vapour pressure (20°C):	0.014 hPa( 20 °C) ( CAS#122-99-6)
	Vapour density:	Not available
	Relative Density:	1.11( 20 °C) ( CAS#122-99-6)
	Bulk density (kg/m³):	Not available
	Water solubility (g/l):	24.2 g/L( 20.7 °C pH=5.5) ( CAS#122-99-6)
	n-Octanol/Water (log Po/w):	1.2 (23 °C) ( CAS#122-99-6)
	Auto-ignition temperature:	475 °C ( CAS#122-99-6)
	Decomposition temperature:	> 350 °C( CAS#122-99-6)
	Viscosity, dynamic (mPa.s):	19 mPa s (dynamic)(40.5 °C) ( CAS#122-99-6)
	Explosive properties:	Not available
	Oxidising properties:	Not available
	Molecular Formula:	Not applicable
	Molecular Weight:	Not applicable
9.	2. Other information:	
	Fat solubility(solvent- oil to be specified)	Not available
	etc:	
	Surface tension:	70.7 mN/m( CAS#122-99-6)
	Dissociation constant in water( pKa):	Not available
	Oxidation-reduction Potential:	Not available
	Specific gravity:	Not available

# Section 10 Stability and reactivity

10.1 Reactivity:	The substance is stable under normal storage and handling conditions.
10.2 Chemical stability:	Material is stable under normal conditions.
10.3 Possibility of hazardous reactions:	No dangerous reactions known.
10.4 Conditions to avoid:	Incompatible materials.
10.5 Incompatible materials:	Strong acids. Strong bases. Strong oxidizers.
10.6 Hazardous decomposition products:	Not available.

## Section 11 Toxicological information

## 11.1 Toxicokinetics, metabolism and distribution:

Non-human toxikological data:	Not available
11.2 Information on toxicological effects:	
Acute toxicity:	
2-Phenoxy Ethanol (CAS#122-99-6)	
LD50(Oral, Rat):	1850 mg/kg bw
LD50(Dermal, Rabbit):	Not available
LC50(Inhalation, Rat):	> 1000 mg/m³ air
Benzyl alcohol (CAS#100-51-6)	
LD50(Oral, Rat):	1620 mg/kg bw
LD50(Dermal, Rabbit):	Not available
LC50(Inhalation, Rat):	> 4178 mg/m <sup>3</sup> air 4h
Triethanolamine (CAS#102-71-6)	
LD50(Oral, Rat):	6400 mg/kg bw
LD50(Dermal, Rabbit):	> 2000 mg/kg bw
LC50(Inhalation, Rat):	Not available
Skin corrosion/Irritation:	Causes skin irritation.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitization:	Not classified
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT- single exposure:	Not classified
STOT-repeated exposure:	Not classified
Aspiration hazard:	Not classified

## **Section 12 Ecological information**

## **Toxicity:**

2-Phenoxy Ethanol (CAS#122-99-6)

Acute toxicity		Time	Species	Method	Evaluation	Remarks
LC50	344 mg/L	96h	Fish	OECD 203	N/A	N/A
LC50	> 500 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	> 500 mg/L	72h	Algae	OECD 201	N/A	N/A

Benzyl alcohol (CAS#100-51-6)

Acute toxicity		Time	Species	Method	Evaluation	Remarks
LC50	460 mg/L	96h	Fish	OECD 203	N/A	N/A
LC50	230 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	770 mg/L	72h	Algae	OECD 201	N/A	N/A

Triethanolamine (CAS#102-71-6)

Acute toxicity		Time	Species	Method	Evaluation	Remarks
LC50	11800 mg/L	96h	Fish	OECD 203	N/A	N/A
LC50	609.88 mg/L	48h	Daphnia	OECD 202	N/A	N/A

	EC50	512 mg/L	72h	Algae	OECD 201	N/A	N/A	
Persistence and degradability:				Not available.				
Bioaccumulative potential:			Ν	Not available.				
Mobility in soil:			Ν	Not available.				
Results of PBT&vPvB assessment:				Not available.				
Other adverse effects:			F	larmful to aquatic life	e with long lastin	g effects.		

Section 13 Disposal considerations	
13.1 Waste treatment methods:	Dispose of contents/container in accordance with local regulations.
13.2 Product / Packaging disposal:	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 Transport information						
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)			
UN-Number	Not regulated	Not regulated	Not regulated			
UN Proper shipping name	Not regulated	Not regulated	Not regulated			
Transport hazard Class	Not regulated	Not regulated	Not regulated			
Packaging group	Not regulated	Not regulated	Not regulated			
Environmental hazards	No	No	No			
Special precautions for user	See section 2.2	See section 2.2	See section 2.2			
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated			

## **Section 15 Regulation information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Relevant information regarding authorization: **Relevant information regarding restriction:** Other EU regulations:

Not applicable.

Not applicable.

Employment restrictions concerning young person must be observed. For use only by technically qualified individuals.

**Other National regulations:** Chemical Safety Assessment has been carried out? Not applicable YES

Х

NO

## **Section 16 Other information**

### 16.1 Indication of changes:

Version 1.0 Amended by EU No 453/2010

## 16.2 Relevant R- phrases (number and full text):

R22 Harmful if swallowed

R36/38 Irritating to eyes and skin

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### 16.3 Training instructions:

Not applicable.

### 16.4 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

### 16.5 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.