

## MATERIAL HEALTH & SAFETY (CoSHH) SHEET

**PRODUCT NAME:** Q CONNECT OHP PERMANENT

### SECTION 1 – GENERAL INFORMATION

|   |   |
|---|---|
| <b>SUPPLIERS NAME:</b> HAINENKO                               |   |
| <b>ADDRESS:</b> 284 CHASE ROAD<br>SOUTHGATE<br>LONDON N14 6HF | <b>TEL NO:</b> (+44) 020 8882 8734<br><b>FAX NO:</b> (+44) 020 8882 7749<br><b>DATE:</b> 1995 |

### SECTION 2 – COMPONENTS

**BARREL:** USED PLASTICS PER PEN: POLYPROPYLENE (PP) 5,2g  
POLYETHYLENE (PE) 0,52g

**INK:** FILLING PER PEN 1,6g INK  
INK FEEDER OF POLYESTER

INKS PRODUCED WITH AN ALCOHOL BASE. ALCOHOL, COLOURINGS  
AND ADDITIVES ARE FLAMMABLE IN LINE WITH GERMAN REGULATIONS  
(EXCEPTED BOWLS <125ml)

### SECTION 3 – INDICATION FOR SECURITY AND ENVIRONMENT

|  |  |
|--|--|
| <b>BARREL:</b><br><b>HAZARDOUS INGREDIENTS</b> | None according to German GelStoffV. Plastics are coloured with Cadmium-free pigments.  |
| <b>FLASHPOINT</b>                              | None. Melting temperature more than 120°C  |
| <b>SOLUBILITY IN WATER</b>                     | Not soluble  |
| <b>EXTINGUISHING MEDIA</b>                     | Water, CO <sup>2</sup> , Dry Extinguisher, Foam  |
| <b>DISPOSAL</b>                                | Environmentally friendly. No contamination of air or ground water in combusting plants. Empty written pens can be disposed of with daily garbage in line with local regulations. |
| <b>INK</b><br><b>HAZARDOUS INGREDIENTS</b>     | Flammable (F); quantity is below regulations and therefore exempt.   |
| <b>FLASHPOINT</b>                              | 14°C   |
| <b>SOLUBILITY IN WATER</b>                     | Partially soluble  |
| <b>CONTACT WITH SKIN</b>                       | Clean with soap  |

## MATERIAL HEALTH & SAFETY (CoSHH) SHEET

|                        |                                    |
|------------------------|------------------------------------|
| <b>MUCOUS MEMBRANE</b> | Clean with water                   |
| <b>EYES</b>            | Clean with water                   |
| <b>ODOUR</b>           | Fruity/vapours can be intoxicating |
| <b>HEAVY METAL</b>     | Ink according to EN71/3            |

### SECTION 4 – APPLICATION CHARACTERISTICS

ESPECIALLY SUITABLE FOR DAYLIGHT PROTECTION FOIL, BUT ALSO WORKS ON PLASTICS, GLASS METAL AND OTHER OBJECTS. IF USED ON POLYOFINES ie OBJECTS WHERE ADHERENCE IS VERY IMPORTANT IT SHOULD BE TESTED IN ADVANCE.

|                              |  |
|------------------------------|--|
| <b>LIGHT RESISTANCE</b>      | Good with black, blue, green and orange<br>Average with red and magenta  |
| <b>WATER RESISTANCE</b>      | Good with black,, blue and orange<br>Average with green, red and magenta |
| <b>OTHER CHARACTERISTICS</b> | Fast drying, low on odour, removable with alcohol                        |