

Page:1/6

MSDS No.: MFP-2201

Product Name: TONER (CYAN) TN610C

Prepared date:20-May-2005 Revised Date: 10-Sep-2007

1. PRODUCT AND COMPANY IDENTIFICATION Product Name: TONER (CYAN) TN610C used for: PRO C6500/C6500P, PRO C5500

Supplier Identification:

Konica Minolta Business Solutions Australia Pty. Ltd. 22 Giffnock Avenue, North Ryde NSW 2113, Australia Telephone: (02)9878-5333 Facsimile: (02)9888-1972

Contact Point National Technical Manager

Telephone: (02)8873-6677 Facsimile: (02)9886-0348 For emergency enquiries, please contact Konica Minolta Australia during Monday to Friday from 9.00am - 5.00pm.

2. HAZARDS IDENTIFICATION Classification: Not hazardous in accordance with NOHSC Australia criteria.

Emergency Overview: Cyan powder (mean dia. is 5-10um by volume ). Almost odorless

Most Important Hazards and Effects of the Products Ingestion Effect: None currently known. Inhalation Effect: None currently known. Minimal respiratory tract irritation may occur as with exposure to large amount of any non-toxic dust. Eye Effect: None currently known. Skin Effect: None currently known. Chronic Effects: Prolonged inhalation of excessive dusts may cause lung damage. Use of this product, as intended, does not result in inhalation of excessive dust. Environment Hazards: No data are available on the adverse effects of

this product on the environment.

Specific Hazards: Dust explosion(like most finely divided organic
powders)



Page:2/6

MSDS No.: MFP-2201

Product Name: TONER (CYAN) TN610C

Prepared date:20-May-2005 Revised Date: 10-Sep-2007

		-
3. COMPOSITION/INFORMATION ON INGRE Substance [ ] Preparation [	-	
Major Ingredients:		
[Generic Name]	[CAS No.]	[ 응 ]
Styrene acrylic resin	+++	75-85
Wax	+++	10-20
Wax-2	+++	1-10
Organic pigment	147-14-8	1-10
Amorphous silica	7631-86-9	1-10
Titanium oxide	13463-67-7	<1
+++: Supplier's confidential informa	ation	
Hazardous Ingredients: None present		
4. FIRST-AID MEASURES Ingestion: Wash out mouth with water If symptoms occur, get medical Inhalation: Move victim to fresh get medical attention. Eye Contact: Immediately flushe If symptoms occur, get medical Skin Contact: Wash with water a	attention. air immediately. If eyeswithplentyofwat attention.	E symptoms occur,
5. FIRE-FIGHTING MEASURES Suitable Extinguishing Media: CO2 Extinguishing Media to Avoid: Full	l water jet	and dry chemical

Fire and Explosion Hazards: If dispersed in air, like most finely divided organic powders, may form an explosive mixture.

Protection of Firefighters: Use self-contained breathing apparatus(SCBA).



Page:3/6

MSDS No.: MFP-2201

Product Name: TONER (CYAN) TN610C

Prepared date:20-May-2005 Revised Date: 10-Sep-2007

6.	ACCIDENTAL RELEASE MEASURES	
	Personal Precautions: None	
	Environmental Precautions: None	anal muchasting and mont
	Methods for Cleaning Up: Wear pers	
		ep material and place in a bag and hold uippedwithHighEfficiencyParticulate
		d be electrically bonded and grounded
		To avoid dust generation, do not sweep
	dry.	
7.	HANDLING AND STORAGE	
	Handling	
	Technical Measures: None	
	Precautions: Do not breathe dus	t. Avoid contact with eyes.
	Safe Handling Advice: Try not t	o disperse the particulates.
	Storage	
	Technical Measures: None	
		er closed. Store in a cool and dry place.
	-	reach of children.
	Incompatible Products: None	
	Packaging Materials: Bottles or Ca	artridge designated by Konica Minolta.
8.	EXPOSURE CONTROLS/PERSONAL PRO	TECTION
	Engineering Measures	
	Ventilation: None required with	intended use
	Control Parameters(As total dust)	
	OSHA-PEL(USA): 15mg/m3 ACC	SIH-TLV(USA): 10mg/m3
	OSHA-PEL(USA): 15mg/m3 ACC DFG-MAK(GER): 4mg/m3 Wor	
	OSHA-PEL(USA): 15mg/m3 ACC DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment	GIH-TLV(USA): 10mg/m3 cksafe-TWA(Austl.): 10mg/m3
	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond	GIH-TLV(USA): 10mg/m3 rksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal
	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in	GIH-TLV(USA): 10mg/m3 cksafe-TWA(Austl.): 10mg/m3
	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond	GIH-TLV(USA): 10mg/m3 cksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and
	OSHA-PEL(USA): 15mg/m3 ACC DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after	GIH-TLV(USA): 10mg/m3 cksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling.
9.	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES	GIH-TLV(USA): 10mg/m3 cksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling.
9.	OSHA-PEL(USA): 15mg/m3 ACC DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance	GIH-TLV(USA): 10mg/m3 cksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling.
9.	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance	GIH-TLV(USA): 10mg/m3 Eksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling. S Color: Cyan
9.	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance Physical State: Solid Form: Powder (mean dia. is 5-10	GIH-TLV(USA): 10mg/m3 Eksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling. S Color: Cyan
9.	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance Physical State: Solid Form: Powder (mean dia. is 5-10 Odor:	GIH-TLV(USA): 10mg/m3 Eksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling. G Color: Cyan hum by volume)
9.	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance Physical State: Solid Form: Powder (mean dia. is 5-10 Odor: PH	GIH-TLV(USA): 10mg/m3 Eksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling. S Color: Cyan hum by volume) Almost odorless
	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance Physical State: Solid Form: Powder (mean dia. is 5-10 Odor: PH Boiling Point(°C): Melting Point(°C):	GIH-TLV(USA): 10mg/m3 Eksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling. S Color: Cyan bum by volume) Almost odorless Not applicable Around 125C(275F) (Softening Point)
	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance Physical State: Solid Form: Powder (mean dia. is 5-10 Odor: PH Boiling Point(°C): Melting Point(°C):	GIH-TLV(USA): 10mg/m3 Eksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling. Color: Cyan hum by volume) Almost odorless Not applicable Not applicable Around 125C(275F) (Softening Point) Not applicable
	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance Physical State: Solid Form: Powder (mean dia. is 5-10 Odor: PH Boiling Point(°C): Melting Point(°C): Flash Point(°C):	<pre>SH-TLV(USA): 10mg/m3 cksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling. S Color: Cyan hum by volume) Almost odorless Not applicable Not applicable Around 125C(275F) (Softening Point) Not applicable Not applicable Not applicable</pre>
	OSHA-PEL(USA): 15mg/m3 ACG DFG-MAK(GER): 4mg/m3 Wor Personal Protective Equipment Not required under normal cond operating procedures (such as in respirators may be required. Hygiene Measures: Wash hands after PHYSICAL AND CHEMICAL PROPERTIES Appearance Physical State: Solid Form: Powder (mean dia. is 5-10 Odor: PH Boiling Point(°C): Melting Point(°C): Flash Point(°C): Ignition Temperature(°C): Explosion Properties:	GIH-TLV(USA): 10mg/m3 Eksafe-TWA(Austl.): 10mg/m3 itions. For use other than in normal the event of large spill), goggles and handling. Color: Cyan hum by volume) Almost odorless Not applicable Not applicable Around 125C(275F) (Softening Point) Not applicable



Page:4/6

MSDS No.: MFP-2201

Product Name: TONER (CYAN) TN610C Prepared date: 20-May-2005 Revised Date: 10-Sep-2007 1.2 Specific Gravity: Solubility: Insoluble in water. Partition Coefficient, n-Octanol/Water: Not applicable 10. STABILITY AND REACTIVITY Stability: Stable except above 200C(392F). Hazardous Reactions: Dust explosion, like most finely divided organic powders. Conditions to avoid: Electric discharge, throwing into fire. Materials to Avoid: Oxidizing materials. Hazardous Decomposition Products: CO, CO2, NOx and smoke. Hazardous Polymerization: Will not occur. 11. TOXICOLOGICAL INFORMATION Acute Toxicity: Ingestion(oral), LD50(mg/kg): >2500 (Rat) \* Dermal, LD50(mg/kg): No data available Inhalation, LC50(mg/l): >4.79(Rat)\*(This was the highest attainable concentration.) Eye irritation: Non irritant (Rabbit) \* Skin irritation: Non irritant (Rabbit) \* Skin sensitizer: Non sensitizer (Guinea pig) \* (\*= Based on data for other Konica Minolta Products with similar ingredients) Local Effects: see Chronic Toxicity or Long term Toxicity Chronic Toxicity or Long Term Toxicity: Prolonged inhalation of excessive dust may cause lung damage. It is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust. In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of rats in the high concentration  $(16 \text{mg/m}^3)$  exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle(4mg/m<sup>3</sup>) exposure group. But no pulmonary change was reported in the lowest  $(1mg/m^3)$  exposure group, the most relevant level to potential human exposures. Carcinogenicity IARC Monographs: Not listed NTP(USA): Not listed OSHA Regulated(USA): Not listed Mutagenicity: Negative (AMES test)



Page:5/6

MSDS No.: MFP-2201

Product Name: TONER (CYAN) TN610C

Prepared date: 20-May-2005 Revised Date: 10-Sep-2007

## 12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Ecotoxicity: No data available Mobility: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available

# 13. DISPOSAL CONSIDERATION

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.

### 14. TRANSPORT INFORMATION

Information on Code and Classifications According to International Regulations

UN Classification: None

# 15. REGULATORY INFORMATION US Information Information on the label: Not required TSCA(Toxic Substances Control Act): All chemical substances in this product comply with all applicable rules or order under TSCA. California Proposition 65: This product contains no chemical substances subject to California Proposition 65. EU Information Information on the label (1999/45/EC and 67/548/EEC): Not required

Article14 (2.1) of Directive 1999/45/EC is not applicable to this product.

# 16. OTHER INFORMATION

HMIS Rating: The National Paint and Coating Association(USA): Health: 1 Flammability: 1 Reactivity: 0 Recommended Uses: Toner for Electrophotographic Equipment Revision Information: Regular revision on revised date.



Page:6/6

MSDS No.: MFP-2201

Product Name: TONER (CYAN) TN610C

Prepared date:20-May-2005 Revised Date: 10-Sep-2007

Literature References: ANSI Z400.1-1993 ISO 11014-1 Commission Directive 91/155/EEC

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

Restrictions:

The above information is believed to be accurate and represents the best information currently available to Our Corporation. However, Our Corporation makes no warranty with respect to such information, and Our Corporation assumes no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.